



US008542149B2

(12) **United States Patent**
Watanabe et al.

(10) **Patent No.:** **US 8,542,149 B2**
(45) **Date of Patent:** **Sep. 24, 2013**

(54) **ANTENNA AND ELECTRONIC DEVICE
EQUIPPED WITH SAME**

(75) Inventors: **Haruyuki Watanabe**, Hitachi (JP);
Naoki Iso, Hitachi (JP); **Morihiko
Ikegaya**, Kasumigaura (JP); **Tomoyuki
Ogawa**, Hitachi (JP)

(73) Assignee: **Hitachi Cable, Ltd.**, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 624 days.

(21) Appl. No.: **12/718,025**

(22) Filed: **Mar. 5, 2010**

(65) **Prior Publication Data**
US 2011/0057844 A1 Mar. 10, 2011

(30) **Foreign Application Priority Data**
Sep. 8, 2009 (JP) 2009-207302

(51) **Int. Cl.**
H01Q 1/38 (2006.01)

(52) **U.S. Cl.**
USPC 343/700 MS; 343/797

(58) **Field of Classification Search**
USPC 343/700 MS, 767, 702
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS
2005/0024281 A1* 2/2005 Apostolos 343/767
2007/0126648 A1* 6/2007 Svensson et al. 343/767


FOREIGN PATENT DOCUMENTS
JP 2006-014272 1/2006

* cited by examiner

Primary Examiner — Dieu H Duong
(74) *Attorney, Agent, or Firm* — Antonelli, Terry, Stout &
Kraus, LLP.

(57) **ABSTRACT**
An antenna according to the present invention comprises: a
conductor plate with an axisymmetrical shape; a slot formed
on the conductor plate; and a feeding point provided on the
axisymmetrical axis of the conductor plate, in which the
conductor plate is folded along two locations that are parallel
to the axisymmetrical axis toward mutually different direc-
tions.

5 Claims, 38 Drawing Sheets





US008542152B2

(12) **United States Patent**
Yu et al.

(10) **Patent No.:** **US 8,542,152 B2**
(45) **Date of Patent:** **Sep. 24, 2013**

(54) **MULTI-BAND ANTENNA**

(75) Inventors: **Chih-Yin Yu**, Yilan County (TW);
Shih-Chi Lai, Miaoli County (TW);
Chia-Lun Tang, Miaoli County (TW);
Jia-Yi Sze, Taoyuan County (TW)

(73) Assignee: **Auden Techno Corp.**, Taoyuan County (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 354 days.

(21) Appl. No.: **13/004,253**

(22) Filed: **Jan. 11, 2011**

(65) **Prior Publication Data**

US 2012/0176273 A1 Jul. 12, 2012

(51) **Int. Cl.**
H01Q 1/38 (2006.01)
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**
USPC **343/700 MS; 343/702; 343/846**

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,378,897	B2 *	2/2013	Lai et al.	343/700 MS
2003/0174092	A1 *	9/2003	Sullivan et al.	343/702
2008/0122702	A1 *	5/2008	Lin et al.	343/700 MS
2008/0180333	A1 *	7/2008	Martiskainen et al.	343/722
2011/0109515	A1 *	5/2011	Rao	343/702
2012/0154222	A1 *	6/2012	Oh et al.	343/702

* cited by examiner


Primary Examiner — Trinh Dinh

(74) *Attorney, Agent, or Firm* — Rosenberg, Klein & Lee

(57) **ABSTRACT**

A multi-frequency antenna includes a microwave substrate, a first antenna unit, a second antenna unit, a third antenna unit and a grounding unit. The first antenna unit, the second antenna unit, and the third antenna unit are disposed on the microwave substrate surface. The grounding unit is disposed at an edge on the surface of the microwave substrate. The grounding unit is in connection with the second antenna unit. The second antenna unit and the third antenna unit are bent to form perpendicular structures to the microwave substrate. The compact arrangement reduces the physical footprint of the antenna module to enable fitment in a wide range of products having tight special constraint.

6 Claims, 6 Drawing Sheets





US008542154B2

(12) **United States Patent**
You et al.

(10) **Patent No.:** **US 8,542,154 B2**
(45) **Date of Patent:** **Sep. 24, 2013**

(54) **PORTABLE TERMINAL**

(75) Inventors: **Chisang You**, Gyeonggi-Do (KR);
Moonsoo Song, Gyeonggi-Do (KR);
Jaehyun Choi, Seoul (KR); **Songyi Lee**,
Gyeonggi-Do (KR); **Namyong Kim**,
Seoul (KR); **Yochuol Ho**, Gyeonggi-Do
(KR); **Euntaek Jeoung**, Gyeonggi-Do
(KR)

(73) Assignee: **LG Electronics Inc.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 553 days.

(21) Appl. No.: **12/829,134**

(22) Filed: **Jul. 1, 2010**

(65) **Prior Publication Data**

US 2011/0001673 A1 Jan. 6, 2011

(30) **Foreign Application Priority Data**

Jul. 2, 2009 (KR) 10-2009-0060349
Jul. 20, 2009 (KR) 10-2009-0066027

(51) **Int. Cl.**
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**
USPC **343/702**

(58) **Field of Classification Search**
USPC 343/702, 700 MS, 803; 455/575.7
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,853,341	B1 *	2/2005	Hellgren et al.	343/742
7,307,591	B2 *	12/2007	Zheng	343/702
7,358,906	B2 *	4/2008	Sato et al.	343/702
7,605,764	B2 *	10/2009	Ishimiya	343/702
2007/0115200	A1 *	5/2007	Ishimiya	343/803
2009/0239595	A1 *	9/2009	Sung et al.	455/575.7

* cited by examiner


Primary Examiner — Huedung Mancuso

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(57) **ABSTRACT**

A portable terminal comprises a ground portion mounted in a body of the portable terminal, and configured to form electrical ground of a circuit board which controls the portable terminal, a conductive member mounted to a case which forms appearance of the body, and formed of a conductive material, a first radiator electrically connected to the ground portion so as to be fed by the ground portion, and configured to transmit and receive radio electromagnetic waves, a second radiator formed of a conductive material, and connected to the conductive member so as to form an antenna pattern together with the ground portion and the conductive member, the antenna pattern consecutive with a feed point of the first radiator, and a connection member configured to electrically connect edges of the ground portion to the conductive member such that the first radiator and the antenna pattern form a dipole antenna.

19 Claims, 14 Drawing Sheets





US008547282B2

(12) **United States Patent**
Park et al.

(10) **Patent No.:** **US 8,547,282 B2**
(45) **Date of Patent:** **Oct. 1, 2013**

(54) **MIMO ANTENNA AND COMMUNICATION DEVICE USING THE SAME**

(75) Inventors: **Se-hyun Park**, Suwon-si (KR);
Dong-jin Kim, Yongin-si (KR);
Byung-tae Yoon, Suwon-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **13/426,032**

(22) Filed: **Mar. 21, 2012**

(65) **Prior Publication Data**

US 2013/0050052 A1 Feb. 28, 2013

Related U.S. Application Data

(62) Division of application No. 12/112,033, filed on Apr. 30, 2008, now Pat. No. 8,164,525.

(30) **Foreign Application Priority Data**

Oct. 17, 2007 (KR) 10-2007-0104549

(51) **Int. Cl.**
H01Q 1/38 (2006.01)

(52) **U.S. Cl.**
USPC **343/700 MS**; 343/702; 343/876

(58) **Field of Classification Search**
USPC 343/700, 702, 829, 846, 876
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,541,021	A *	2/1951	Baum	343/736
3,050,730	A *	8/1962	Lamberty	343/792.5
4,750,000	A *	6/1988	Schroeder	343/853
5,550,554	A	8/1996	Erkoevic		
6,542,128	B1 *	4/2003	Johnson et al.	343/742
7,477,201	B1 *	1/2009	Bit-Babik et al.	343/702
2002/0140612	A1	10/2002	Kadambi et al.		
2003/0222823	A1	12/2003	Flint et al.		
2004/0233111	A1	11/2004	Desclos et al.		
2005/0153756	A1	7/2005	Sato et al.		
2007/0205959	A1	9/2007	Nakaya et al.		
2007/0285334	A1 *	12/2007	Tsutsumi et al.	343/893
2009/0073047	A1	3/2009	Le Bolzer et al.		

FOREIGN PATENT DOCUMENTS

EP	1 555 715	7/2005
EP	1 830 485 A1	9/2007
FR	2 888 675	1/2007

(Continued)

OTHER PUBLICATIONS

Extended European Search Report issued on Feb. 16, 2010, in corresponding European Application No. 08160630.3 (7 pages).

(Continued)


Primary Examiner — Tho G Phan

(74) *Attorney, Agent, or Firm* — NSIP Law

(57) **ABSTRACT**

A multiple-input multiple-output (MIMO) antenna and a communication device using the same is provided. The MIMO antenna includes a plurality of antenna elements in which a feeding unit is formed at one end, and another end is connected to a ground, and a connection unit which connects the antenna elements.

17 Claims, 4 Drawing Sheets





US008547283B2

(12) **United States Patent**
Wong et al.

(10) **Patent No.:** **US 8,547,283 B2**
(45) **Date of Patent:** **Oct. 1, 2013**

(54) **MULTIBAND ANTENNA AND METHOD FOR AN ANTENNA TO BE CAPABLE OF MULTIBAND OPERATION**

6,614,400	B2	9/2003	Egorov
6,650,294	B2	11/2003	Ying et al.
6,680,705	B2	1/2004	Tan et al.
6,774,850	B2	8/2004	Chen
6,788,257	B2	9/2004	Fang et al.
6,801,168	B1	10/2004	Yeh
6,917,339	B2	7/2005	Li et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN	1886863	A	12/2006
CN	101273492	A	9/2008
EP	1 345 282		9/2003
WO	WO 02/078123		10/2002

OTHER PUBLICATIONS

European Search Report dated Oct. 17, 2011.

(Continued)

(75) Inventors: **Kin-Lu Wong**, Kaohsiung (TW); **Ming-Fang Tu**, Hsinchu (TW); **Wei-Yu Li**, Yilan (TW); **Chun-Yih Wu**, Taipei (TW)

(73) Assignees: **Industrial Technology Research Institute**, Hsinchu (TW); **National Sun-Yat-Sen University**, Kaohsiung (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 329 days.

(21) Appl. No.: **13/013,623**

(22) Filed: **Jan. 25, 2011**

(65) **Prior Publication Data**
US 2012/0001815 A1 Jan. 5, 2012

(30) **Foreign Application Priority Data**
Jul. 2, 2010 (TW) 99121914 A

(51) **Int. Cl.**
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**
USPC **343/702; 343/700 MS**

(58) **Field of Classification Search**
USPC **343/702, 700 MS, 846**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS


5,434,579	A	7/1995	Kagoshima et al.
5,835,063	A	11/1998	Brachat et al.

Primary Examiner — Hoanganh Le
(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

A multiband antenna having a ground plane and a radiating portion is provided. The radiating portion includes a first metal portion, a second metal portion, an inductively-coupled portion, and a third metal portion. The first metal portion has a first coupling metal portion and a signal feeding line electrically connected thereto. The second metal portion has a second coupling metal portion and a shorting metal portion electrically connected thereto with a shorting point connected to the ground plane. The first and second coupling metal portions are coupled and a capacitively-coupled portion is formed therebetween. The inductively-coupled portion is connected between the third and second metal portions. The first and second metal portions enable the antenna to generate a first operating band. The first, second and third metal portions enable the antenna to generate a second operating band, the frequencies of which are lower than those of the first operating band.

25 Claims, 15 Drawing Sheets





US008547289B2

(12) **United States Patent**
Montgomery et al.

(10) **Patent No.:** **US 8,547,289 B2**
(45) **Date of Patent:** ***Oct. 1, 2013**

(54) **MULTIMODE ANTENNA STRUCTURE**

(75) Inventors: **Mark T. Montgomery**, Melbourne Beach, FL (US); **Frank M. Caimi**, Vero Beach, FL (US); **Mark W. Kishler**, Rockledge, FL (US)

(73) Assignee: **Skycross, Inc.**, Fremont, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **13/454,738**

(22) Filed: **Apr. 24, 2012**

(65) **Prior Publication Data**

US 2012/0299792 A1 Nov. 29, 2012

Related U.S. Application Data

(63) Continuation of application No. 12/750,196, filed on Mar. 30, 2010, now Pat. No. 8,164,538, which is a continuation of application No. 12/099,320, filed on Apr. 8, 2008, now Pat. No. 7,688,273, which is a continuation-in-part of application No. 11/769,565, filed on Jun. 27, 2007, now Pat. No. 7,688,275.

(60) Provisional application No. 60/925,394, filed on Apr. 20, 2007, provisional application No. 60/916,655, filed on May 8, 2007.

(51) **Int. Cl.**
H01Q 9/16 (2006.01)

(52) **U.S. Cl.**
USPC **343/820**; 343/844; 343/850; 343/853

(58) **Field of Classification Search**

USPC 343/700, 820, 844, 850, 860, 893, 343/853; 455/552.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,947,987 A	8/1960	Dodgington
3,646,559 A	2/1972	Wiley
5,047,787 A	9/1991	Hogberg
5,079,562 A	1/1992	Yarusnas et al.
5,189,434 A	2/1993	Bell
5,463,406 A	10/1995	Vannatta et al.
5,617,102 A	4/1997	Prater
6,069,590 A	5/2000	Thompson, Jr. et al.
6,483,463 B2	11/2002	Kadambi et al.
6,501,427 B1	12/2002	Lilly et al.
6,509,883 B1	1/2003	Foti et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN	1645671 A	7/2005
EP	0847101 A2	6/1998

(Continued)

OTHER PUBLICATIONS

Office Action for China Patent Application No. 200880020727.9, dated May 22, 2012.

(Continued)


Primary Examiner — Tho G Phan

(74) *Attorney, Agent, or Firm* — Guntin & Gust, PLC; Andrew Gust

(57) **ABSTRACT**

A multimode antenna structure transmits and receives electromagnetic signals in a communications device.

20 Claims, 67 Drawing Sheets





US008547292B2

(12) **United States Patent**
Wu et al.

(10) **Patent No.:** **US 8,547,292 B2**
(45) **Date of Patent:** **Oct. 1, 2013**

(54) **COMMUNICATION DEVICE WITH EMBEDDED ANTENNA**
(75) Inventors: **Min-Chung Wu**, Taoyuan County (TW); **Shao-Chin Lo**, Miaoli (TW)
(73) Assignee: **Ralink Technology Corp.**, Jhubei, Hsinchu County (TW)
(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 457 days.

(21) Appl. No.: **12/895,795**

(22) Filed: **Sep. 30, 2010**

(65) **Prior Publication Data**
US 2011/0095963 A1 Apr. 28, 2011

(30) **Foreign Application Priority Data**
Oct. 22, 2009 (TW) 98135751 A

(51) **Int. Cl.**
H01Q 1/50 (2006.01)
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**
USPC **343/906; 343/702**

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,940,992	A *	7/1990	Nguyen et al.	343/803
5,113,196	A *	5/1992	Ponce de Leon et al.	343/744
5,148,181	A *	9/1992	Yokoyama et al.	343/702
6,917,334	B2 *	7/2005	Chen	343/700 MS
6,963,309	B2 *	11/2005	Andersson et al.	343/702
7,274,340	B2 *	9/2007	Ozden et al.	343/860
7,675,470	B2 *	3/2010	Sanz et al.	343/702
2011/0043408	A1 *	2/2011	Shi et al.	343/700 MS


FOREIGN PATENT DOCUMENTS

CN	1797844	A	7/2006
CN	201060951	Y	5/2008
CN	101276960	A	10/2008

* cited by examiner
Primary Examiner — Trinh Dinh
(74) *Attorney, Agent, or Firm* — Winston Hsu; Scott Margo

(57) **ABSTRACT**
A communication device with an embedded antenna includes a printed circuit board and an embedded antenna including at least one radiating unit, at least one feeding unit, where each feeding unit is coupled to a corresponding one of the at least one radiating unit and the printed circuit board, and a connecting unit coupled to the at least one radiating unit including a first connecting portion and a second connecting portion. The connecting unit and the at least one radiating unit form a loop structure such that the embedded antenna is capable of covering one side of the printed circuit board.

11 Claims, 7 Drawing Sheets





US008548396B2

(12) **United States Patent**
Yoon

(10) **Patent No.:** **US 8,548,396 B2**
(45) **Date of Patent:** **Oct. 1, 2013**

- (54) **ANTENNA ELEMENT AND COMMUNICATION APPARATUS**
- (75) Inventor: **Sung-Hyuk Yoon**, Nagano (JP)
- (73) Assignee: **Sony Corporation**, Tokyo (JP)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 334 days.
- (21) Appl. No.: **12/984,131**
- (22) Filed: **Jan. 4, 2011**
- (65) **Prior Publication Data**
US 2011/0189963 A1 Aug. 4, 2011
- (30) **Foreign Application Priority Data**
Feb. 4, 2010 (JP) 2010-023421
- (51) **Int. Cl.**
H04B 1/38 (2006.01)
H01Q 11/00 (2006.01)
H01Q 1/36 (2006.01)
- (52) **U.S. Cl.**
USPC **455/90.2**; 343/700; 343/843; 343/893
- (58) **Field of Classification Search**
USPC 455/552, 552.1, 553, 553.1, 562.1, 455/575.7; 343/700
See application file for complete search history.

- (56) **References Cited**
- U.S. PATENT DOCUMENTS

6,842,158	B2 *	1/2005	Jo et al.	343/895
7,071,889	B2 *	7/2006	McKinzie et al.	343/756
7,136,022	B2	11/2006	Sato et al.	
7,477,199	B2 *	1/2009	Hotta et al.	343/702
2007/0182655	A1 *	8/2007	Lee et al.	343/792.5

- FOREIGN PATENT DOCUMENTS

JP	2006-196994	7/2006
JP	2008-177668	7/2008


* cited by examiner

Primary Examiner — Nay A Maung
Assistant Examiner — Maryam Soltanzadeh
 (74) *Attorney, Agent, or Firm* — Oblon, Spivak, McClelland, Maier & Neustadt, L.L.P.

(57) **ABSTRACT**

An antenna element includes a feeding path unit connected to a feeding point, first and second antenna main body units, and first and second short-circuit path units. The first antenna main body unit has one end connected to the feeding path unit and the other end that is opened. The second antenna main body unit has one end connected to a connection point between the feeding path unit and the first antenna main body unit and the other end that is opened. The first short-circuit path unit contributes to a resonance to a radio signal in a predetermined first frequency band, and is formed between the connection point and a ground point. The second short-circuit path unit contributes to a resonance to a radio signal in a second frequency band higher than the first frequency band, and has a path length different from that of the first short-circuit path unit.

17 Claims, 14 Drawing Sheets



Structural example of antenna element of first embodiment



US008552912B2

(12) **United States Patent**
Wang et al.

(10) **Patent No.:** **US 8,552,912 B2**
(45) **Date of Patent:** **Oct. 8, 2013**

- (54) **ANTENNA FOR THIN COMMUNICATION APPARATUS**
- (75) Inventors: **Ching-Sung Wang**, Taoyuan County (TW); **Min-Che Chen**, Taoyuan County (TW)
- (73) Assignee: **HTC Corporation**, Taoyuan County (TW)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 381 days.

6,759,991	B2	7/2004	Boyle	
6,911,945	B2	6/2005	Korva	
7,132,987	B1*	11/2006	Olsson et al.	343/702
7,193,564	B2*	3/2007	Takagi et al.	343/700 MS
2004/0085244	A1*	5/2004	Kadambi et al.	343/700 MS
2006/0044196	A1*	3/2006	Grant et al.	343/713
2006/0145924	A1	7/2006	Chen et al.	
2006/0197705	A1*	9/2006	Chen et al.	343/700 MS
2007/0030198	A1*	2/2007	Wei	343/700 MS
2010/0214191	A1*	8/2010	Teng et al.	343/843

FOREIGN PATENT DOCUMENTS

CN	2727983	9/2005
TW	575979	2/2004

OTHER PUBLICATIONS

"Antenna Frequency Scaling," The ARRL Antenna Book, published by The American Radio Relay League, Copyright 1988, p. 2-24 to 2-25.*

"Office Action of Taiwan Counterpart Application," issued on Oct. 21, 2010, p. 1-p. 7, in which the listed references were cited.

"First Office Action of China Counterpart Application", issued on Feb. 3, 2012, p. 1-p. 5, in which the listed reference was cited.

* cited by examiner

Primary Examiner — Jacob Y Choi
Assistant Examiner — Graham Smith
 (74) *Attorney, Agent, or Firm* — Jianq Chyun IP Office


- (21) Appl. No.: **12/269,888**
- (22) Filed: **Nov. 13, 2008**
- (65) **Prior Publication Data**
US 2009/0128426 A1 May 21, 2009
- (30) **Foreign Application Priority Data**
Nov. 15, 2007 (TW) 96143267 A
- (51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 9/38 (2006.01)
H01Q 9/30 (2006.01)
- (52) **U.S. Cl.**
USPC 343/702; 343/828; 343/829; 343/846
- (58) **Field of Classification Search**
USPC 343/702, 828, 829, 846
See application file for complete search history.

(57) **ABSTRACT**

A PIFA for a thin communication apparatus is provided. The PIFA includes a main body, a ground area and two ground segments, wherein the ground segments are adjacent with each other and extending out from a same side of the ground area. The SAR value and a required height for setting the antenna can be reduced through the design of two grounding paths on the antenna.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
6,498,586 B2 12/2002 Pankinaho
6,515,629 B1* 2/2003 Kuo et al. 343/700 MS

16 Claims, 4 Drawing Sheets



100



US008552913B2

(12) **United States Patent**
Ayatollahi et al.

(10) **Patent No.:** **US 8,552,913 B2**
(45) **Date of Patent:** ***Oct. 8, 2013**

(54) **HIGH ISOLATION MULTIPLE PORT ANTENNA ARRAY HANDHELD MOBILE COMMUNICATION DEVICES**

(75) Inventors: **Mina Ayatollahi, Waterloo (CA); Qinjiang Rao, Waterloo (CA)**

(73) Assignee: **BlackBerry Limited, Waterloo (CA)**

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 347 days.

This patent is subject to a terminal disclaimer.

6,075,493 A 6/2000 Sugawara et al.
6,313,798 B1 11/2001 Bancroft et al.
6,593,887 B2 7/2003 Luk et al.
6,791,498 B2 9/2004 Boyle et al.
6,950,071 B2 9/2005 Wen et al.
7,023,387 B2 4/2006 Wen et al.
7,038,627 B2 5/2006 Ikuta et al.
7,283,097 B2 10/2007 Wen et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EP 1077505 A2 2/2001
EP 1162688 A1 12/2001

(Continued)

OTHER PUBLICATIONS

(21) Appl. No.: **12/776,678**

(22) Filed: **May 10, 2010**

(65) **Prior Publication Data**

US 2010/0238079 A1 Sep. 23, 2010

Related U.S. Application Data

(63) Continuation-in-part of application No. 12/405,955, filed on Mar. 17, 2009, now Pat. No. 8,085,202.

(51) **Int. Cl.**
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**
USPC **343/702; 343/770**

(58) **Field of Classification Search**
USPC 343/702, 770, 767, 725, 729, 893
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,547,100 A 8/1996 Johnson
5,633,646 A 5/1997 Strickland
5,754,143 A 5/1998 Wamagiris et al.

International Search Report and Written Opinion for Application No. PCT/CA2011/050284, Aug. 3, 2011.

(Continued)


Primary Examiner — Hoanganh Le

(74) *Attorney, Agent, or Firm* — Moffat & Co.; Timothy Clise; Joseph Ulvr

(57) **ABSTRACT**

A multiple input-multiple output antenna assembly with high isolation between the antennas is disclosed. The antenna assembly includes a substrate with a ground layer at its surface. Two antennas are disposed opposing each other on the substrate. A meandering slot is interposed between the first and second antennas on the ground plane. A first signal port is provided for applying a first signal to excite the first antenna and a second signal port is provided for applying a second signal to excite the second antenna. The meandering slot provides isolation that inhibits electromagnetic propagation between the first and second antennas. A third signal port is provided for applying a third signal to excite the meandering slot to act as another antenna for multiple input, multiple output operation.

29 Claims, 5 Drawing Sheets





US008552914B2

(12) **United States Patent**
Xie

(10) **Patent No.:** **US 8,552,914 B2**
(45) **Date of Patent:** **Oct. 8, 2013**

(54) **ANTENNA AND ANTENNA ASSEMBLY USING SAME**

(75) Inventor: **Jia-Jun Xie**, Shenzhen (CN)

(73) Assignees: **AAC Acoustic Technologies (Shenzhen) Co., Ltd.**, Shenzhen (CN); **American Audio Components Inc.**, La Verne, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 364 days.

(21) Appl. No.: **13/015,903**

(22) Filed: **Jan. 28, 2011**

(65) **Prior Publication Data**
US 2011/0260938 A1 Oct. 27, 2011

(30) **Foreign Application Priority Data**
Apr. 27, 2010 (CN) 2010 2 0178660 U

(51) **Int. Cl.**
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**
USPC **343/702; 343/700 MS**

(58) **Field of Classification Search**
USPC 343/702, 700 MS
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
6,239,753 B1 * 5/2001 Kado et al. 343/702
7,271,770 B2 * 9/2007 Washiro 343/702
7,372,406 B2 * 5/2008 Shiotsu et al. 343/700 MS
8,077,116 B2 * 12/2011 Shamblin et al. 343/895


* cited by examiner

Primary Examiner — Hoanganh Le
(74) *Attorney, Agent, or Firm* — IPro, Inc.; Na Xu

(57) **ABSTRACT**
The present invention provides an antenna for transmitting/receiving a first frequency signal and a second frequency signal. The antenna includes a first frequency antenna branch for transmitting/receiving the first frequency signal, a second frequency antenna branch separated from the first frequency antenna branch for transmitting/receiving the second frequency signal and an inductance for connecting the first and second frequency antenna branches in series with one another. The inductance is capable of preventing the first frequency signal passing through the second frequency antenna branch.

12 Claims, 3 Drawing Sheets

100





US008552916B2

(12) **United States Patent**
Hossain et al.

(10) **Patent No.:** **US 8,552,916 B2**
(45) **Date of Patent:** **Oct. 8, 2013**

(54) **ANTENNA AND RADIO COMMUNICATION APPARATUS**

2007/0021659 A1 1/2007 DeLonzor et al.
2009/0167617 A1 7/2009 Nishio
2009/0284433 A1 11/2009 Tsutsumi et al.
2010/0053007 A1* 3/2010 Ni et al. 343/745

(75) Inventors: **Md. Golam. Sorwar Hossain**, Kawasaki (JP); **Takashi Yamagajo**, Kawasaki (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Fujitsu Limited**, Kawasaki (JP)

EP	1 361 623	11/2003
EP	1 569 298	8/2005
EP	1 594 186	11/2005
JP	2002-261533	9/2002
JP	2004-253943	9/2004
JP	2004-320611	11/2004
JP	2005-102101	4/2005
JP	2006-345042	12/2006
JP	2007-194995	8/2007
JP	2007-522769	8/2007
JP	2008-123231	5/2008
JP	2008-141661	6/2008
JP	2009-278535	11/2009
JP	4508190	5/2010

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 395 days.

(21) Appl. No.: **12/889,689**

(22) Filed: **Sep. 24, 2010**

(65) **Prior Publication Data**

US 2011/0128200 A1 Jun. 2, 2011

(Continued)

(30) **Foreign Application Priority Data**

Nov. 27, 2009 (JP) 2009-269934

OTHER PUBLICATIONS

European Search Report dated Jun. 9, 2011, from corresponding European Application No. 10 18 7536.

(Continued)

(51) **Int. Cl.**
H01Q 9/00 (2006.01)

(52) **U.S. Cl.**
USPC **343/745**

(58) **Field of Classification Search**
USPC 343/745
See application file for complete search history.

Primary Examiner — Jerome Jackson, Jr.
Assistant Examiner — Hai Tran

(74) *Attorney, Agent, or Firm* — Katten Muchin Rosenman LLP

(56) **References Cited**


(57) **ABSTRACT**

U.S. PATENT DOCUMENTS

5,828,340 A *	10/1998	Johnson	343/700 MS
6,693,594 B2 *	2/2004	Pankinaho et al.	343/700 MS
2002/0018065 A1	2/2002	Tobita et al.		
2004/0027288 A1	2/2004	Okubora et al.		
2004/0041734 A1	3/2004	Shiotsu et al.		
2006/0097918 A1	5/2006	Oshiyama et al.		
2006/0197711 A1	9/2006	Sekiguchi et al.		
2006/0279469 A1	12/2006	Adachi et al.		

An antenna includes a first arm whose one end is connected to a feeding unit, a second arm whose one end is connected to the first arm at a position that is away from the one end of the first arm and whose other end is connected to ground, and a variable impedance unit whose impedance is variable, provided between the ground and the other end of the first arm.

3 Claims, 13 Drawing Sheets





US008552919B2

(12) **United States Patent**
Hsieh et al.

(10) **Patent No.:** **US 8,552,919 B2**
(45) **Date of Patent:** **Oct. 8, 2013**

- (54) **ANTENNA MODULE**
- (75) Inventors: **Shih-Wei Hsieh**, Taipei (TW);
Shyh-Tirng Fang, Tai-Nan (TW)
- (73) Assignee: **Mediatek Inc.**, Hsin-Chu (TW)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 306 days.
- (21) Appl. No.: **13/069,643**
- (22) Filed: **Mar. 23, 2011**
- (65) **Prior Publication Data**
US 2012/0242555 A1 Sep. 27, 2012
- (51) **Int. Cl.**
H01Q 19/00 (2006.01)
- (52) **U.S. Cl.**
USPC **343/833; 343/722**
- (58) **Field of Classification Search**
USPC 343/747, 833, 834, 722, 767, 702,
343/700 MS
See application file for complete search history.

2009/0167627	A1	7/2009	Breiter	
2009/0231200	A1	9/2009	Chiu et al.	
2010/0214180	A1*	8/2010	Krogerus	343/702
2011/0122027	A1*	5/2011	Wong et al.	343/700 MS
2011/0294537	A1*	12/2011	Vance	455/550.1
2012/0262343	A1*	10/2012	Radojkovic	343/702

FOREIGN PATENT DOCUMENTS

WO	WO 2010/146157	12/2010
WO	WO 2011/024280	3/2011

OTHER PUBLICATIONS

English language translation of abstract of WO 2011/024280 (published Mar. 3, 2011).

* cited by examiner

Primary Examiner — Thien M Le


(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

An antenna module is provided. The antenna module includes a radiator, a feed pin, a ground element, a first parasitic arm, a second parasitic arm and an impedance matching unit. The radiator includes a first section and a second section, wherein an end of the first section is connected to the second section, and the first section is perpendicular to the second section. The feed pin is connected to another end of the first section. The first parasitic arm is parallel to the second section, wherein an end of first parasitic arm is connected to the ground element, and the first parasitic arm couples with the second section of the radiator. The impedance matching unit is connected to the second section and the ground element. The second parasitic arm is partially parallel to the first section, and the second parasitic arm couples with the first section of the radiator, and an end of the second parasitic arm is connected to the ground element.

19 Claims, 5 Drawing Sheets

- (56) **References Cited**
- U.S. PATENT DOCUMENTS
- 7,265,720 B1* 9/2007 De Leon et al. 343/700 MS
- 7,336,229 B1 2/2008 Tseng et al.
- 7,701,401 B2 4/2010 Suzuki et al.
- 7,742,003 B2 6/2010 Tseng et al.
- 7,791,546 B2 9/2010 Hotta et al.
- 7,812,773 B2 10/2010 Qi et al.
- 2008/0180333 A1* 7/2008 Martiskainen et al. 343/722
- 2008/0252533 A1 10/2008 Hung et al.
- 2008/0266185 A1 10/2008 Hung et al.





US008553396B2

(12) **United States Patent**
Chiu et al.

(10) **Patent No.:** **US 8,553,396 B2**
(45) **Date of Patent:** **Oct. 8, 2013**

(54) **COMMUNICATIONS DEVICE CAPABLE OF COUPLING CURRENT REDUCTION**

(75) Inventors: **Chieh-Ping Chiu**, Tianwei (TW);
Feng-Jen Weng, Tao Yuan Shien (TW);
Hsiao-Wei Wu, Zhongli (TW); **I-Ping Yen**, New Taipei (TW)

(73) Assignee: **Quanta Computer, Inc.**, Tao Yuan Hsien (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 429 days.

(21) Appl. No.: **13/085,821**

(22) Filed: **Apr. 13, 2011**

(65) **Prior Publication Data**
US 2012/0075780 A1 Mar. 29, 2012

(30) **Foreign Application Priority Data**
Sep. 28, 2010 (TW) 99132764 A

(51) **Int. Cl.**
H05K 5/00 (2006.01)

(52) **U.S. Cl.**
USPC ... **361/679.01**; 361/752; 361/753; 455/575.1; 455/575.4; 455/574

(58) **Field of Classification Search**
USPC 361/752-756, 679.01, 679.27, 814; 455/575.1-575.4, 574
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,366,554 B2 *	4/2008	Hayes	455/575.5
7,371,090 B2 *	5/2008	Hashizume	439/164
7,414,855 B1 *	8/2008	Arnold	361/752
7,505,278 B2 *	3/2009	Choi et al.	361/749
8,369,910 B2 *	2/2013	Kim	455/575.4

* cited by examiner

Primary Examiner — Jayprakash N Gandhi


Assistant Examiner — Hung Dang

(74) *Attorney, Agent, or Firm* — Brinks Hofer Gilson & Lione

(57) **ABSTRACT**

A communications device capable of coupling current reduction includes a first casing, a second casing, and an antenna. The first casing includes a first metal layer part. The second casing includes a second metal layer part. The antenna is adjacent to the first and second metal layer parts when the second casing is at a covering position. The first metal layer part has a surface that confronts the second metal layer part when the second casing is at the covering position and that is formed with a plurality of first recesses. The second metal layer part has a surface that confronts the first metal layer part when the second casing is at the covering position and that is formed with a plurality of second recesses.

10 Claims, 8 Drawing Sheets





US008558742B2

(12) **United States Patent**
Chou et al.

(10) **Patent No.:** **US 8,558,742 B2**
(45) **Date of Patent:** **Oct. 15, 2013**

- (54) **MONOPOLE ANTENNA AND ELECTRONIC DEVICE**
- (75) Inventors: **Chen-Yu Chou**, New Taipei (TW);
Chih-Wei Lee, New Taipei (TW);
Chang-Hsin Lai, New Taipei (TW)
- (73) Assignee: **Wistron Corporation**, Hsichih, New Taipei (TW)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 211 days.
- (21) Appl. No.: **13/314,150**
- (22) Filed: **Dec. 7, 2011**
- (65) **Prior Publication Data**
US 2013/0063312 A1 Mar. 14, 2013
- (30) **Foreign Application Priority Data**
Sep. 14, 2011 (TW) 100217190 U
- (51) **Int. Cl.**
H01Q 1/38 (2006.01)
H01Q 1/24 (2006.01)
- (52) **U.S. Cl.**
USPC **343/700 MS; 343/702**


(58) **Field of Classification Search**
USPC 343/700 MS, 702
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
7,091,908 B2 * 8/2006 Fabrega-Sanchez ... 343/700 MS
8,134,517 B2 * 3/2012 Wang et al. 343/846

* cited by examiner
Primary Examiner — Hoang V Nguyen
(74) *Attorney, Agent, or Firm* — Winston Hsu; Scott Margo

(57) **ABSTRACT**
A monopole antenna for an electronic device includes a grounding element electrically connected to a ground, a radiating element including a first radiator and a second radiator for transmitting and receiving a wireless signal of a first frequency band, a coupling element electrically connected to the second radiator for transmitting and receiving a wireless signal of a second frequency band, and a feed-in element electrically connected between the second radiator of the radiating element and the grounding element for transmitting the wireless signals of the first frequency band and the second frequency band.

14 Claims, 8 Drawing Sheets





US008558748B2

(12) **United States Patent**
Chen et al.

(10) **Patent No.:** **US 8,558,748 B2**
(45) **Date of Patent:** **Oct. 15, 2013**

(54) **PRINTED DUAL-BAND YAGI-UDA ANTENNA AND CIRCULAR POLARIZATION ANTENNA**

(75) Inventors: **Xin-Chang Chen**, Taipei (TW);
Min-Chung Wu, Taoyuan County (TW)

(73) Assignee: **Ralink Technology Corp.**, Jhubei,
Hsinchu County (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 468 days.

5,898,410	A *	4/1999	DeMarre	343/792.5
6,154,180	A *	11/2000	Padrick	343/722
6,307,524	B1 *	10/2001	Britain	343/795
6,326,922	B1 *	12/2001	Hegendoerfer	343/700 MS
6,839,038	B2 *	1/2005	Weinstein	343/795
7,205,953	B2 *	4/2007	Knadle et al.	343/792.5
8,022,887	B1 *	9/2011	Zarnaghi	343/846
2003/0160730	A1 *	8/2003	Alsliety	343/818
2003/0231138	A1 *	12/2003	Weinstein	343/795
2005/0057420	A1 *	3/2005	Lin et al.	343/818
2012/0293387	A1 *	11/2012	Ohno	343/818

FOREIGN PATENT DOCUMENTS

EP	1 376 757	A1	1/2004
JP	2009200719	A	9/2009

* cited by examiner

Primary Examiner — Trinh Dinh

(74) Attorney, Agent, or Firm — Winston Hsu; Scott Margo

(21) Appl. No.: **12/895,765**

(22) Filed: **Sep. 30, 2010**

(65) **Prior Publication Data**

US 2011/0090131 A1 Apr. 21, 2011

(30) **Foreign Application Priority Data**

Oct. 19, 2009	(TW)	98135250 A
Oct. 22, 2009	(TW)	98135749 A

(51) **Int. Cl.**
H01Q 21/12 (2006.01)
H01Q 9/16 (2006.01)
H01Q 11/10 (2006.01)

(52) **U.S. Cl.**
USPC **343/815**; 343/792.5; 343/795; 343/822;
343/793; 343/818

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**


U.S. PATENT DOCUMENTS

3,707,681	A *	12/1972	Grant	455/275
5,712,643	A *	1/1998	Skladany	343/700 MS
5,896,108	A *	4/1999	Shafai	343/700 MS

(57) **ABSTRACT**

A printed dual-band Yagi-Uda antenna is disclosed, which includes a substrate, a first driver, a first director, a second driver and a reflector. The first driver is formed on the substrate, and is utilized for generating a radiation pattern of a first frequency band. The first director is formed at a side of the first driver on the substrate, and is utilized for directing the radiation pattern of the first frequency band toward a first direction. The second driver is formed between the first driver and the first director on the substrate, and is utilized for generating a radiation pattern of a second frequency band. The reflector is formed at another side of the first driver on the substrate, and is utilized for reflecting both the radiation patterns of the first frequency band and the second frequency band toward the first direction.

21 Claims, 18 Drawing Sheets





US008559897B2

(12) **United States Patent**
Isobe et al.

(10) **Patent No.:** **US 8,559,897 B2**
(45) **Date of Patent:** **Oct. 15, 2013**

(54) **INFORMATION PROCESSING APPARATUS AND RADIO WAVE INTENSITY CONTROL METHOD**

(75) Inventors: **Yasuhiko Isobe**, Inagi (JP); **Michihiro Konishi**, Sagamihara (JP)

(73) Assignee: **Fujitsu Limited**, Kawasaki (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **13/447,422**

(22) Filed: **Apr. 16, 2012**

(65) **Prior Publication Data**

US 2012/0276861 A1 Nov. 1, 2012

(30) **Foreign Application Priority Data**

Apr. 28, 2011 (JP) 2011-100395

(51) **Int. Cl.**
H01Q 11/12 (2006.01)
H04B 1/04 (2006.01)

(52) **U.S. Cl.**
USPC **455/117; 455/127.2**

(58) **Field of Classification Search**
USPC 455/575.7, 115.1, 117, 127.2, 129
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2004/0235541 A1 * 11/2004 Iwai et al. 455/575.7
2010/0279751 A1 * 11/2010 Pourseyed et al. 455/575.7
2012/0142393 A1 * 6/2012 Won et al. 455/522
2013/0137487 A1 * 5/2013 Sato 455/566

FOREIGN PATENT DOCUMENTS

JP 2008-090345 4/2008
JP 2009-152705 7/2009
JP 2009-232437 10/2009
JP 2010-145837 7/2010

OTHER PUBLICATIONS

Korean Office Action mailed Jun. 24, 2013 for corresponding Korean Application No. 10-2012-0041285, with English-language translation.

* cited by examiner

Primary Examiner — Nguyen Vo

(74) *Attorney, Agent, or Firm* — Fujitsu Patent Center

(57) **ABSTRACT**

An information processing apparatus has radio communication function. A tilt detection unit detects a tilt of the information processing apparatus. An output changing unit changes an output of radio waves from an antenna for radio communication. Based on a detection result through the tilt detection unit, when a tilt θ of a predetermined external surface of a chassis of the information processing apparatus to a horizontal surface H is a predetermined angle or less, an output controller reduces an output of radio waves from the antenna to a predetermined value or less with respect to the output changing unit.

9 Claims, 15 Drawing Sheets

