

US010784565B2

(12) United States Patent Wei et al.

(54) MOBILE DEVICE AND ANTENNA STRUCTURE THEREIN

(71) Applicant: Wistron Corp., New Taipei (TW)

(72) Inventors: Wan Chu Wei, New Taipei (TW); Hsieh Chih Lin, New Taipei (TW); Yu-Chia Chang, New Taipei (TW); Jung-Chin Hsieh, New Taipei (TW);

Wen-Chieh Wu, New Taipei (TW)

(73) Assignee: WISTRON CORP., New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 120 days.

(21) Appl. No.: 16/112,443

(22) Filed: Aug. 24, 2018

(65) Prior Publication Data

US 2020/0014092 A1 Jan. 9, 2020

(30) Foreign Application Priority Data

Jul. 5, 2018 (TW) 107123302 A

(51) Int. Cl.

H01Q 1/24 (2006.01)

H01Q 1/22 (2006.01)

H01Q 5/30 (2015.01)

H01Q 9/04 (2006.01)

H04M 1/02 (2006.01)

(52) U.S. Cl. CPC H01Q 1/242 (2013.01); H01Q 1/2266 (2013.01); H01Q 1/42 (2013.01); H01Q 5/30 (2015.01); H01Q 9/0421 (2013.01); H04M (10) Patent No.: US 10,784,565 B2

(45) **Date of Patent:** Sep. 22, 2020

(58) Field of Classification Search

CPC H01Q 1/242; H01Q 1/42; H01Q 1/2266; H01Q 5/30; H01Q 9/0421; H01Q 9/0414; H01Q 5/378; H01Q 1/40; H01Q 1/2258; H01Q 1/36; H01Q 1/50; H01Q 1/526; H04M 1/0283

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

9,455,489	B2*	9/2016	Shiu	H01Q 1/24
9,843,092	B2	12/2017	Tu et al.	
2013/0050032	A1*	2/2013	Shiu	H01Q 1/24
				343/702

(Continued)

FOREIGN PATENT DOCUMENTS


TW 201739234 A 11/2017

Primary Examiner — Hai V Tran Assistant Examiner — Michael M Bouizza

(57) ABSTRACT

A mobile device includes a host upper cover, a host lower cover, a metal cavity structure, a protruding radiation element, a nonconductive connection element, and a feeding element. The metal cavity structure is coupled between the host upper cover and the host lower cover. The metal cavity structure includes a first metal partition and a second metal partition. The first metal partition has an opening. The nonconductive connection element is connected to the edge of the opening of the first metal partition. The nonconductive connection element is configured to support and surround the protruding radiation element. The feeding element is coupled to a signal source and is disposed adjacent to the protruding radiation element. An antenna structure is formed by the feeding element and the protruding radiation element.

18 Claims, 12 Drawing Sheets



1/0283 (2013.01)



US010784578B2

(12) United States Patent Chou

(10) Patent No.: US 10,784,578 B2 (45) Date of Patent: Sep. 22, 2020

(54)	ANTENN	A SYSTEM	7,541,984	B2*	6/2009	Peng H01Q 1/243
(71)	Applicant:	Wistron Corp., New Taipei (TW)	8,482,471	B2*	7/2013	343/700 MS Su H01Q 7/00
(72)	Inventor:	Chen-Yu Chou, New Taipei (TW)	8,823,596	B2 *	9/2014	343/700 MS Chen H01Q 13/10 343/702
(73)	Assignee:	WISTRON CORP., New Taipei (TW)	2004/0046697	A1*	3/2004	Tai H01Q 1/243 343/700 MS
(*)	Notice:	Subject to any disclaimer, the term of this	2004/0104853	A1*	6/2004	Chen G06F 1/1616
		patent is extended or adjusted under 35 U.S.C. 154(b) by 46 days.	2010/0245191	A1*	9/2010	Castaneda H01Q 1/2266 343/722
(21)	Appl. No.:	16/186,434	2011/0215971 2012/0287012		9/2011 11/2012	
(22)	Filed:	Nov. 9, 2018	2014/0062795	A1*	3/2014	Huang H01Q 1/243
(65)		Prior Publication Data	2014/0191918	A1*	7/2014	343/700 MS Cheng H01Q 1/48
	US 2020/0	2106178 A1 Apr. 2, 2020	2015/0054706	A1*	2/2015	343/834 Shimura H01Q 1/50
(30)	Fo	reign Application Priority Data	2015/0188212	A1*	7/2015	343/843 Tseng H01Q 1/243 343/702
О	et. 2, 2018	(TW) 107134801 A	2016/0049736	A1*	2/2016	Liu H01Q 21/28
(51)	Int. Cl.	00 (200(01)	2017/0256854	A1*	9/2017	343/893 Hu H01Q 1/48
	H01Q 21/ H01Q 5/2	(2015.01)	* cited by exar	miner		
(52)	H01Q 1/2 H01Q 1/2 U.S. Cl.		Primary Exam	iner –	– Trinh N	V Dinh
		<i>H01Q 5/20</i> (2015.01); <i>H01Q 1/2291</i> (2013.01); <i>H01Q 1/243</i> (2013.01); <i>H01Q 21/0006</i> (2013.01)	(57)		ABST	TRACT

(58) Field of Classification Search

None

See application file for complete search history.


(56) References Cited

U.S. PATENT DOCUMENTS

6,975,834 B1*	12/2005	Forster G06K 19/0724
		455/277.2
7,298,339 B1*	11/2007	Ollikainen H01Q 1/243
		343/700 MS

An antenna system includes a first antenna, a second antenna, and a third antenna. The third antenna is disposed between the first antenna and the second antenna. Both the first antenna and the second antenna operate in a first frequency band. The third antenna operates in a second frequency band which is different from the first frequency band. The first antenna, the second antenna, and the third antenna are all disposed on the same plane.

17 Claims, 5 Drawing Sheets





US010784592B2

(12) United States Patent

Martiskainen et al.

(54) ISOLATED GROUND FOR WIRELESS DEVICE ANTENNA

(71) Applicant: **GALTRONICS USA, INC.**, Tempe, AZ (US)

(72) Inventors: Matti Martiskainen, Upper Tiberias

(IL); Eun-Gyu Bae, Suwon-Si (KR); Sharon Harel, Industrial Zone (IL); Jongmin Na, Suwon-si (KR); Taihong Kim, Busan (KR); Jaeyun Hwang, Suwon-si (KR); Bumjin Kim, Suwon-si (KR); Yeonhyeon Song, Suwon-si

(KR); Suhyun Kim, Suwon-si (KR); Sangyup Kim, Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 5 days.

(21) Appl. No.: 15/126,715

(22) Filed: Sep. 16, 2016

(65) Prior Publication Data

US 2019/0051992 A1 Feb. 14, 2019

(51) Int. Cl.

H01Q 21/30 (2006.01)

H01Q 1/24 (2006.01)

H01Q 21/28 (2006.01)

H01Q 1/52 (2006.01)

 (10) Patent No.: US 10,784,592 B2

(45) **Date of Patent:**

Sep. 22, 2020

(58) Field of Classification Search

(56) References Cited

U.S. PATENT DOCUMENTS

6,836,247	B2 *	12/2004	Soutiaguine H01Q 9/0414
			343/700 MS
2005/0017902	A1*	1/2005	Oyama H01Q 1/241
			343/700 MS
2012/0112970	A1*	5/2012	Caballero H01Q 1/243
			343/702
2012/0139793	A1*	6/2012	Sharawi H01Q 1/38
			343/700 MS
2014/0177531	A1*	6/2014	Imamura H04W 24/10
			370/328


^{*} cited by examiner

Primary Examiner — Graham P Smith (74) Attorney, Agent, or Firm — Brion Raffoul

(57) ABSTRACT

A wireless device including multiple counterpoises or ground planes is provided. The wireless device may provide improved multiple input multiple output (MIMO) communication capability through the use of the multiple counterpoises. Multiple counterpoises of the wireless device may be galvanically isolated from one another. Multiple counterpoises may each be coupled to separate antenna elements.

6 Claims, 3 Drawing Sheets





US010797376B2

(12) United States Patent Tu et al.

(10) Patent No.: US 10,797,376 B2

(45) **Date of Patent:** Oct. 6, 2020

(54) COMMUNICATION DEVICE

(71) Applicant: Quanta Computer Inc., Taoyuan (TW)

(72) Inventors: **Shu-Yang Tu**, Taoyuan (TW); **Chun-I Lin**, Taoyuan (TW); **Hui Lin**, Taoyuan

TŴ)

(73) Assignee: QUANTA COMPUTER INC.,

Guishan Dist., Taoyuan (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 16/517,888

(22) Filed: Jul. 22, 2019

(65) Prior Publication Data

US 2020/0274227 A1 Aug. 27, 2020

(30) Foreign Application Priority Data

Feb. 23, 2019 (TW) 108106135 A

(51) Int. Cl. *H01Q 1/24* (2006.01) *H01Q 1/38* (2006.01)

(52) **U.S. CI.** CPC *H01Q 1/24* (2013.01); *H01Q 1/38*

(58) Field of Classification Search

CPC H01Q 1/24; H01Q 1/241; H01Q 1/242; H01Q 1/243; H01Q 1/38; H01Q 1/226; H01Q 9/045; H01Q 9/0421; H01Q 9/0435; H01Q 9/30; H01Q 5/335; H01Q 5/357; H01Q 5/328; H01Q 13/10

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

7,825,863	B2*	11/2010	Martiskainen H01Q 1/243
			343/702
9,112,269		8/2015	Wong H01Q 9/30
9,300,045	B2 *	3/2016	Wong H01Q 5/20
9,979,071	B2 *	5/2018	Hsieh H01Q 1/22
9,979,074	B2 *	5/2018	Chen H01Q 5/371
10,542,130	B1*	1/2020	Lo H04M 1/0266
10,741,915	B2 *	8/2020	Chen H01Q 5/335
2009/0322639	A1	12/2009	Lai
2018/0048076	A1*	2/2018	Wei H01Q 9/045

OTHER PUBLICATIONS

Chinese language office action dated Feb. 12, 2020, issued in application No. TW 108106135.


* cited by examiner

Primary Examiner — Haissa Philogene (74) Attorney, Agent, or Firm — McClure, Qualey & Rodack, LLP

(57) ABSTRACT

A communication device includes a ground element, a dielectric substrate, and an antenna element. The dielectric substrate is disposed adjacent to an edge of the ground element. The antenna element is disposed on the dielectric substrate. The antenna element includes a feeding metal element, a shorting metal element, a first radiation metal element, a second radiation metal element, and an inductive element. The feeding metal element has a feeding point. The shorting metal element is coupled to the ground element. The first radiation metal element is coupled to the shorting metal element, and is disposed adjacent to the feeding metal element. The second radiation metal element is coupled through the inductive element to the feeding metal element. The second radiation metal element is further coupled to the ground element.

10 Claims, 6 Drawing Sheets



(2013.01)





US010797379B1

(12) United States Patent Lee et al.

(10) Patent No.: US 10,797,379 B1

(45) **Date of Patent:** Oct. 6, 2020

(54) ANTENNA STRUCTURE

(71) Applicant: Quanta Computer Inc., Taoyuan (TW)

(72) Inventors: **Kuan-Hsien Lee**, Taoyuan (TW); **Ying-Cong Deng**, Taoyuan (TW);

Chung-Hung Lo, Taoyuan (TW); Yi-Ling Tseng, Taoyuan (TW); Chung-Ting Hung, Taoyuan (TW); Chin-Lung Tsai, Taoyuan (TW)

(73) Assignee: QUANTA COMPUTER INC.,

Guishan Dist., Taoyuan (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 16/728,326

(22) Filed: Dec. 27, 2019

(30) Foreign Application Priority Data

Sep. 6, 2019 (TW) 108132141 A

(51)	Int. Cl.	
	H04M 1/00	(2006.01)
	H01Q 1/24	(2006.01)
	H01Q 1/38	(2006.01)
	H01O 9/26	(2006.01)

(52) U.S. Cl.

(58) Field of Classification Search

CPC H01Q 1/243; H01Q 1/245; H01Q 1/38; H01Q 9/26

(56) References Cited

U.S. PATENT DOCUMENTS

8,638,271	B2 *	1/2014	Wang	
8.907.853	B2 *	12/2014	Ying	343/846 H01O 1/243
			C	343/702
			Tsai Chen	
(Continued)				

FOREIGN PATENT DOCUMENTS

TW	M401222 U	4/2011
TW	I441388 B	6/2014

OTHER PUBLICATIONS


Chinese language office action dated Apr. 16, 2020, issued in application No. TW 108132141.

Primary Examiner — April G Gonzales (74) Attorney, Agent, or Firm — McClure, Qualey & Rodack, LLP

(57) ABSTRACT

An antenna structure includes a nonconductive supporting element, a feeding radiation element, a first radiation element, a second radiation element, a third radiation element, a fourth radiation element, and a tuning radiation element. The first radiation element is coupled to the feeding point. The second radiation element is coupled to the feeding radiation element. The third radiation element is coupled to the feeding radiation element. A slot region is formed between the second radiation element and the third radiation element. The fourth radiation element is coupled to a ground voltage. A coupling gap is formed between the fourth radiation element and the third radiation element. The tuning radiation element is coupled to the fourth radiation element. The feeding radiation element, the first radiation element, the second radiation element, the third radiation element, the fourth radiation element, and the tuning radiation element are disposed on the nonconductive supporting element.

10 Claims, 3 Drawing Sheets





US010797391B2

(12) United States Patent Lee et al.

(54) ELECTRONIC DEVICE INCLUDING ANTENNA MODULE

(71) Applicant: Samsung Electronics Co., Ltd.,

Gyeonggi-do (KR)

(72) Inventors: Jongpil Lee, Gyeonggi-do (KR);

Byungjoon Kim, Gyeonggi-do (KR); Wonseob Kim, Gyeonggi-do (KR); Heejin Park, Gyeonggi-do (KR); Hyunchul Hong, Gyeonggi-do (KR); Sungchul Park, Gyeonggi-do (KR)

(73) Assignee: Samsung Electronics Co., Ltd.,

Yeongtong-gu, Suwon-si, Gyeonggi-do

(KR)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 16/687,881

(22) Filed: Nov. 19, 2019

(65) Prior Publication Data

US 2020/0161763 A1 May 21, 2020

(30) Foreign Application Priority Data

Nov. 19, 2018 (KR) 10-2018-0142801

(51) **Int. Cl.**

H01Q 5/314 (2015.01) H04B 1/40 (2015.01) H01Q 21/06 (2006.01)

(52) U.S. Cl.

CPC *H01Q 5/314* (2015.01); *H01Q 21/06* (2013.01); *H04B 1/40* (2013.01)

(10) Patent No.: US 10,797,391 B2

(45) **Date of Patent:**

Oct. 6, 2020

(58) Field of Classification Search

CPC H01Q 5/314; H01Q 21/06; H04B 1/40 USPC 455/73

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

8,063,847 B2 * 11/2011 Du H01Q 1/38

8,175,524 B2 5/2012 Sathath 10,284,364 B2 5/2019 Park et al. 10,297,900 B2 5/2019 Lee et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EP 3379647 A1 9/2018 KR 10-2009-0099235 A 9/2009

(Continued)

OTHER PUBLICATIONS

European Search Report dated Mar. 5, 2020. International Search Report dated Mar. 19, 2020.


Primary Examiner — Lee Nguyen

(74) Attorney, Agent, or Firm — Cha & Reiter, LLC.

(57) ABSTRACT

Disclosed herein is an electronic device. The electronic device may include an electronic device may comprising a housing, a first PCB disposed inside the housing, a first wireless communication circuit disposed on the first PCB to transmit and receive signals of a first frequency band, a second PCB disposed inside the housing, wherein the second PCB includes a signal line, an antenna array disposed on the second PCB, a second wireless communication circuit disposed on the second PCB to transmit and receive a signal of a second frequency band using the antenna array, and a conductive member electrically connected to the first wireless communication circuit by the signal line of the second PCB via a feed point for the conductive member.

20 Claims, 12 Drawing Sheets





US010797395B2

(12) United States Patent Higaki

(10) Patent No.: US 10,797,395 B2

(45) **Date of Patent:** Oct. 6, 2020

(54) ANTENNA AND ANTENNA APPARATUS

(71) Applicant: KABUSHIKI KAISHA TOSHIBA,

Minato-ku, Tokyo (JP)

(72) Inventor: Makoto Higaki, Tokyo (JP)

(73) Assignee: KABUSHIKI KAISHA TOSHIBA,

Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35 U.S.C. 154(b) by 45 days.

(21) Appl. No.: **16/291,574**

(22) Filed: Mar. 4, 2019

(65) Prior Publication Data

US 2020/0083607 A1 Mar. 12, 2020

(30) Foreign Application Priority Data

Sep. 12, 2018 (JP) 2018-170783

(51) Int. Cl.

H01Q 9/04 (2006.01)

H01Q 9/16 (2006.01)

H01Q 21/29 (2006.01)

H01Q 21/24 (2006.01)

H01Q 1/36 (2006.01)

(52) U.S. Cl.

(58) Field of Classification Search

CPC H01Q 9/0428; H01Q 9/0435; H01Q 9/16; H01Q 9/18; H01Q 21/24; H01Q 21/29; H01Q 1/36; H01Q 1/52; G04R 60/02; G04G 21/04

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

6,486,848 B	1 * 11/2002	Poilasne H01Q 9/16
		343/797
9,647,332 B	2 * 5/2017	Han H01Q 1/50
9,785,124 B	2 * 10/2017	Mitani G04R 60/12
10,205,227 B	2* 2/2019	Ozden H01Q 1/243
2020/0103833 A	1* 4/2020	Kita H01Q 9/30

FOREIGN PATENT DOCUMENTS

JP 2004266419 A 9/2004


Primary Examiner — Haissa Philogene

(74) Attorney, Agent, or Firm — Holtz, Holtz & Volek PC

(57) ABSTRACT

An antenna as an embodiment of the present invention is provided with an exciting element and a plurality of non-exciting elements. In a plan view, the exciting element includes a central region having a feeding point and at least three extending regions that extend radially from the central region. In the plan view, each non-exciting element includes a short circuit region having a short circuit point and a power receiving region located at a position where it is allowed to be capacitively coupled with corresponding one of the extending regions. In the plan view, a current path from the short circuit region to the power receiving region in each non-exciting element has a vertical component with respect to the extending direction of the corresponding one of the extending regions.

12 Claims, 13 Drawing Sheets





^{*} cited by examiner



US010797396B2

(12) United States Patent

Kaspersson et al.

(54) APERTURE COUPLED PATCH ANTENNA ARRANGEMENT

(71) Applicant: Telefonaktiebolaget LM Ericsson

(publ), Stockholm (SE)

(72) Inventors: Ola Kaspersson, Varberg (SE); Anders

Ek, Hisings Backa (SE); Håkan Karlsson, Gothenburg (SE)

(73) Assignee: Telefonaktiebolaget LM Ericsson

(Publ), Stockholm (SE)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 56 days.

(21) Appl. No.: 16/320,341

(22) PCT Filed: Jul. 25, 2016

(86) PCT No.: PCT/EP2016/067643

§ 371 (c)(1),

(2) Date: **Jan. 24, 2019**

(87) PCT Pub. No.: WO2018/019357

PCT Pub. Date: Feb. 1, 2018

(65) Prior Publication Data

US 2019/0229422 A1 Jul. 25, 2019

(51) **Int. Cl.** *H01Q 13/00* (2006.01) *H01Q 9/04* (2006.01)

(Continued)

(52) U.S. Cl.

CPC *H01Q 9/0478* (2013.01); *H01Q 1/523* (2013.01); *H01Q 9/0407* (2013.01);

(Continued)

(58) Field of Classification Search

CPC H01Q 1/243; H01Q 1/38; H01Q 9/0421; H01Q 1/244; H01Q 1/242; H01Q 9/145; (Continued) (10) Patent No.: US 10,797,396 B2

(45) **Date of Patent:**

Oct. 6, 2020

(56) References Cited

U.S. PATENT DOCUMENTS

2005/0195124 A1* 9/2005 Puente Baliarda H01Q 1/36 343/893

2015/0162663 A1 6/2015 Boryssenko et al. 2015/0381229 A1* 12/2015 Tzanidis H05K 1/0243

455/73

FOREIGN PATENT DOCUMENTS

EP 1 775 795 A1 4/2007 WO 2005/041352 A1 5/2005

OTHER PUBLICATIONS

International Search Report and Written Opinion dated Apr. 21, 2017 issued in International Application No. PCT/EP2016/067643. (10 pages).


(Continued)

Primary Examiner — Minh D A
(74) Attorney, Agent, or Firm — Patent Portfolio Builders,
PLLC

(57) ABSTRACT

It is provided an aperture coupled patch antenna comprising a substrate comprising a planar electrically conductive ground plane, an electrically conductive box arranged on and electrically connected to the ground plane to form an air filled cavity between the box and the ground plane, the box comprising an aperture in the form of at least one elongate slot. The antenna further comprises an electrically conductive patch arranged in parallel with the ground plane and at a distance from the box such that the aperture of the box is located between the patch and the ground plane and a distribution network comprising at least one elongate distribution element arranged in parallel with the ground plane between the ground plane and the patch, at a distance from the substrate and the ground plane and at a distance from the box such that a gap is formed between the distribution element and the box, wherein the extension of the distribution element intersects the extension of the aperture.

15 Claims, 4 Drawing Sheets





US010804593B2

(12) United States Patent Chang et al.

(10) Patent No.: US 10,804,593 B2

(45) Date of Patent:

Oct. 13, 2020

(54) MOBILE DEVICE

- (71) Applicant: Acer Incorporated, New Taipei (TW)
- (72) Inventors: **Kun-Sheng Chang**, New Taipei (TW); **Ching-Chi Lin**, New Taipei (TW)
- (73) Assignee: ACER INCORPORATED, New Taipei

(TW)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 41 days.

- (21) Appl. No.: 16/360,567
- (22) Filed: Mar. 21, 2019
- (65) Prior Publication Data

US 2020/0076049 A1 Mar. 5, 2020

(30) Foreign Application Priority Data

Sep. 3, 2018 (TW) 107130820 A

(51) Int. Cl. *H01Q 1/22*

 $\begin{array}{ccc} 2 & (2006.01) \\ (24) & (2006.01) \end{array}$

H01Q 19/24 (2006.01) **H01Q 5/378** (2015.01)

(52) U.S. Cl.

CPC *H01Q 1/2266* (2013.01); *H01Q 5/378* (2015.01); *H01Q 19/24* (2013.01)

(58) **Field of Classification Search** CPC H01Q 1/22; H01Q 5/37; H01Q 19/24

(56) References Cited

U.S. PATENT DOCUMENTS

2007/0188383 A1	l * 8/2007	Onaka H01Q 1/243
		343/700 MS
2013/0176180 A1	1* 7/2013	Wakui H01Q 9/36
2015/0225151		343/702
2017/0237151 A	1* 8/2017	Andujar Linares H01Q 1/243
		343/702

* cited by examiner

Primary Examiner — Andrea Lindgren Baltzell (74) Attorney, Agent, or Firm — McClure, Qualey & Rodack, LLP


(57) ABSTRACT

A mobile device includes a body, an antenna structure, and a floating radiation element. The body includes a frame and a housing. The frame is positioned on a first plane. The housing includes a parallel region and a cutting retraction region. The parallel region is positioned on a second plane which is parallel to the first plane. The floating radiation element is adjacent to the antenna structure, and is configured to enhance the radiation efficiency of the antenna structure. The antenna structure has a first vertical projection on the housing, and the first vertical projection is inside the parallel region. The floating radiation element has a second vertical projection is inside the cutting retraction region. The frame is at least partially made of a nonconductive material. The housing is at least partially made of a conductive material.

20 Claims, 5 Drawing Sheets

100

$$140 \begin{cases} 150 \\ 160 \end{cases}$$





(12) United States Patent

Zhao et al.

(54) 5G MIMO ANTENNA SYSTEM AND HANDHELD DEVICE

(71) Applicant: SHENZHEN SUNWAY

COMMUNICATION CO., LTD.,

Shenzhen, Guangdong (CN)

(72) Inventors: Anping Zhao, Shenzhen (CN);

Zhouyou Ren, Shenzhen (CN)

(73) Assignee: SHENZHEN SUNWAY

COMMUNICATION CO., LTD.,

Shenzhen (CN)

Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

16/462,030 (21) Appl. No.:

PCT Filed: Mar. 4, 2019 (22)

(86) PCT No.: PCT/CN2019/076806

§ 371 (c)(1),

(2) Date: May 17, 2019

(87) PCT Pub. No.: WO2020/147172

PCT Pub. Date: Jul. 23, 2020

(65)**Prior Publication Data**

> US 2020/0227820 A1 Jul. 16, 2020

(30)Foreign Application Priority Data

Jan. 14, 2019 (CN) 2019 1 0030704

(51) Int. Cl. H01Q 7/00

H01Q 1/38

(2006.01)(2006.01)

(Continued)

(52) U.S. Cl.

CPC H01Q 1/521 (2013.01); H01Q 1/243 (2013.01); H01Q 9/30 (2013.01); H04B

7/0413 (2013.01)

US 10,804,602 B2 (10) Patent No.:

(45) Date of Patent:

Oct. 13, 2020

(58) Field of Classification Search

CPC H01Q 1/521; H01Q 1/243; H01Q 9/30; H01Q 5/10; H01Q 1/38; H01Q 21/06;

(Continued)

(56)**References Cited**

U.S. PATENT DOCUMENTS

6,683,574 B2*	1/2004	Su H01Q 9/42
7,973,726 B2*	7/2011	Tseng 343/700 MS H01Q 1/243 343/700 MS

(Continued)

FOREIGN PATENT DOCUMENTS

CN	1669182 A	9/2005
CN	1701465 A	11/2005
	(Cont	inued)

OTHER PUBLICATIONS


Sep. 27, 2019 Interational Search Report issued in International Patent Application No. PCT/CN2019/076806.

Primary Examiner — Pablo N Tran (74) Attorney, Agent, or Firm — Oliff PLC

ABSTRACT

A 5G MIMO antenna system includes at least four antenna units which are arrayed at intervals. Each antenna unit includes a first branch and a second branch, wherein the first branch is of an inverted-U structure, and two ends of an opening of the first branch are grounded; the second branch is located in an area defined by the first branch and is a monopole branch, and a feed point is arranged at an end, close to the opening of the first branch, of the second branch. The first branches and the second branches generate two different resonances, so that the 5G antenna system has a broadband operation. Meanwhile, the 5G MIMO antenna system has the characteristics of being small in size, good in isolation and broad in frequency band.

12 Claims, 5 Drawing Sheets





US010804607B2

(12) United States Patent Hsieh et al.

(54) MULTIBAND ANTENNA STRUCTURE AND WIRELESS COMMUNICATION DEVICE USING SAME

(71) Applicant: Chiun Mai Communication Systems,

Inc., New Taipei (TW)

(72) Inventors: Wei-En Hsieh, New Taipei (TW);

Chien-Hua Li, New Taipei (TW); Yih-Shyang Her, New Taipei (TW)

(73) Assignee: Chiun Mai Communication Systems,

Inc., New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 79 days.

(21) Appl. No.: 16/109,699

(22) Filed: Aug. 22, 2018

(65) Prior Publication Data

US 2019/0097319 A1 Mar. 28, 2019

(30) Foreign Application Priority Data

Sep. 27, 2017 (CN) 2017 1 0891620

(51) Int. Cl. *H01Q 5/30 H01Q 1/24*

(2015.01) (2006.01)

(Continued)

(52) U.S. Cl.

(Continued)

(10) Patent No.: US 10,804,607 B2

(45) **Date of Patent:**

Oct. 13, 2020

(58) Field of Classification Search

CPC H01Q 5/30; H01Q 21/30; H01Q 5/328; H01Q 1/48; H01Q 9/42; H01Q 7/00; (Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

9,379,429 B2 6/2016 Liu et al. 9,660,329 B2 5/2017 Lin et al. (Continued)

FOREIGN PATENT DOCUMENTS

CN 103779652 A 5/2014 CN 104425880 A 3/2015 (Continued)


Primary Examiner — Hai V Tran Assistant Examiner — Michael M Bouzza (74) Attorney, Agent, or Firm — ScienBiziP, P.C.

(57) ABSTRACT

An antenna structure includes a housing, a radiator, a first feed portion, and a first ground portion. The housing includes a coupling portion and a coupling section. The first feed portion, the first ground portion, and the radiator are all positioned in the housing. When a first feed point supplies current, the current flows through the first feed portion and the radiator, and is coupled to one of the coupling portion and the coupling section through the radiator. The current is further coupled to the other one of the coupling portion and the coupling section through the one of the coupling portion and the coupling section. The radiator, the coupling portion, and the coupling section activate three different operating modes. Each mode operating generates radiation signals in one of three different radiation frequency bands.

27 Claims, 11 Drawing Sheets

200





US010804612B2

(12) United States Patent Wu et al.

(54) ELECTRONIC DEVICE AND ANTENNA STRUCTURE THEREOF

(71) Applicant: **PEGATRON CORPORATION**, Taipei (TW)

(72) Inventors: Chien-Yi Wu, Taipei (TW);
Ching-Hsiang Ko, Taipei (TW);
Ya-Jyun Li, Taipei (TW); Chao-Hsu
Wu, Taipei (TW); Shih-Keng Huang,
Taipei (TW); Cheng-Hsiung Wu,
Taipei (TW)

(73) Assignee: **PEGATRON CORPORATION**, Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 380 days.

(21) Appl. No.: 15/961,775

(22) Filed: Apr. 24, 2018

(65) **Prior Publication Data**

US 2018/0342809 A1 Nov. 29, 2018

(30) Foreign Application Priority Data

May 26, 2017 (TW) 106117491 A

(51) Int. Cl.

H01Q 1/36 (2006.01)

H01Q 13/10 (2006.01)

H05K 5/02 (2006.01)

H05K 5/00 (2006.01)

(Continued)

(10) Patent No.: US 10,804,612 B2

(45) **Date of Patent:** Oct. 13, 2020

(58) Field of Classification Search

CPC H01Q 13/10; H01Q 5/371; H01Q 1/2266; H01Q 9/42; H01Q 5/364; H01Q 13/106; (Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

8,779,999 B2 7/2014 Gummalla 9,209,512 B2 12/2015 Cheng et al. (Continued)

FOREIGN PATENT DOCUMENTS


TW I536674 6/2016

Primary Examiner — Dimary S Lopez Cruz Assistant Examiner — Bamidele A Jegede (74) Attorney, Agent, or Firm — J.C. Patents

(57) ABSTRACT

An antenna structure includes a conductive housing and a feed element. The conductive housing includes an open slot. The feed element includes a substrate, a grounding portion, a shorting portion, a first feeding portion and a second feeding portion. The grounding portion and the shorting portion are connected with the conductive housing. The first feeding portion has a feeding point and is connected with the conductive housing via the shorting portion. The orthographic projections of the first and second feeding portions are within the open slot, and the orthographic projections of the grounding portion and the shorting portion are located at two sides of the open slot, respectively. The antenna structure operates at a first frequency band via a first path formed by the open slot, and operates at a second frequency band via a second path formed by the first and second feeding portions.

19 Claims, 4 Drawing Sheets





US010804613B2

(12) United States Patent Zhao et al.

(10) Patent No.: US 10,804,613 B2

(45) **Date of Patent:** Oct. 13, 2020

(54) 5G MIMO ANTENNA STRUCTURE

(71) Applicant: SHENZHEN SUNWAY COMMUNICATION CO., LTD.,

Shenzhen, Guangdong (CN)

(72) Inventors: Anping Zhao, Shenzhen (CN);

Zhouyou Ren, Shenzhen (CN)

(73) Assignee: SHENZHEN SUNWAY

COMMUNICATION CO., LTD.,

Shenzhen, Guangdong (CN)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 16/474,825

(22) PCT Filed: May 29, 2018

(86) PCT No.: PCT/CN2018/088831

§ 371 (c)(1),

(2) Date: Jun. 28, 2019

(87) PCT Pub. No.: WO2019/196172

PCT Pub. Date: Oct. 17, 2019

(65) Prior Publication Data

US 2019/0348765 A1 Nov. 14, 2019

(30) Foreign Application Priority Data

Apr. 8, 2018 (CN) 2018 0 305369

(51) Int. Cl. *H01Q 7/00*

H01Q 7/00 (2006.01) *H01Q 1/38* (2006.01)

(Continued)

(52) U.S. Cl.

7/**0413** (2013.01)

(58) Field of Classification Search

CPC H01Q 1/521; H01Q 1/243; H01Q 9/30; H01Q 5/10; H01Q 1/38; H01Q 21/06;

(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

6,683,574 B2 * 1/2004 Su H01Q 9/42 343/700 MS 7,973,718 B2 * 7/2011 Mak H01Q 1/2283 343/700 MS

(Continued)

FOREIGN PATENT DOCUMENTS

CN 102832461 A 12/2012 CN 105811087 A 7/2016 (Continued)

OTHER PUBLICATIONS

Sep. 27, 2018 International Search Report issued in International Patent Application No. PCT/CN2018/088831.


Primary Examiner — Pablo N Tran

(74) Attorney, Agent, or Firm — Oliff PLC

(57) ABSTRACT

A 5G MIMO antenna structure includes a PCB and more than one first antenna assembly arranged on the PCB at intervals. Each first antenna assembly includes a feed branch, a first radiator and two second radiators, wherein the first radiator and the two second radiators are coupled to the feed branch, the first radiator is of an inverted U-structure and has two tail ends connected to grounding points of the PCB, the feed branch is located in the first radiator and corresponds to a feed point of the PCB in position, and the two second radiators are arranged in the first radiator, connected to the first radiator, and respectively located on two sides of the feed branch. The 5G MIMO antenna structure has a good radiation effect, a good isolation effect and a smaller size, and can meet the usage requirements of a 5G system below 6 GHz.

8 Claims, 5 Drawing Sheets





US010804617B2

(12) United States Patent

Zhou et al.

(54) ELECTRONIC DEVICES HAVING SHARED ANTENNA STRUCTURES AND SPLIT RETURN PATHS

(71) Applicant: Apple Inc., Cupertino, CA (US)

(72) Inventors: Yijun Zhou, Mountain View, CA (US);
Yiren Wang, Santa Clara, CA (US);
Jennifer M. Edwards, San Francisco,
CA (US); Hao Xu, Cupertino, CA (US);
Mattia Pascolini, San Francisco, CA

(US)

(73) Assignee: Apple Inc., Cupertino, CA (US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 486 days.

(21) Appl. No.: 15/700,618

(22) Filed: Sep. 11, 2017

(65) Prior Publication Data

US 2019/0081410 A1 Mar. 14, 2019

(51) Int. Cl. *H01Q 21/06* (2006.01) *H01Q 1/22* (2006.01)

(Continued)

(52) U.S. CI. CPC *H01Q 21/06* (2013.01); *H01Q 1/2258* (2013.01); *H01Q 1/243* (2013.01); *H01Q* 5/371 (2015.01);

(Continued)

(58) Field of Classification Search

CPC H01Q 9/0435; H01Q 1/243; H01Q 9/26; H01Q 5/35; H01Q 5/392; H01Q 5/314; (Continued) (10) Patent No.: US 10,804,617 B2

(45) **Date of Patent:** Oct. 13, 2020

(56) References Cited

U.S. PATENT DOCUMENTS

8,466,839 B2 6/2013 Schlub et al. 9,444,425 B2 9/2016 Mow et al. (Continued)

FOREIGN PATENT DOCUMENTS

CN 1623250 A 6/2005 CN 103178331 A 6/2013 (Continued)

Primary Examiner — Ricardo I Magallanes (74) Attorney, Agent, or Firm — Treyz Law Group, P.C.; Joseph F. Guihan

(57) ABSTRACT

Antenna structures at a given end of an electronic device may include antenna structures that are shared between multiple antennas. The device may include an antenna with an inverted-F antenna resonating element formed from portions of a peripheral conductive electronic device housing structure and may have an antenna ground that is separated from the antenna resonating element by a gap. A short circuit path may bridge the gap. The short circuit path may be a split return path coupled between a first point on the inverted-F antenna resonating element arm and second and third points on the antenna ground. The electronic device may include an additional antenna that includes the antenna ground and metal traces that form an antenna resonating element arm. The antenna resonating element arm of the additional antenna may be parasitically coupled to the inverted-F antenna resonating element and a portion of the split return path.

16 Claims, 8 Drawing Sheets

