



US011537170B2

(12) **United States Patent**  
**Hori et al.**

(10) **Patent No.:** **US 11,537,170 B2**  
(45) **Date of Patent:** **Dec. 27, 2022**

(54) **ELECTRONIC DEVICE**

(56) **References Cited**

(71) Applicant: **Dynabook Inc.**, Tokyo (JP)

U.S. PATENT DOCUMENTS

(72) Inventors: **Takehiro Hori**, Tokyo (JP); **Toshiyuki Hirota**, Tokyo (JP); **Shigeki Nishiyama**, Tokyo (JP); **Kazuhiro Nakamura**, Tokyo (JP); **Tomokazu Yuasa**, Tokyo (JP); **Shingo Koide**, Tokyo (JP)

6,597,794	B2 *	7/2003	Cole	.....	G06F 1/1632
					381/388
7,212,399	B2 *	5/2007	Kee	.....	G06F 1/1637
					361/679.09
7,663,554	B2	2/2010	Kuroyanagi et al.		
7,991,147	B2 *	8/2011	Emmert	.....	H04M 1/026
					455/575.1
9,203,137	B1	12/2015	Guterman et al.		
RE45,925	E *	3/2016	Tojo	.....	G06F 1/00
9,397,387	B1	7/2016	Guterman et al.		
9,653,777	B2	5/2017	Guterman et al.		
9,854,078	B2 *	12/2017	Lee	.....	H04M 1/035
10,347,965	B2	7/2019	Hawaka et al.		

(73) Assignee: **DYNABOOK INC.**, Tokyo (JP)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(Continued)

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **17/539,651**

CN	1792093	A	6/2006
CN	105938383	B	8/2017

(22) Filed: **Dec. 1, 2021**

(Continued)

(65) **Prior Publication Data**

US 2022/0308636 A1 Sep. 29, 2022

Primary Examiner — Adrian S Wilson

(74) *Attorney, Agent, or Firm* — Knobbe, Martens, Olson & Bear LLP

(30) **Foreign Application Priority Data**

Mar. 26, 2021 (JP) ..... JP2021-054407

(57) **ABSTRACT**

According to one embodiment, an electronic device includes a housing including a shield region, and a non-shield region formed of a dielectric, a part of the shield region is formed of a conductor, an antenna in the non-shield region, a vibration generating member including a casing formed of a dielectric, the vibration generating member being in the housing such that a surface of a part of the casing in the shield region and another part of the casing in the non-shield region, and an elastic support member which is sandwiched between the housing and the part of the casing, the elastic support member having a conductive property.


(51) **Int. Cl.**  
**G06F 1/16** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **G06F 1/1658** (2013.01); **G06F 1/1688** (2013.01); **G06F 1/1698** (2013.01)

(58) **Field of Classification Search**  
CPC .... G06F 1/1656; G06F 1/1658; G06F 1/1688; G06F 1/1698

See application file for complete search history.

**8 Claims, 8 Drawing Sheets**





US011539114B2

(12) **United States Patent**  
**Hsu et al.**

(10) **Patent No.:** **US 11,539,114 B2**  
(45) **Date of Patent:** **Dec. 27, 2022**

(54) **ELECTRONIC DEVICE**

H01Q 1/48; H01Q 1/50; H01Q 9/0407;  
H01Q 9/42; H01Q 5/371; H01Q 13/10;

(71) Applicant: **Chiun Mai Communication Systems, Inc.,** New Taipei (TW)

H04M 1/0216; H04M 1/0268

See application file for complete search history.

(72) Inventors: **Cho-Kang Hsu,** New Taipei (TW);  
**Min-Hui Ho,** New Taipei (TW)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(73) Assignee: **Chiun Mai Communication Systems, Inc.,** New Taipei (TW)

2017/0117611 A1\* 4/2017 Lepe ..... H01Q 13/10  
2020/0127384 A1\* 4/2020 Thakur ..... H01Q 21/064

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 84 days.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **17/307,159**

CN 205811047 U \* 12/2016 ..... H01Q 1/36  
CN 106711599 A \* 5/2017 ..... H01Q 1/2266  
CN 107887696 A 4/2018  
JP 2017228982 A \* 12/2017 ..... H01Q 13/10  
TW 201427177 A 7/2014

(22) Filed: **May 4, 2021**

\* cited by examiner

(65) **Prior Publication Data**

US 2021/0359393 A1 Nov. 18, 2021

*Primary Examiner* — Hoang V Nguyen

(30) **Foreign Application Priority Data**

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

May 15, 2020 (CN) ..... 202010414590.8

(57) **ABSTRACT**


(51) **Int. Cl.**  
**H01Q 1/24** (2006.01)  
**H01Q 13/10** (2006.01)  
**H04M 1/02** (2006.01)  
**H01Q 21/06** (2006.01)  
**H01Q 9/42** (2006.01)

An antenna for a foldable electronic device which functions equally well in both folded and unfolded states includes a rotating shaft and a housing. The overall housing is made of metallic material and includes a first housing and a second housing. The first housing connects to the second housing through the rotating shaft. The housing further defines at least one group of slots to form at least one slot antenna. The at least one slot antenna crosses the rotating shaft and extends to the first housing and/or the second housing. By setting at least one slot antenna to correspond to the rotating shaft, the foldable electronic device achieves high radiation performance whether the first and second housing are folded or unfolded.

(52) **U.S. Cl.**  
CPC ..... **H01Q 1/243** (2013.01); **H01Q 9/42** (2013.01); **H01Q 13/10** (2013.01); **H01Q 21/064** (2013.01); **H04M 1/0216** (2013.01); **H04M 1/0268** (2013.01); **H04M 2250/16** (2013.01)

(58) **Field of Classification Search**  
CPC ..... H01Q 1/242; H01Q 1/243; H01Q 1/36;

**19 Claims, 8 Drawing Sheets**





US011539123B2

(12) **United States Patent**  
**Hu et al.**

(10) **Patent No.:** **US 11,539,123 B2**  
(45) **Date of Patent:** **Dec. 27, 2022**

(54) **ANTENNA SYSTEM FOR A PORTABLE DEVICE**

(71) Applicant: **Smart Antenna Technologies Ltd.**,  
Birmingham (GB)

(72) Inventors: **Sampson Hu**, Birmingham (GB); **Qing Liu**, Birmingham (GB); **Jinsong Song**, Birmingham (GB); **Jiechen Chen**, Birmingham (GB)

(73) Assignee: **Novocomms Ltd**, Birmingham (GB)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 271 days.

(21) Appl. No.: **16/307,772**

(22) PCT Filed: **Jun. 9, 2017**

(86) PCT No.: **PCT/GB2017/051685**

§ 371 (c)(1),

(2) Date: **Dec. 6, 2018**

(87) PCT Pub. No.: **WO2017/212287**

PCT Pub. Date: **Dec. 14, 2017**

(65) **Prior Publication Data**

US 2019/0214721 A1 Jul. 11, 2019

(30) **Foreign Application Priority Data**

Jun. 9, 2016 (GB) ..... 1610113

Aug. 8, 2016 (GB) ..... 1613591

(51) **Int. Cl.**

**H01Q 1/52** (2006.01)

**H01Q 1/22** (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC ..... **H01Q 1/523** (2013.01); **H01Q 1/2266** (2013.01); **H01Q 1/521** (2013.01); **H01Q 5/328** (2015.01);

(Continued)

(58) **Field of Classification Search**

CPC ..... H01Q 1/523; H01Q 1/521; H01Q 21/28; H01Q 5/328; H01Q 5/385; H01Q 1/2266; H01Q 9/42; H01Q 1/52

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2007/0069960 A1\* 3/2007 Moon ..... H01Q 21/065  
343/700 MS  
2010/0053022 A1\* 3/2010 Mak ..... H01Q 1/2283  
343/893

(Continued)

FOREIGN PATENT DOCUMENTS

GB 2551212 A 12/2017

OTHER PUBLICATIONS

Combined Search and Examination Report under Sections 17 and 18(3) for corresponding GB Application No. 1613591.5, dated Jan. 18, 2017, 9 pgs.

(Continued)


*Primary Examiner* — Hoang V Nguyen

(74) *Attorney, Agent, or Firm* — Shumaker & Sieffert, P.A.

(57) **ABSTRACT**

There is disclosed an antenna system comprising: i) first and second antennas, the second antenna being disposed laterally from the first along a longitudinal axis, and ii) an isolation structure disposed between the first and second antennas. The isolation structure comprises a first resonator element having a first arm with upper and lower ends, the first arm connected to ground at its lower end, and a lateral second arm connected to the upper end of the first arm. At least a portion of the first resonator element is disposed adjacent to a portion of the first antenna such that the first resonator element is strongly coupled to the first antenna.

**29 Claims, 39 Drawing Sheets**





US011539133B2

(12) **United States Patent**  
**Chang et al.**

(10) **Patent No.:** **US 11,539,133 B2**  
(45) **Date of Patent:** **Dec. 27, 2022**

(54) **ANTENNA STRUCTURE**  
(71) Applicant: **Acer Incorporated**, New Taipei (TW)  
(72) Inventors: **Kun-Sheng Chang**, New Taipei (TW);  
**Ching-Chi Lin**, New Taipei (TW)  
(73) Assignee: **ACER INCORPORATED**, New Taipei (TW)  
(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/367,495**  
(22) Filed: **Jul. 5, 2021**  
(65) **Prior Publication Data**  
US 2022/0336948 A1 Oct. 20, 2022

(30) **Foreign Application Priority Data**  
Apr. 19, 2021 (TW) ..... 110113907

(51) **Int. Cl.**  
**H01Q 1/24** (2006.01)  
**H01Q 5/314** (2015.01)  
**H01Q 9/26** (2006.01)  
**H01Q 5/42** (2015.01)

(52) **U.S. Cl.**  
CPC ..... **H01Q 5/314** (2015.01); **H01Q 5/42** (2015.01); **H01Q 9/26** (2013.01)

(58) **Field of Classification Search**  
CPC .. H01Q 1/24; H01Q 1/38; H01Q 5/31; H01Q 5/314; H01Q 1/48; H01Q 5/42; H01Q 9/26  
See application file for complete search history.


(56) **References Cited**  
U.S. PATENT DOCUMENTS  
7,403,165 B2 \* 7/2008 Qi ..... H01Q 1/24 343/702  
7,903,035 B2 \* 3/2011 Mikkola ..... H01Q 1/36 343/702

(Continued)  
**FOREIGN PATENT DOCUMENTS**  
TW 201511406 A 3/2015  
TW I672863 B 9/2019

**OTHER PUBLICATIONS**  
Chinese language office action dated Sep. 29, 2021, issued in application No. TW 110113907.  
*Primary Examiner* — Tho G Phan  
(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**  
An antenna structure includes a first radiation element, a second radiation element, a third radiation element, a fourth radiation element, and a dielectric substrate. The first radiation element is coupled to a ground voltage. The first radiation element includes a variable-width portion. The second radiation element has a feeding point. The second radiation element is adjacent to the first radiation element. The third radiation element is coupled to the variable-width portion of the first radiation element. The fourth radiation element is coupled to the second radiation element. The dielectric substrate has a first surface and a second surface which are opposite to each other. The second radiation element and the fourth radiation element are disposed on the first surface of the dielectric substrate. The first radiation element and the third radiation element are disposed on the second surface of the dielectric substrate.

**13 Claims, 7 Drawing Sheets**





US011539136B1

(12) **United States Patent**  
**Nam et al.**

(10) **Patent No.:** **US 11,539,136 B1**  
(45) **Date of Patent:** **Dec. 27, 2022**

- (54) **ANTENNA DEVICE COMPRISING RADIATOR FOR NARROWBAND AND RADIATOR FOR WIDEBAND**
- (71) Applicant: **KYOCERA AVX Components Gunpo Co., Ltd.**, Gunpo-si (KR)
- (72) Inventors: **Sung Soo Nam**, Suwon-si (KR); **Cheong Ho Ryu**, Yongin-si (KR); **Jin Hyuk Jang**, Suwon-si (KR); **Hyung Jin Kim**, Gunpo-si (KR)
- (73) Assignee: **KYOCERA AVX Components Gunpo Co., Ltd.**, Gunpo-si (KR)
- (\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/830,089**

(22) Filed: **Jun. 1, 2022**

(30) **Foreign Application Priority Data**

Jun. 2, 2021 (KR) ..... 10-2021-0071807

- (51) **Int. Cl.**  
*H01Q 21/00* (2006.01)  
*H01Q 5/50* (2015.01)  
*H01Q 1/52* (2006.01)  
*H01Q 5/35* (2015.01)  
*H01Q 13/10* (2006.01)  
*H01Q 5/371* (2015.01)  
*H01Q 9/40* (2006.01)
- (52) **U.S. Cl.**  
CPC ..... *H01Q 5/50* (2015.01); *H01Q 1/52* (2013.01); *H01Q 5/35* (2015.01); *H01Q 5/371* (2015.01); *H01Q 9/40* (2013.01); *H01Q 13/10* (2013.01)
- (58) **Field of Classification Search**  
CPC .. H01Q 5/50; H01Q 1/52; H01Q 5/35; H01Q 5/371; H01Q 9/40; H01Q 13/10  
See application file for complete search history.

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
2005/0030232 A1 \* 2/2005 Monebhurrun ..... H01Q 9/16 343/702  
2011/0032155 A1 \* 2/2011 Yanagi ..... H01Q 1/48 343/700 MS

- FOREIGN PATENT DOCUMENTS  
KR 10-2013-0023669 A 3/2013  
KR 10-2014-0128193 A 11/2014  
KR 10-2015-0076719 A 7/2015


OTHER PUBLICATIONS  
Korean Office Action dated Oct. 25, 2021, corresponding to Korean Patent Application No. 10-2021-0071807; 11 pages (with English Translation).

(Continued)

*Primary Examiner* — Dieu Hien T Duong  
(74) *Attorney, Agent, or Firm* — Maier & Maier, PLLC

- (57) **ABSTRACT**  
The antenna device includes a substrate, a first radiator that is in a plane shape, operates as a wideband antenna, and is disposed on the dielectric region such that one end portion faces the ground region and an opposite end portion faces away from the ground region, a width of the opposite end portion being wider than a width of the one end portion, a second radiator that is in a line shape, operates as a narrowband antenna and at a lower frequency than the first radiator, and is disposed adjacent to the first radiator on the dielectric region such that one end portion faces the ground region and an opposite end portion faces away from the ground region, a first feeding line, a second feeding line, and a connecting structure connected with the first radiator, the first feeding line, the second radiator, and the second feeding line.

**9 Claims, 11 Drawing Sheets**





US011545733B2

(12) **United States Patent**  
**Lee et al.**

(10) **Patent No.:** **US 11,545,733 B2**  
(45) **Date of Patent:** **Jan. 3, 2023**

(54) **ANTENNA MODULE INCLUDING FLEXIBLE PRINTED CIRCUIT BOARD AND ELECTRONIC DEVICE INCLUDING THE ANTENNA MODULE**

(52) **U.S. Cl.**  
CPC ..... **H01Q 1/2283** (2013.01); **H01Q 1/243** (2013.01); **H01Q 9/0435** (2013.01); **H01Q 9/42** (2013.01); **H04B 7/0617** (2013.01); **H05K 1/189** (2013.01)

(71) Applicant: **Samsung Electronics Co., Ltd.**, Suwon-si (KR)

(58) **Field of Classification Search**  
CPC ..... H01Q 21/29; H01Q 21/28; H01Q 9/0457; H01Q 21/24; H01Q 21/061-065; (Continued)

(72) Inventors: **Juneseok Lee**, Suwon-si (KR); **Junsig Kum**, Suwon-si (KR); **Kwanghyun Baek**, Suwon-si (KR); **Dohyuk Ha**, Suwon-si (KR); **Jinsu Heo**, Suwon-si (KR); **Youngju Lee**, Suwon-si (KR); **Jungyub Lee**, Suwon-si (KR)

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,084,241 B1 9/2018 Jenwatanavet et al.  
2010/0219513 A1\* 9/2010 Zhang ..... H01Q 1/38 257/659

(Continued)

OTHER PUBLICATIONS

Extended European Search Report dated Jun. 25, 2020, issued in European Application No. 20158279.8.

*Primary Examiner* — Ricardo I Magallanes

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(57) **ABSTRACT**

The disclosure relates to a communication method and system for converging a 5th-Generation (5G) communication system for supporting higher data rates beyond a 4th-Generation (4G) system with a technology for Internet of Things (IoT). The disclosure may be applied to intelligent services based on the 5G communication technology and the IoT-related technology, such as smart home, smart building, smart city, smart car, connected car, health care, digital education, smart retail, security and safety services. An antenna module is provided. The antenna module includes a flexible printed circuit board (FPCB) including a first surface directed in a first direction and a second surface directed in a second direction that forms a predetermined first angle with respect to the first direction, a first antenna deployed on one surface of the first surface, and a second antenna deployed on one surface of the second surface.

**18 Claims, 26 Drawing Sheets**

(73) Assignee: **Samsung Electronics Co., Ltd.**, Suwon-si (KR)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 225 days.

(21) Appl. No.: **16/793,360**

(22) Filed: **Feb. 18, 2020**

(65) **Prior Publication Data**  
US 2020/0266519 A1 Aug. 20, 2020


**Related U.S. Application Data**

(60) Provisional application No. 62/807,903, filed on Feb. 20, 2019.

(30) **Foreign Application Priority Data**

Mar. 29, 2019 (KR) ..... 10-2019-0036901

(51) **Int. Cl.**  
**H01Q 1/22** (2006.01)  
**H01Q 1/24** (2006.01)  
(Continued)





US011545735B2

(12) **United States Patent**  
**Lee et al.**

(10) **Patent No.:** **US 11,545,735 B2**  
(45) **Date of Patent:** **Jan. 3, 2023**

(54) **ANTENNA STRUCTURE AND WIRELESS COMMUNICATION DEVICE USING SAME**

(58) **Field of Classification Search**  
CPC . H01Q 1/243-245; H01Q 5/321; H01Q 5/371  
See application file for complete search history.

(71) Applicant: **Chiun Mai Communication Systems, Inc.,** New Taipei (TW)

(56) **References Cited**

(72) Inventors: **Cheng-Han Lee,** New Taipei (TW);  
**Yi-Wen Hsu,** New Taipei (TW);  
**Wei-Xuan Ye,** New Taipei (TW)

U.S. PATENT DOCUMENTS

(73) Assignee: **Chiun Mai Communication Systems, Inc.,** New Taipei (TW)

2013/0194138 A1\* 8/2013 Hammond ..... H01Q 13/10  
343/702  
2014/0347227 A1\* 11/2014 Iellici ..... H01Q 9/42  
343/702

(Continued)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 37 days.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **17/144,326**

CN 104064866 A 9/2014  
CN 105024160 A 11/2015

(Continued)

(22) Filed: **Jan. 8, 2021**

*Primary Examiner* — Andrea Lindgren Baltzell  
*Assistant Examiner* — Amal Patel

(65) **Prior Publication Data**

US 2021/0135339 A1 May 6, 2021

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

**Related U.S. Application Data**

(62) Division of application No. 15/647,281, filed on Jul. 12, 2017, now Pat. No. 10,923,801.

(Continued)

(30) **Foreign Application Priority Data**

Jun. 23, 2017 (CN) ..... 201710488559.7

(51) **Int. Cl.**  
**H01Q 1/24** (2006.01)  
**H01Q 5/50** (2015.01)


(Continued)

(52) **U.S. Cl.**  
CPC ..... **H01Q 1/243** (2013.01); **H01Q 1/528** (2013.01); **H01Q 5/50** (2015.01); **H01Q 9/42** (2013.01); **H01Q 21/28** (2013.01)

(57) **ABSTRACT**

An antenna structure includes a metal housing, a first feed source, and a first radiator. The metal housing includes a front frame, a backboard, and a side frame. The side frame defines a slot and the front frame defines a gap. The metal housing is divided into at least a long portion and a short portion by the slot and the gap. The first radiator is positioned in the housing and includes a first radiating portion and a second radiating portion. One end of the first radiating portion is electrically connected to the first feed source and another end of the first radiating portion is spaced apart from the long portion. One end of the second radiating portion is electrically connected to the first feed source and another end of the second radiating portion is spaced apart from the short portion.

**30 Claims, 83 Drawing Sheets**





US011545752B1

(12) **United States Patent**  
**Coutts**

(10) **Patent No.:** **US 11,545,752 B1**  
(45) **Date of Patent:** **Jan. 3, 2023**

(54) **VERTICAL COUPLING STRUCTURE FOR ANTENNA FEEDS**

(71) Applicant: **Amazon Technologies, Inc.**, Seattle, WA (US)  
(72) Inventor: **Gordon Coutts**, Woodinville, WA (US)  
(73) Assignee: **Amazon Technologies, Inc.**, Seattle, WA (US)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1 day.

(21) Appl. No.: **17/369,782**

(22) Filed: **Jul. 7, 2021**

**Related U.S. Application Data**

(63) Continuation of application No. 16/845,689, filed on Apr. 10, 2020, now Pat. No. 11,088,453.

(51) **Int. Cl.**  
**H01L 35/00** (2006.01)  
**H01Q 9/04** (2006.01)  
**H05K 1/02** (2006.01)  
**H05K 1/14** (2006.01)  
**H05K 1/11** (2006.01)  
**H01Q 3/26** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **H01Q 9/0457** (2013.01); **H01Q 9/0428** (2013.01); **H05K 1/0222** (2013.01); **H05K 1/115** (2013.01); **H05K 1/144** (2013.01); **H01Q 3/26** (2013.01)

(58) **Field of Classification Search**  
CPC ..... H01Q 9/0457; H01Q 9/0428; H01Q 3/26; H05K 1/0222; H05K 1/115; H05K 1/144  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2014/0302888 A1 10/2014 Syal et al.  
2015/0364829 A1 12/2015 Tong  
2019/0326674 A1\* 10/2019 Kang ..... H01Q 9/0457

\* cited by examiner


Primary Examiner — Binh B Tran

(74) Attorney, Agent, or Firm — Lowenstein Sandler LLP

(57) **ABSTRACT**

Technologies directed to coupling structures for antenna feeds of phased array antennas are described. One circuit board includes a first layer with a first portion of a RF coupling structure, a second layer with a second portion of the RF coupling structure, and a first insulation layer located between the first layer and the second layer. The RF coupling structure is configured to electromagnetically couple a first conductive trace on the first layer and a second conductive trace on the second layer at RF frequencies. The circuit board also includes an RF shielding structure coupled to a ground connection on the second layer and located in the first insulation layer. The RF shielding structure is configured to operate as a RF short circuit between the ground connection and a third conductive trace on the first layer at RF frequencies.

**20 Claims, 12 Drawing Sheets**







US011546459B2

(12) **United States Patent**  
**Jung et al.**

(10) **Patent No.:** **US 11,546,459 B2**  
(45) **Date of Patent:** **Jan. 3, 2023**

(54) **ELECTRONIC DEVICE AND METHOD FOR SWITCHING OF ANTENNA THEREOF**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Samsung Electronics Co., Ltd.**,  
Suwon-si (KR)

8,725,213 B2 5/2014 Nakamura  
9,413,443 B2 8/2016 Kim  
(Continued)

(72) Inventors: **Hojin Jung**, Suwon-si (KR); **Yongyoun Kim**, Suwon-si (KR); **Myeongsu Oh**, Suwon-si (KR); **Duho Chu**, Suwon-si (KR)

FOREIGN PATENT DOCUMENTS

CN 107465433 A 12/2017  
JP 5763543 B2 8/2015  
(Continued)

(73) Assignee: **Samsung Electronics Co., Ltd.**,  
Suwon-si (KR)

OTHER PUBLICATIONS

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

International Search Report dated Mar. 5, 2021, issued in International Application No. PCT/KR2020/017954.  
(Continued)

(21) Appl. No.: **17/116,301**

*Primary Examiner* — Lester G Kincaid  
*Assistant Examiner* — Maryam Soltanzadeh

(22) Filed: **Dec. 9, 2020**

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(65) **Prior Publication Data**  
US 2021/0185164 A1 Jun. 17, 2021

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Dec. 13, 2019 (KR) ..... 10-2019-0166422  
Aug. 4, 2020 (KR) ..... 10-2020-0097130

An electronic device is provided. The electronic device includes a foldable housing, a communication circuit, a first transmission/reception circuit configured to transmit/receive a signal in a first frequency band, a first antenna electrically connected to the first transmission/reception circuit, and disposed on a portion of the first side member, a second transmission/reception circuit configured to transmit/receive a signal in a second frequency band different from the first frequency band, a second antenna electrically connected to the second transmission/reception circuit, and disposed on a portion of the first side member, a sensor configured to detect a contact of a user's body portion, and a processor. The processor may be configured to cause the first transmission/reception circuit to be electrically connected to the second antenna such that the signal in the first frequency band is transmitted/received through the second antenna when the contact of the user's body portion is detected by the sensor.


(51) **Int. Cl.**  
**H04M 1/7245** (2021.01)  
**H04M 1/02** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **H04M 1/7245** (2021.01); **H04M 1/0216** (2013.01)

(58) **Field of Classification Search**  
CPC ..... H01Q 3/24; H01Q 1/243; H04B 1/1009; H04B 7/0834; H04B 7/0602;

(Continued)

**20 Claims, 26 Drawing Sheets**





US011552381B2

(12) **United States Patent**  
**Hsu et al.**

(10) **Patent No.:** **US 11,552,381 B2**  
(45) **Date of Patent:** **Jan. 10, 2023**

(54) **ELECTRONIC DEVICE**

USPC ..... 361/679  
See application file for complete search history.

(71) Applicant: **Getac Technology Corporation,**  
Hsinchu County (TW)

(56) **References Cited**

(72) Inventors: **Wan-Lin Hsu,** Taipei (TW); **Juei-Chi Chang,** Taipei (TW); **Ping-Chung Chen,** Taipei (TW); **Jia-Min Huang,** Taipei (TW)

U.S. PATENT DOCUMENTS

(73) Assignee: **GETAC TECHNOLOGY CORPORATION,** Hsinchu County (TW)

11,026,071	B1 *	6/2021	Files	H04W 4/40
2008/0316115	A1 *	12/2008	Hill	H01Q 21/30
				343/702
2010/0090909	A1 *	4/2010	Ella	H01Q 9/40
				343/702
2016/0204499	A1 *	7/2016	Toh	H01Q 21/28
				343/702
2019/0098553	A1 *	3/2019	Koshy	H04W 40/06
2020/0341520	A1 *	10/2020	Chen	G06F 1/1637
2020/0411957	A1 *	12/2020	Zhu	H01Q 9/42

(Continued)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 33 days.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **17/182,513**

CN 101278438 B \* 2/2013 ..... G08B 7/066

(22) Filed: **Feb. 23, 2021**

*Primary Examiner* — Dameon E Levi

(65) **Prior Publication Data**

*Assistant Examiner* — Leah Rosenberg

US 2022/0271413 A1 Aug. 25, 2022

(74) *Attorney, Agent, or Firm* — Locke Lord LLP; Tim Tingkang Xia, Esq.

(51) **Int. Cl.**  
**H01Q 1/22** (2006.01)  
**H01Q 9/04** (2006.01)  
**H01Q 21/08** (2006.01)  
**H01Q 5/307** (2015.01)


(57) **ABSTRACT**

(52) **U.S. Cl.**  
CPC ..... **H01Q 1/2266** (2013.01); **H01Q 5/307** (2015.01); **H01Q 9/0407** (2013.01); **H01Q 21/08** (2013.01)

The present invention discloses an antenna module and an electronic device. The antenna module is used in the electronic device. The electronic device includes a first housing. The antenna module includes a first antenna, a second antenna and a third antenna. The first antenna is disposed in the first housing and operates at a first frequency band. The second antenna is disposed in the first housing and operates at a second frequency band. The third antenna is disposed in the first housing and is located between the first antenna and the second antenna, and operates at a third frequency band. The first frequency band partially overlaps with the second frequency band, and the third frequency band does not overlap with the first frequency band and the second frequency band.

(58) **Field of Classification Search**  
CPC ..... H01Q 1/2266; H01Q 1/243; H01Q 5/307; H01Q 1/241; H01Q 1/242; H01Q 5/20; H01Q 5/30; H01Q 9/0407; H01Q 21/08; H01Q 21/28; H01Q 21/20; G06F 1/1601; G06F 1/1616; G06F 1/1656; H04M 1/02; H04M 1/026; H04M 1/0214; H04M 1/0216; H04B 1/0064

**17 Claims, 5 Drawing Sheets**





US011552384B2

(12) **United States Patent**  
**Svendsen et al.**

(10) **Patent No.:** **US 11,552,384 B2**  
(45) **Date of Patent:** **Jan. 10, 2023**

(54) **ANTENNA**  
(71) Applicant: **NOKIA SOLUTIONS AND NETWORKS OY**, Espoo (FI)  
(72) Inventors: **Simon Svendsen**, Aalborg (DK); **Christian Rom**, Aalborg (DK); **Poul Olesen**, Støvring (DK)  
(73) Assignee: **NOKIA SOLUTIONS AND NETWORKS OY**, Espoo (FI)  
(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 133 days.

(58) **Field of Classification Search**  
CPC ..... H01Q 1/243; H01Q 1/48; H01Q 1/52; H01Q 13/16; H01Q 21/00; H01Q 25/00  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
8,952,861 B2 2/2015 Desclos et al.  
9,698,857 B1 7/2017 Lee et al.  
(Continued)

FOREIGN PATENT DOCUMENTS  
EP 3185358 A1 6/2017

OTHER PUBLICATIONS  
Kishor et al., "A Pattern Reconfigurable Chassis-Mode MIMO Antenna", IEEE Transactions on Antennas and Propagation, vol. 62, No. 6 (Jun. 2014) pp. 3290-3298.  
(Continued)


*Primary Examiner* — Andrea Lindgren Baltzell  
(74) *Attorney, Agent, or Firm* — Alston & Bird LLP

(57) **ABSTRACT**  
An apparatus is provided that includes a ground plane having a perimeter, at least one support positioned within the perimeter of the ground plane and extending outwardly from the ground plane and at least one multi-port antenna supported by the support at a distance from the ground plane. The multi-port antenna has a different radiation pattern associated with each port. The multi-port antenna operates with a first radiation pattern when a first port is used and operates with a second radiation pattern, different to the first radiation pattern, when a second port, different to the first port, is used. The at least one support defines a slot positioned between the multi-port antenna and the ground plane and/or the ground plane defines a slot.

(21) Appl. No.: **17/018,900**  
(22) Filed: **Sep. 11, 2020**  
(65) **Prior Publication Data**  
US 2021/0083364 A1 Mar. 18, 2021  
(30) **Foreign Application Priority Data**  
Sep. 12, 2019 (EP) ..... 19196891

**20 Claims, 16 Drawing Sheets**

(51) **Int. Cl.**  
**H01Q 1/24** (2006.01)  
**H01Q 1/48** (2006.01)  
**H01Q 1/52** (2006.01)  
**H01Q 13/16** (2006.01)  
**H01Q 21/00** (2006.01)  
**H01Q 25/00** (2006.01)  
**G16Y 10/75** (2020.01)  
(52) **U.S. Cl.**  
CPC ..... **H01Q 1/243** (2013.01); **H01Q 1/48** (2013.01); **H01Q 1/521** (2013.01); **H01Q 13/16** (2013.01); **H01Q 21/0025** (2013.01); **H01Q 25/00** (2013.01); **G16Y 10/75** (2020.01)





US011552391B2

(12) **United States Patent**  
**Huang**

(10) **Patent No.:** **US 11,552,391 B2**  
(45) **Date of Patent:** **Jan. 10, 2023**

(54) **MOBILE DEVICE WITH  
MULTIPLE-ANTENNA SYSTEM**  
(71) Applicant: **Futurewei Technologies, Inc.**, Plano,  
TX (US)  
(72) Inventor: **Wei Huang**, San Diego, CA (US)  
(73) Assignee: **Futurewei Technologies, Inc.**, Addison,  
TX (US)  
(\* ) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 47 days.

(21) Appl. No.: **15/868,958**  
(22) Filed: **Jan. 11, 2018**

(65) **Prior Publication Data**  
US 2018/0205146 A1 Jul. 19, 2018

**Related U.S. Application Data**  
(60) Provisional application No. 62/446,173, filed on Jan.  
13, 2017.

(51) **Int. Cl.**  
**H01Q 1/52** (2006.01)  
**H01Q 21/24** (2006.01)  
(Continued)

(52) **U.S. Cl.**  
CPC ..... **H01Q 1/523** (2013.01); **H01Q 1/2258**  
(2013.01); **H01Q 1/243** (2013.01); **H01Q 1/48**  
(2013.01);  
(Continued)

(58) **Field of Classification Search**  
CPC ..... H01Q 13/10; H01Q 21/064; H01Q 21/24;  
H01Q 1/523; H01Q 1/2258; H01Q 1/243;  
(Continued)

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
10,069,194 B2\* 9/2018 Cai ..... H01Q 1/243  
2008/0198082 A1 8/2008 Soler et al.  
(Continued)


FOREIGN PATENT DOCUMENTS  
CN 2505992 Y 8/2002  
CN 1672290 A 9/2005  
(Continued)

OTHER PUBLICATIONS  
Zhang, S. and Pedersen, G., "Mutual Coupling Reduction for UWB  
MIMO Antennas With a Wideband Neutralization Line," IEEE  
Antennas and Wireless Propagation Letters 15:166-9 (2016).  
(Continued)

*Primary Examiner* — Robert Karacsony  
(74) *Attorney, Agent, or Firm* — Schwegman Lundberg &  
Woessner, P.A.

(57) **ABSTRACT**  
Embodiments provide mobile device comprising a body  
frame; processing circuitry affixed to the body frame; a first  
antenna and a second antenna arranged adjacent to each  
other in the body frame, the first antenna and the second  
antenna electrically coupled to the processing circuitry to  
provide radiation, wherein the first antenna and the second  
antenna share a common ground defined by the body frame,  
wherein the first antenna is configured to provide radiation  
of a first polarization, and wherein the second antenna is  
configured to provide radiation of a second polarization  
substantially orthogonal to the first polarization to provide a  
signal isolation between the first antenna and the second  
antenna.

**17 Claims, 6 Drawing Sheets**





US011552392B2

(12) **United States Patent**  
**Jung et al.**

(10) **Patent No.:** **US 11,552,392 B2**  
(45) **Date of Patent:** **Jan. 10, 2023**

(54) **ELECTRONIC DEVICE INCLUDING ANTENNA MODULE**

(56) **References Cited**

(71) Applicant: **Samsung Electronics Co., Ltd.**,  
Gyeonggi-do (KR)

U.S. PATENT DOCUMENTS

8,798,695 B1 \* 8/2014 Zheng ..... H01Q 21/28  
455/575.7

(72) Inventors: **Sangmin Jung**, Gyeonggi-do (KR);  
**Geunwoo Kim**, Gyeonggi-do (KR)

10,313,950 B2 6/2019 Choi et al.  
(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Samsung Electronics Co., Ltd.**,  
Suwon-si (KR)

KR 10-2008-0073138 A 8/2008  
KR 10-2017-0062438 A 6/2017

(Continued)

(\* ) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 481 days.

OTHER PUBLICATIONS

International Search Report dated Jan. 3, 2020.

(21) Appl. No.: **16/571,544**

*Primary Examiner* — Dimary S Lopez Cruz

*Assistant Examiner* — Michael M Bouizza

(22) Filed: **Sep. 16, 2019**

(74) *Attorney, Agent, or Firm* — Cha & Reiter, LLC

(65) **Prior Publication Data**

US 2020/0144713 A1 May 7, 2020

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Nov. 7, 2018 (KR) ..... 10-2018-0135770

An electronic device comprises a plurality of antennas, wherein each of the plurality of antennas are spaced apart from each other, a first communication circuit electrically connected with the plurality of antennas, a plurality of array antennas comprising a first array antenna disposed adjacent to at least one of the plurality of antennas, and a second array antenna disposed adjacent to another antenna different from the at least one antenna of the plurality of antennas, a second communication circuit electrically connected with the first array antenna and the second array antenna, and at least one control circuit electrically connected with the first communication circuit and the second communication circuit, wherein the at least one control circuit is configured to obtain receive sensitivities of the plurality of antennas through the first communication circuit; activate at least one array antenna of the first array antenna and the second array antenna through the second communication circuit based at least on the receive sensitivities; and control the activated at least one array antenna to form at least one beam for communication with an external electronic device.


(51) **Int. Cl.**  
**H01Q 1/52** (2006.01)  
**H04W 76/10** (2018.01)  
(Continued)

(52) **U.S. Cl.**  
CPC ..... **H01Q 1/523** (2013.01); **G06F 13/385**  
(2013.01); **H04W 76/10** (2018.02); **H04W**  
**36/0072** (2013.01); **H04W 88/04** (2013.01)

(58) **Field of Classification Search**  
CPC ..... H01Q 1/523; H01Q 1/243; H01Q 9/42;  
H01Q 21/061; H01Q 25/00; G06F  
13/385;

(Continued)

**4 Claims, 11 Drawing Sheets**





US011552397B2

(12) **United States Patent**  
**Tehran et al.**

(10) **Patent No.:** **US 11,552,397 B2**  
(45) **Date of Patent:** **\*Jan. 10, 2023**

(54) **HIGH GAIN AND LARGE BANDWIDTH ANTENNA INCORPORATING A BUILT-IN DIFFERENTIAL FEEDING SCHEME**

(58) **Field of Classification Search**  
CPC ..... H01Q 1/523; H01Q 5/35; H01Q 5/50; H01Q 9/045; H01Q 21/065; H01Q 21/24  
See application file for complete search history.

(71) Applicant: **Samsung Electronics Co., Ltd.**,  
Suwon-si (KR)  
(72) Inventors: **Hamid Reza Memar Zadeh Tehran**,  
Richardson, TX (US); **Gary Xu**, Allen,  
TX (US); **Won Suk Choi**, Plano, TX  
(US); **Jianzhong Zhang**, Plano, TX  
(US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,686,535 A 8/1987 Lalezari  
5,223,848 A 6/1993 Rammos et al.  
(Continued)

FOREIGN PATENT DOCUMENTS

CN 2916958 Y 6/2007  
CN 103825109 A 5/2014  
(Continued)

OTHER PUBLICATIONS

Supplementary European Search Report dated Aug. 25, 2021, in connection with European Application No. 19854647.5, 11 pages.  
(Continued)

*Primary Examiner* — Tung X Le

(21) Appl. No.: **17/444,986**

(22) Filed: **Aug. 12, 2021**

(65) **Prior Publication Data**

US 2021/0376469 A1 Dec. 2, 2021

**Related U.S. Application Data**

(63) Continuation of application No. 17/195,401, filed on Mar. 8, 2021, now Pat. No. 11,145,979, which is a  
(Continued)

(51) **Int. Cl.**  
**H01Q 5/35** (2015.01)  
**H01Q 21/06** (2006.01)  
(Continued)

(52) **U.S. Cl.**  
CPC ..... **H01Q 5/35** (2015.01); **H01Q 5/50**  
(2015.01); **H01Q 9/045** (2013.01); **H01Q**  
**21/065** (2013.01)

(57) **ABSTRACT**

An antenna and a base station including the antenna. The antenna includes a sub-array that includes first and second unit cells and a feed network. The first and second unit cells comprise first and second patches, respectively, having quadrilateral shapes. The feed network comprises a first transmission line terminating below first corners of the first and second patches, respectively; a second transmission line terminating below third corners of the first and second patches, respectively; a third transmission line terminating below a second corner of the first patch and a fourth corner of the second patch; and a fourth transmission line terminating below a fourth corner of the first patch and a second corner of the second patch. The first corners are opposite the third corners on the respective first and second patches and the second corners are opposite the fourth corners on the respective first and second patches.

**20 Claims, 8 Drawing Sheets**

