

(12) **United States Patent**
Liang et al.

(10) **Patent No.:** **US 10,873,123 B2**
(45) **Date of Patent:** **Dec. 22, 2020**

(54) **ANTENNA STRUCTURE AND WIRELESS COMMUNICATION DEVICE USING THE SAME**

(71) Applicant: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(72) Inventors: **Chia-Ming Liang**, New Taipei (TW);
Jin-Bo Chen, New Taipei (TW)

(73) Assignee: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/523,113**

(22) Filed: **Jul. 26, 2019**

(65) **Prior Publication Data**
US 2020/0036085 A1 Jan. 30, 2020

(30) **Foreign Application Priority Data**
Jul. 27, 2018 (CN) 2018 1 0841074

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 5/335 (2015.01)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 5/335** (2015.01)

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2018/0026337 A1* 1/2018 Chen H01Q 5/378 343/702
2018/0026354 A1* 1/2018 Lin H04M 1/026 343/702
2019/0181155 A1* 6/2019 Li H01L 27/3272
2019/0252764 A1* 8/2019 Liao H01Q 5/378

FOREIGN PATENT DOCUMENTS

CN 106229674 A 12/2016
CN 107645034 A 1/2018

* cited by examiner

Primary Examiner — Anh Q Tran


(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **ABSTRACT**

An antenna structure utilizing as radiating elements only the metal frame of an electronic device includes a metal frame, a feeding portion, and a ground point. The metal frame defines a first gap and a second gap. The metal frame forms a radiating portion, a first coupling portion, and a second coupling portion through the first gap and the second gap. When the feed supplies current, the current flows through the radiating portion and, being coupled to the first coupling portion and second coupling portion through the first and second gaps, first, second, and third operating modes at different frequencies can be invoked to generate wireless signals in first, second, and third LTE-A frequency bands.

16 Claims, 6 Drawing Sheets

200



(12) **United States Patent**
Chen et al.

(10) **Patent No.:** **US 10,873,124 B2**
(45) **Date of Patent:** **Dec. 22, 2020**

(54) **MOBILE DEVICE**

(71) Applicant: **Wistron NeWeb Corp.**, Hsinchu (TW)

(72) Inventors: **Ching-Wen Chen**, Hsinchu (TW);
Chia-Hao Chang, Hsinchu (TW)

(73) Assignee: **WISTRON NEWEB CORP.**, Hsinchu (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 9 days.

(21) Appl. No.: **16/550,713**

(22) Filed: **Aug. 26, 2019**

(65) **Prior Publication Data**

US 2020/0076061 A1 Mar. 5, 2020

(30) **Foreign Application Priority Data**

Aug. 28, 2018 (TW) 107129974 A

(51) **Int. Cl.**

H01Q 1/24 (2006.01)
H01Q 9/28 (2006.01)
H01Q 21/00 (2006.01)
H01Q 21/06 (2006.01)
H01Q 1/36 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/36** (2013.01); **H01Q 9/285** (2013.01); **H01Q 21/0068** (2013.01); **H01Q 21/064** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 1/36; H01Q 5/371; H01Q 5/364; H01Q 5/378; H01Q 9/285; H01Q 13/106; H01Q 21/0068; H01Q 21/064

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,056,696 B2	8/2018	Tseng et al.	
2014/0078001 A1 *	3/2014	Matsuoka	H01Q 5/385 343/700 MS
2017/0155198 A1	6/2017	Lo et al.	
2017/0207542 A1 *	7/2017	Tseng	H01Q 13/106
2019/0027810 A1 *	1/2019	Li	H01Q 21/30
2019/0221943 A1 *	7/2019	Wu	H01Q 13/106
2020/0168993 A1 *	5/2020	Wei	H01Q 1/243
2020/0185831 A1 *	6/2020	Chen	H01Q 5/392

FOREIGN PATENT DOCUMENTS

TW	M537316 U	2/2017
TW	201721972 A	6/2017

* cited by examiner


Primary Examiner — Seokjin Kim

(74) Attorney, Agent, or Firm — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

A mobile device includes a metal back cover, a dielectric substrate, a grounding metal element, a first radiation element, and a second radiation element. The metal back cover has a slot. The dielectric substrate has a first surface and a second surface, and the second surface faces the slot. The grounding metal element extends onto the first surface of the dielectric substrate. The first radiation element has a feeding point, and is disposed on the first surface of the dielectric substrate. The first vertical projection of the first radiation element at least partially overlaps the slot. The second radiation element is disposed on the second surface of the dielectric substrate. The second vertical projection of the second radiation element at least partially overlaps the slot. An antenna structure is formed by the first radiation element, the second radiation element, and the slot of the metal back cover.

20 Claims, 10 Drawing Sheets





US010879581B2

(12) **United States Patent**
Wang et al.

(10) **Patent No.:** **US 10,879,581 B2**

(45) **Date of Patent:** **Dec. 29, 2020**

(54) **ELECTRONIC DEVICE**

(56) **References Cited**

(71) Applicant: **Lenovo (Beijing) Co., Ltd.**, Beijing (CN)

U.S. PATENT DOCUMENTS

(72) Inventors: **Wenlei Wang**, Beijing (CN); **Zhaowei Hu**, Beijing (CN); **Xiaozhun Shen**, Beijing (CN); **Dafei Mo**, Beijing (CN)

6,636,181 B2 * 10/2003 Asano G06F 1/1616

343/702

7,813,709 B2 * 10/2010 Yamamoto H01Q 1/243

343/833

8,059,040 B2 * 11/2011 Ayala Vazquez H01Q 1/02

343/700 MS

9,136,590 B2 * 9/2015 Hotta H01Q 1/243

9,236,648 B2 * 1/2016 Guterman H01Q 1/2266

2001/0040529 A1 11/2001 Cheng et al.

2005/0062657 A1 3/2005 Lin

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 166 days.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **15/941,578**

CN 103904419 A 7/2014

(22) Filed: **Mar. 30, 2018**

CN 204130694 U 1/2015

(65) **Prior Publication Data**

CN 104377435 A 2/2015

US 2019/0006747 A1 Jan. 3, 2019

CN 105206916 A 12/2015

CN 105490001 A 4/2016

CN 105633545 A 6/2016

CN 106450651 A 2/2017

(30) **Foreign Application Priority Data**

* cited by examiner

Jun. 30, 2017 (CN) 2017 1 0524844

Primary Examiner — Dimary S Lopez-Cruz

Assistant Examiner — Patrick R Holecek

(51) **Int. Cl.**

(74) *Attorney, Agent, or Firm* — Anova Law Group, PLLC

H01Q 1/22 (2006.01)

H01Q 1/24 (2006.01)

H01Q 9/42 (2006.01)

H01Q 21/28 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/2266** (2013.01); **H01Q 1/2291**

(2013.01); **H01Q 1/243** (2013.01); **H01Q 9/42**

(2013.01); **H01Q 21/28** (2013.01)

(58) **Field of Classification Search**

CPC .. H01Q 1/2258; H01Q 1/2266; H01Q 1/2291;

H01Q 1/24; H01Q 1/241; H01Q 1/243;

H01Q 1/523; H01Q 5/321; H01Q 9/16;

H01Q 9/42; H01Q 21/28; H01Q 21/30;


H04M 1/0283; H04M 1/185

See application file for complete search history.

(57) **ABSTRACT**

An electronic device includes a first body, a second body, and a rotating shaft structure connected to the first body and the second body. The rotating shaft structure includes a first shaft and a second shaft arranged opposite to each other and fixedly connected to the first body and the second body. The rotating shaft structure further includes an antenna radiator including a plurality of metal shafts electrically coupled to each other and provided in an interspace between the first shaft and the second shaft.

11 Claims, 2 Drawing Sheets





US010879586B2

(12) **United States Patent**
Mahanfar et al.

(10) **Patent No.:** **US 10,879,586 B2**
(45) **Date of Patent:** **Dec. 29, 2020**

(54) **UTILIZATION OF ANTENNA LOADING FOR IMPEDANCE MATCHING**

(56) **References Cited**

U.S. PATENT DOCUMENTS

- (71) Applicant: **Microsoft Technology Licensing, LLC**,
Redmond, WA (US)
- (72) Inventors: **Alireza Mahanfar**, Redmond, WA
(US); **Javier Rodriguez De Luis**,
Kirkland, WA (US); **Stanley Yu Tao**
Ng, Bellevue, WA (US); **Benjamin J.**
Shewan, Redmond, WA (US); **Kim**
Willi Schulze, Seattle, WA (US)

3,611,402 A	10/1971	Thomas et al.	
4,196,394 A	4/1980	Adams	
6,211,830 B1 *	4/2001	Monma	H01Q 1/242 343/702
6,920,315 B1 *	7/2005	Wilcox	H01Q 1/246 343/913

(Continued)

FOREIGN PATENT DOCUMENTS

- (73) Assignee: **Microsoft Technology Licensing, LLC**,
Redmond, WA (US)

CN	101002360	7/2007
CN	101485096	7/2009

(Continued)

- (*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 350 days.

OTHER PUBLICATIONS

- (21) Appl. No.: **15/151,312**

"International Search Report and Written Opinion", Application No.
PCT/US2014/011366, dated May 15, 2014, 10 Pages.

- (22) Filed: **May 10, 2016**

(Continued)

- (65) **Prior Publication Data**

US 2016/0254592 A1 Sep. 1, 2016

Related U.S. Application Data

- (63) Continuation of application No. 13/745,609, filed on
Jan. 18, 2013, now Pat. No. 9,356,343.

Primary Examiner — Hasan Z Islam

(74) *Attorney, Agent, or Firm* — Ray Quinney & Nebeker
P.C.; James Bullough

- (51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 1/50 (2006.01)

- (52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/245**
(2013.01); **H01Q 1/50** (2013.01)


- (58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 1/245; H01Q 1/50;
H01Q 1/52

See application file for complete search history.

- (57) **ABSTRACT**

Techniques for utilization of antenna loading for impedance matching are described. In at least some embodiments, a device (e.g., a smart phone) includes multiple antennas that are employed to send and receive wireless signals for the device. The device further includes impedance matching functionality communicatively connected to the antennas, and configured to perform impedance matching for one of the antennas based on loading (e.g., dielectric loading) of another of the antennas.

8 Claims, 9 Drawing Sheets





US010879587B2

(12) **United States Patent**
Andujar Linares et al.

(10) **Patent No.:** **US 10,879,587 B2**

(45) **Date of Patent:** **Dec. 29, 2020**

(54) **WIRELESS DEVICE INCLUDING A METAL FRAME ANTENNA SYSTEM BASED ON MULTIPLE ARMS**

(71) Applicant: **Fractus Antennas, S.L.**, Barcelona (ES)

(72) Inventors: **Aurora Andujar Linares**, Barcelona (ES); **Jaume Anguera Pros**, Vinaros (ES); **Carles Puente Baliarda**, Barcelona (ES)

(73) Assignee: **Fractus Antennas, S.L.**, Barcelona (ES)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 483 days.

(21) Appl. No.: **15/434,960**

(22) Filed: **Feb. 16, 2017**

(65) **Prior Publication Data**

US 2017/0237151 A1 Aug. 17, 2017

Related U.S. Application Data

(60) Provisional application No. 62/295,577, filed on Feb. 16, 2016.

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 5/335 (2015.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/38** (2013.01); **H01Q 5/328** (2015.01); **H01Q 5/335** (2015.01); **H01Q 9/42** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/38; H01Q 9/42; H01Q 5/335; H01Q 5/328; H01Q 1/243

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,683,839 B2 3/2010 Ollikainen et al.
7,876,274 B2 6/2011 Hobson et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 104022349 A 9/2014
EP 2731194 A1 5/2014

(Continued)

OTHER PUBLICATIONS

Bilton, N; The Check is in the mail, from Apple, The New York Times, Apr. 23, 2013.

(Continued)

Primary Examiner — Graham P Smith


Assistant Examiner — Jae K Kim

(74) *Attorney, Agent, or Firm* — Edell, Shapiro & Finnan, LLC

(57) **ABSTRACT**

A metal frame antenna (MFA) system comprises multiple arms developed to cover multiple ranges of frequencies normally required in a wireless device such as a phone. The MFA system comprises a ground plane layer, a first electrical arm including a strip element at an edge of a phone spaced apart from an edge of the ground plane layer, a second electrical arm comprising a strip element and/or an antenna booster, a branching system connecting the first and second arms to a feeding system that is connected to the RF system of the phone.

20 Claims, 4 Drawing Sheets





(12) **United States Patent**
Tsai et al.

(10) **Patent No.:** **US 10,879,588 B2**
(45) **Date of Patent:** **Dec. 29, 2020**

(54) **MOBILE DEVICE AND MANUFACTURING METHOD THEREOF**

(56) **References Cited**

(71) Applicant: **HTC Corporation**, Taoyuan (TW)

(72) Inventors: **Tiao-Hsing Tsai**, Taoyuan (TW);
Chien-Pin Chiu, Taoyuan (TW);
Hsiao-Wei Wu, Taoyuan (TW);
Li-Yuan Fang, Taoyuan (TW);
Shen-Fu Tzeng, Taoyuan (TW);
Yi-Hsiang Kung, Taoyuan (TW)

(73) Assignee: **HTC CORPORATION**, Taoyuan (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 451 days.

(21) Appl. No.: **15/722,355**

(22) Filed: **Oct. 2, 2017**

(65) **Prior Publication Data**
US 2018/0183137 A1 Jun. 28, 2018

Related U.S. Application Data

(60) Provisional application No. 62/439,356, filed on Dec. 27, 2016.

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 5/335 (2015.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 5/335** (2015.01); **H01Q 9/04** (2013.01); **H01Q 9/42** (2013.01); **H01Q 21/28** (2013.01); **H04M 1/026** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 9/42; H01Q 21/28; H01Q 9/04; H01Q 5/335; H01Q 1/521;
(Continued)

U.S. PATENT DOCUMENTS

2015/0123871 A1* 5/2015 Chang H01Q 1/243 343/872
2016/0164168 A1* 6/2016 Choi H01Q 1/50 343/702

(Continued)

FOREIGN PATENT DOCUMENTS

CN 202585714 U 12/2012
CN 104143681 A 11/2014
(Continued)

OTHER PUBLICATIONS

Wong et al., "Small-Size Narrow Open-Slot Antenna for the 2.4/5.2/5.8-GHz WLAN Operation Along the Side Edge of the Metal-Framed Smartphone," *Microwave and Optical Technology Letters*, vol. 58, No. 4, Apr. 2016, pp. 886-892.

Primary Examiner — Dimary S Lopez Cruz


Assistant Examiner — Michael M Bouizza

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(57) **ABSTRACT**

A mobile device includes a system circuit board, a metal frame, a first feeding element, a second feeding element, and an RF (Radio Frequency) module. The system circuit board includes a system ground plane. The metal frame includes a first portion and a second portion. The metal frame has a first cut point positioned between the first portion and the second portion. The first feeding element is directly or indirectly electrically connected to the first portion. A first antenna structure is formed by the first feeding element and the first portion. The second feeding element is directly or indirectly electrically connected to the second portion. A second antenna structure is formed by the second feeding element and the second portion. The RF module is electrically coupled to the first feeding element and the second feeding

(Continued)





US010879589B2

(12) **United States Patent**
Lim et al.

(10) **Patent No.:** **US 10,879,589 B2**

(45) **Date of Patent:** **Dec. 29, 2020**

(54) **ANTENNA AND ELECTRONIC DEVICE
COMPRISING SAME**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(72) Inventors: **Jae-Ho Lim**, Gyeonggi-do (KR);
Kyung-Jong Lee, Gyeonggi-do (KR);
Hosaeng Kim, Gyeonggi-do (KR);
Seunghwan Kim, Seoul (KR)

(73) Assignee: **Samsung Electronics Co., Ltd**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/095,618**

(22) PCT Filed: **Jan. 26, 2017**

(86) PCT No.: **PCT/KR2017/000984**

§ 371 (c)(1),

(2) Date: **Oct. 22, 2018**

(87) PCT Pub. No.: **WO2017/183802**

PCT Pub. Date: **Oct. 26, 2017**

(65) **Prior Publication Data**

US 2019/0140342 A1 May 9, 2019

(30) **Foreign Application Priority Data**

Apr. 22, 2016 (KR) 10-2016-0049632

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 5/335 (2015.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 5/335**
(2015.01); **H01Q 5/342** (2015.01);

(Continued)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 3/24; H01Q 5/342;
H04M 1/0216

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,391,375 B1 6/2008 Lin et al.
8,654,030 B1 * 2/2014 Mercer H04B 1/3833
343/702

(Continued)

FOREIGN PATENT DOCUMENTS

JP 5613129 10/2014
JP 2015159613 9/2015

(Continued)

OTHER PUBLICATIONS

European Search Report dated Mar. 29, 2019 issued in counterpart
application No. 17786071.5-1205, 9 pages.

(Continued)


Primary Examiner — Ab Salam Alkassim, Jr.

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm,
P.C.

(57) **ABSTRACT**

Provided is an electronic device that includes first and second housings, a display, a connecting member connecting the first and second housings, first and second conductive members, and a wireless communication circuit. The first housing includes a first side facing a first direction, a second side facing a second direction opposite to the first direction, and a first lateral side surrounding at least part of a space between the first side and the second side. The second housing includes a third side facing a third direction, a fourth side facing a fourth direction opposite to the third direction, and a second lateral side surrounding at least part of a space between the third side and the fourth side. The connecting member connects the first and second housings such that

(Continued)



(12) **United States Patent**
Li et al.

(10) **Patent No.:** **US 10,879,590 B2**
(45) **Date of Patent:** **Dec. 29, 2020**

(54) **ANTENNA AND MOBILE TERMINAL**

(71) Applicant: **Huawei Device Co., Ltd.**, Dongguan (CN)

(72) Inventors: **Jianming Li**, Taipei (TW); **Hanyang Wang**, Reading (GB)

(73) Assignee: **HUAWEI DEVICE CO., LTD.**, Dongguan (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/118,926**

(22) Filed: **Aug. 31, 2018**

(65) **Prior Publication Data**

US 2018/0366814 A1 Dec. 20, 2018

Related U.S. Application Data

(63) Continuation of application No. 15/118,323, filed as application No. PCT/CN2015/072407 on Feb. 6, 2015, now Pat. No. 10,069,193.

(30) **Foreign Application Priority Data**

Feb. 12, 2014 (CN) 2014 1 0049276

(51) **Int. Cl.**
H01Q 5/30 (2015.01)
H01Q 1/24 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/38** (2013.01); **H01Q 1/48** (2013.01); **H01Q 5/328** (2015.01);

(Continued)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 1/48; H01Q 5/30; H01Q 5/328-371

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,012,570 B2 3/2006 Chen et al.
7,079,079 B2* 7/2006 Jo H01Q 1/243
343/700 MS

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101127513 A 2/2008
CN 101174730 A 5/2008

(Continued)

OTHER PUBLICATIONS

Choi, S. et al., "Design of a Compact Hexa-Band Coupling Antenna for 4G Mobile Handset using a Small Element with Two Slots," Microwave and Optical Technology Letters, vol. 55, No. 8, Aug. 2013, 4 pages.

(Continued)


Primary Examiner — Hasan Z Islam

(74) *Attorney, Agent, or Firm* — Slater Matsil, LLP

(57) **ABSTRACT**

An antenna and a mobile terminal with the antenna including a first radiator and a first capacitor structure. A first end of the first radiator is electrically connected to a signal feed end of a printed circuit board by means of the first capacitor structure, and a second end of the first radiator is electrically connected to a ground end of the printed circuit board. The first radiator, the first capacitor structure, the signal feed end, and the ground end form a first antenna, configured to generate a first resonance frequency. An electrical length of the first radiator is less than or equal to one eighth of a wavelength corresponding to the first resonance frequency.

16 Claims, 10 Drawing Sheets



(12) **United States Patent**
Tsai et al.

(10) **Patent No.:** **US 10,879,591 B2**
(45) **Date of Patent:** ***Dec. 29, 2020**

(54) **MOBILE DEVICE AND ANTENNA STRUCTURE**

(56) **References Cited**

(71) Applicant: **HTC Corporation**, Taoyuan (TW)

U.S. PATENT DOCUMENTS

(72) Inventors: **Tiao-Hsing Tsai**, Taoyuan (TW);
Chien-Pin Chiu, Taoyuan (TW);
Hsiao-Wei Wu, Taoyuan (TW);
Chao-Chiang Kuo, Taoyuan (TW)

2,885,676 A 5/1959 Baldwin
6,400,571 B1 6/2002 Kimura et al.
(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **HTC Corporation**, Taoyuan (TW)

CN 1595718 A 3/2005
CN 1262133 C 6/2006
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

This patent is subject to a terminal disclaimer.

U.S. Office Action for U.S. Appl. No. 16/557,320, dated Apr. 29, 2020.

(Continued)

(21) Appl. No.: **16/265,430**

Primary Examiner — Tho G Phan

(22) Filed: **Feb. 1, 2019**

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch LLP

(65) **Prior Publication Data**

US 2019/0165453 A1 May 30, 2019

Related U.S. Application Data

(60) Division of application No. 15/599,255, filed on May 18, 2017, now Pat. No. 10,516,202, which is a (Continued)

(57) **ABSTRACT**

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 13/10 (2006.01)


A mobile device includes a dielectric substrate, a metal layer, a metal housing, a first nonconductive partition, a second nonconductive partition, a first connection element, and a second connection element. The dielectric substrate includes a first protruded portion. The metal layer lies on the dielectric substrate, and includes an upper element and a main element, wherein the upper element is separated from the main element by a first region. The metal housing is substantially a hollow structure, and has a first slit and a second slit, wherein a first projection of the first slit with respect to the dielectric substrate at least partially overlaps the first region, and a second projection of the second slit with respect to the dielectric substrate at least partially overlaps the first protruded portion. The mobile device is capable of operating in multiple bands.

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 13/106** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 13/106; H01Q 13/10; H01Q 1/24;
H01Q 1/243; H01Q 1/38; H01Q 1/22;
H01Q 1/2266; H01Q 1/50

See application file for complete search history.

66 Claims, 59 Drawing Sheets





US010879974B2

(12) **United States Patent**
Guo

(10) **Patent No.:** **US 10,879,974 B2**
(45) **Date of Patent:** **Dec. 29, 2020**

(54) **ELECTRONIC DEVICE AND ANTENNA COMPONENT THEREOF**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Beijing Xiaomi Mobile Software Co., Ltd.**, Beijing (CN)

7,079,079 B2 * 7/2006 Jo H01Q 1/243
343/700 MS
8,907,853 B2 * 12/2014 Ying H01Q 1/243
343/702

(72) Inventor: **Fang Guo**, Beijing (CN)

(Continued)

(73) Assignee: **Beijing Xiaomi Mobile Software Co., Ltd.**, Beijing (CN)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

CN 204596970 U 8/2015
CN 105244599 A 1/2016

(Continued)

OTHER PUBLICATIONS

(21) Appl. No.: **16/412,799**

Korean Office Action dated Dec. 11, 2019, in counterpart Korean Application No. 10-2019-7012208.

(22) Filed: **May 15, 2019**

(Continued)

(65) **Prior Publication Data**

US 2019/0372635 A1 Dec. 5, 2019

Primary Examiner — Hasan Z Islam

(74) *Attorney, Agent, or Firm* — Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P.

(30) **Foreign Application Priority Data**

May 29, 2018 (CN) 2018 1 0533925

(57) **ABSTRACT**

The present disclosure relates to an electronic device and an antenna component thereof. The antenna component includes a conductive frame and a signal generation circuit. The conductive frame includes a first conductive frame section and a second conductive frame section, and a slit therebetween is configured to implement signal radiation of the antenna component. A feed point is provided on the first conductive frame section near the slit. The first conductive frame section includes an extension portion from the feed point to an end away from the slit. A groove is formed by the extension portion and a first ground element. The signal generation circuit is electronically connected to the feed point, and configured to generate an L5 band signal when a signal source is input to the signal generation circuit, such that the groove generates an L1 band signal.

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H04B 7/06 (2006.01)

(Continued)

(52) **U.S. Cl.**


CPC **H04B 7/0602** (2013.01); **H01Q 1/364**
(2013.01); **H01Q 1/38** (2013.01); **H04B 1/406**
(2013.01); **H04W 84/12** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/241–1/243; H01Q 13/10; H04B
7/04–7/06

See application file for complete search history.

15 Claims, 4 Drawing Sheets





US010886242B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 10,886,242 B2**
(45) **Date of Patent:** **Jan. 5, 2021**

(54) **ANTENNA MODULE**

(71) Applicant: **SAMSUNG**
ELECTRO-MECHANICS CO., LTD.,
Suwon-si (KR)

(72) Inventors: **Doo Il Kim**, Suwon-si (KR); **Won Wook So**, Suwon-si (KR); **Young Sik Hur**, Suwon-si (KR); **Jung Chul Gong**, Suwon-si (KR)

(73) Assignee: **SAMSUNG**
ELECTRO-MECHANICS CO., LTD.,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/430,959**

(22) Filed: **Jun. 4, 2019**

(65) **Prior Publication Data**

US 2020/0321293 A1 Oct. 8, 2020

(30) **Foreign Application Priority Data**

Apr. 4, 2019 (KR) 10-2019-0039437

(51) **Int. Cl.**
H01L 21/48 (2006.01)
H01L 21/56 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01L 23/66** (2013.01); **H01L 21/4853**
(2013.01); **H01L 21/56** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC . H01L 23/66; H01L 23/3135; H01L 23/3185;
H01L 23/49816; H01L 23/5386; H01L

23/5389; H01L 21/4853; H01L 21/56;
H01L 24/05; H01L 24/16; H01L 24/17;
H01L 25/0657; H01L 2224/04105; H01L
2224/12105; H01L 2224/16225;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2016/0240492 A1 8/2016 Wolter et al.
2017/0062360 A1 3/2017 Chang et al.
(Continued)

FOREIGN PATENT DOCUMENTS

KR 10-2018-0052062 A 5/2018
KR 10-1939046 B1 1/2019


Primary Examiner — Tong-Ho Kim

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

(57) **ABSTRACT**

An antenna module includes an antenna substrate, a first semiconductor package, disposed on the antenna substrate, including a first connection member including one or more first redistribution layers, electrically connected to the antenna substrate, and a first semiconductor chip disposed on the first connection member, and a second semiconductor package, disposed on the antenna substrate to be spaced apart from the first semiconductor package, including a second connection member including one or more second redistribution layers, electrically connected to the antenna substrate, and a second semiconductor chip disposed on the second connection member. The first semiconductor chip and the second semiconductor chip are different types of semiconductor chips.

14 Claims, 14 Drawing Sheets





(12) **United States Patent**
Yang et al.

(10) **Patent No.:** **US 10,886,596 B2**
(45) **Date of Patent:** **Jan. 5, 2021**

(54) **WIRELESS COMMUNICATION DEVICE
HAVING A TWO-PART ROTATABLE
HOUSING WITH MULTIPLE ANTENNA
CONDUCTORS**

(71) Applicant: **Motorola Mobility LLC**, Chicago, IL
(US)

(72) Inventors: **Binbin Yang**, Chicago, IL (US);
Hariharan Muthukrishnan, Chicago,
IL (US); **Juan Martinez**, Barrington, IL
(US); **Eric Krenz**, Crystal Lake, IL
(US)

(73) Assignee: **Motorola Mobility LLC**, Chicago, IL
(US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 21 days.

(21) Appl. No.: **16/296,698**

(22) Filed: **Mar. 8, 2019**

(65) **Prior Publication Data**

US 2020/0287272 A1 Sep. 10, 2020

(51) **Int. Cl.**
H01Q 1/38 (2006.01)
H01Q 1/22 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/2291** (2013.01); **H01Q 1/125**
(2013.01); **H01Q 1/24** (2013.01); **H01Q**
1/2266 (2013.01); **H01Q 1/38** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/2266; H01Q 1/38
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,576,136 B2 * 11/2013 Camacho G06F 1/1616
343/702
9,236,648 B2 * 1/2016 Guterman H01Q 1/2266
(Continued)

OTHER PUBLICATIONS

PCT International Search Report for PCT/IB2020/051994, Motorola
Mobility LLC, dated Jun. 25, 2020.


Primary Examiner — Thuy Vinh Tran

(74) *Attorney, Agent, or Firm* — Loppnow & Chapa

(57) **ABSTRACT**

The present application provides a handheld wireless communication device. The handheld wireless communication device includes a two part housing having an upper housing and a lower housing, the upper housing and the lower housing being rotatably coupled together via a hinge. The upper housing and the lower housing through a relative movement via the hinge can transition between an opened position and a closed position. The lower housing has a first conductor including one or more tuned structures and has a second conductor including one or more tuned structures, where each of the tuned structures of the first conductor and the second conductor are adapted for at least one of transmitting or receiving electromagnetic energy having a respective predefined range of frequencies in support of wireless communications. The first conductor and the second conductor in a spaced apart fashion relative to each other are located proximate a first side edge of the lower housing, where the first side edge is opposite a second side edge of the lower housing, where the second side edge of the lower housing is the side edge of the lower housing, which is most directly coupled to the upper housing via the hinge.

18 Claims, 6 Drawing Sheets





US010886597B2

(12) **United States Patent**
Hu et al.

(10) **Patent No.:** **US 10,886,597 B2**

(45) **Date of Patent:** **Jan. 5, 2021**

(54) **HOUSING, ANTENNA DEVICE AND MOBILE TERMINAL**

(71) Applicant: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Dongguan (CN)

(72) Inventors: **Shasha Hu**, Dongguan (CN); **Ning Zhao**, Dongguan (CN); **Shengzhao Xiang**, Dongguan (CN)

(73) Assignee: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Guangdong (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 167 days.

(21) Appl. No.: **15/798,823**

(22) Filed: **Oct. 31, 2017**

(65) **Prior Publication Data**

US 2018/0069293 A1 Mar. 8, 2018

Related U.S. Application Data

(63) Continuation of application No. PCT/CN2016/086566, filed on Jun. 21, 2016.

(30) **Foreign Application Priority Data**

Mar. 21, 2016 (CN) 2016 1 0163702
Apr. 29, 2016 (CN) 2016 1 0287114
Apr. 29, 2016 (CN) 2016 1 0287147

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 1/44 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/24** (2013.01); **H01Q 1/243** (2013.01); **H01Q 1/44** (2013.01); **H01Q 21/28** (2013.01); **H01Q 21/30** (2013.01); **H05K 5/04** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/24; H01Q 1/243; H01Q 1/44; H01Q 21/28; H01Q 21/30; H05K 5/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,373,610 B2 2/2013 Chiang et al.
2004/0017329 A1 1/2004 Fang et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 102142855 A 8/2011
CN 103280623 A 9/2013
(Continued)

OTHER PUBLICATIONS

European Patent Application No. 16895065.7 extended Search and Opinion dated Apr. 25, 2018, 8 pages.

(Continued)

Primary Examiner — Dimary S Lopez Cruz


Assistant Examiner — Bamidele A Jegede

(74) *Attorney, Agent, or Firm* — Lathrop GPM LLP

(57) **ABSTRACT**

A housing is provided. The housing includes a first housing area, a second housing area, a slit strip and a connecting segment, the slit strip includes at least one slit, the first housing area and the second housing area are located at two sides of the slit strip, the connecting segment are located at an extending path of the slit strip, the connecting segment electrically conductively couples the first housing area and the second housing area. An antenna device and a mobile terminal are also provided by the present disclosure.

19 Claims, 9 Drawing Sheets





US010886600B2

(12) **United States Patent**
Cho et al.

(10) **Patent No.:** **US 10,886,600 B2**
(45) **Date of Patent:** **Jan. 5, 2021**

(54) **ANTENNA AND ELECTRONIC DEVICE INCLUDING THE SAME**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(72) Inventors: **Bum Jin Cho**, Gyeonggi-do (KR); **Jae Bong Chun**, Gyeonggi-do (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/004,665**

(22) Filed: **Jun. 11, 2018**

(65) **Prior Publication Data**

US 2018/0358687 A1 Dec. 13, 2018

(30) **Foreign Application Priority Data**

Jun. 12, 2017 (KR) 10-2017-0072888

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 7/00 (2006.01)

H01Q 13/10 (2006.01)

G06K 7/10 (2006.01)

H04B 5/00 (2006.01)

H01Q 1/22 (2006.01)

H01Q 1/44 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **G06K 7/10336** (2013.01); **H01Q 1/2208** (2013.01); **H01Q 1/44** (2013.01); **H01Q 7/00** (2013.01); **H01Q 13/106** (2013.01); **H04B 5/0081** (2013.01)

(58) **Field of Classification Search**

CPC **H01Q 1/243–1/244**; **H04B 5/0081**; **G06K 7/10336**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,716,307 B2	7/2017	Tsai et al.	
9,847,578 B2	12/2017	Nakano et al.	
10,135,152 B2 *	11/2018	Ito	G06K 19/077
10,490,883 B2	11/2019	Tsai et al.	
10,516,202 B2	12/2019	Tsai et al.	
2014/0125528 A1	5/2014	Tsai et al.	

(Continued)

FOREIGN PATENT DOCUMENTS

CN	102780065 A	11/2012
CN	103703473 A	4/2014

(Continued)

OTHER PUBLICATIONS

Chinese Search Report dated Dec. 30, 2019.
European Search Report dated Oct. 2, 2018.
Chinese Search Report dated Oct. 29, 2020.

Primary Examiner — Graham P Smith


Assistant Examiner — Amal Patel

(74) Attorney, Agent, or Firm — Cha & Reiter, LLC.

(57) **ABSTRACT**

An electronic device includes a housing including a back cover and a cover glass facing away from the back cover, a coil type radiator disposed between the back cover and the cover glass, at least one printed circuit board (PCB) disposed between the radiator and the cover glass, a communication circuit disposed on the PCB and feeding to the radiator, a first connecting member, a second connecting member, and one or more elements.

8 Claims, 13 Drawing Sheets





US010886601B2

(12) **United States Patent**
Ishizuka et al.

(10) **Patent No.:** **US 10,886,601 B2**

(45) **Date of Patent:** **Jan. 5, 2021**

(54) **ELECTRONIC DEVICE**

(71) Applicant: **Murata Manufacturing Co., Ltd.**,
Nagaokakyo (JP)

(72) Inventors: **Kenichi Ishizuka**, Nagaokakyo (JP);
Takeaki Tamayama, Nagaokakyo (JP)

(73) Assignee: **MURATA MANUFACTURING CO., LTD.**, Nagaokakyo (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 89 days.

(21) Appl. No.: **16/258,869**

(22) Filed: **Jan. 28, 2019**

(65) **Prior Publication Data**

US 2019/0157746 A1 May 23, 2019

Related U.S. Application Data

(63) Continuation of application No.
PCT/JP2018/020746, filed on May 30, 2018.

(30) **Foreign Application Priority Data**

Jul. 6, 2017 (JP) 2017-132442

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 13/10 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/48**
(2013.01); **H01Q 7/00** (2013.01); **H01Q 13/10**
(2013.01);
(Continued)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 21/28; H01Q 13/10;
H01Q 7/00; H01Q 1/48; H05K 7/20509;
H04M 1/02; H04M 1/026

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2011/0159815 A1* 6/2011 Wu H01Q 1/243
455/41.2

2014/0203992 A1 7/2014 Nakano et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1892164 A 1/2007
CN 202855892 A 4/2013
(Continued)

OTHER PUBLICATIONS

International Search Report issued for PCT/JP2018/020746, dated Aug. 7, 2018.



Primary Examiner — Dieu Hien T Duong

(74) *Attorney, Agent, or Firm* — Arent Fox LLP

(57) **ABSTRACT**

An electronic device includes an antenna, and a plate-shaped heat spreader including first and second metal layers that are stacked, a working fluid in an enclosed space interposed between the first and second metal layers, and a joint along which outer peripheral portions around the enclosed space are joined. The heat spreader includes an operational region in which the enclosed space is located and a quasi-operational region other than the enclosed space. The antenna is provided in the quasi-operational region in a plan view of the heat spreader.

19 Claims, 11 Drawing Sheets





US010886607B2

(12) **United States Patent**
Ayala Vazquez et al.

(10) **Patent No.:** **US 10,886,607 B2**
(45) **Date of Patent:** ***Jan. 5, 2021**

(54) **MULTIPLE-INPUT AND MULTIPLE-OUTPUT
ANTENNA STRUCTURES**

- (71) Applicant: **Apple Inc.**, Cupertino, CA (US)
- (72) Inventors: **Enrique Ayala Vazquez**, Watsonville, CA (US); **Hongfei Hu**, Santa Clara, CA (US); **Mattia Pascolini**, San Francisco, CA (US); **Nanbo Jin**, Milpitas, CA (US); **Matthew A. Mow**, Los Altos, CA (US); **Erdinc Irci**, Sunnyvale, CA (US); **Erica J. Tong**, Pacifica, CA (US); **Han Wang**, Cupertino, CA (US)

- (73) Assignee: **Apple Inc.**, Cupertino, AZ (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 429 days.
- This patent is subject to a terminal disclaimer.

(21) Appl. No.: **15/657,001**

(22) Filed: **Jul. 21, 2017**

(65) **Prior Publication Data**

US 2019/0027822 A1 Jan. 24, 2019

- (51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 1/52 (2006.01)
(Continued)

- (52) **U.S. Cl.**
CPC **H01Q 1/523** (2013.01); **H01Q 1/242** (2013.01); **H01Q 1/243** (2013.01); **H01Q 1/42** (2013.01);
(Continued)

- (58) **Field of Classification Search**
CPC H01Q 1/523; H01Q 1/42; H01Q 1/44; H01Q 1/243; H01Q 1/242; H01Q 9/42;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,157,987 B2 1/2007 Brunker et al.
8,350,761 B2 1/2013 Hill et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 202917626 U 5/2013
CN 103339796 A 10/2013
(Continued)

OTHER PUBLICATIONS

Ayala Vazquez et al., U.S. Appl. No. 15/655,660, filed Sep. 21, 2017.

(Continued)


Primary Examiner — Awat M Salih


(74) *Attorney, Agent, or Firm* — Treyz Law Group, P.C.;
Michael H. Lyons; Matthew R. Williams

(57) **ABSTRACT**

An electronic device may include a housing and four antennas at respective corners of the housing. Cellular telephone transceiver circuitry may concurrently convey signals at one or more of the same frequencies over one or more of the four antennas using a multiple-input multiple-output (MIMO) scheme. In order to isolate adjacent antennas, dielectric-filled openings may be formed in conductive walls of the housing to divide the walls into segments that are used to form resonating element arms for the antennas. If desired, first and second antennas may include resonating element arms formed from a wall without any gaps. The first and second antennas may include adjacent return paths. A magnetic field associated with currents for the first antenna may cancel out with a magnetic field associated with currents for the second antenna at the adjacent return paths, thereby serving to electromagnetically isolate the first and second antennas.

20 Claims, 14 Drawing Sheets





(10) **Patent No.:** US 10,886,614 B2
(45) **Date of Patent:** Jan. 5, 2021

H01Q 9/30 (2013.01); *H01Q 9/42* (2013.01);
H01O 13/10 (2013.01); *H01O 21/28* (2013.01)

(58) **Field of Classification Search**

None

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

9,647,323	B2 *	5/2017	Lee	H01Q 1/243
10,158,384	B1 *	12/2018	Yarga	H01Q 13/103
2012/0009983	A1 *	1/2012	Mow	H04B 1/400
				455/575.7
2012/0112969	A1 *	5/2012	Caballero	H04M 1/0266
				343/702
2012/0157175	A1 *	6/2012	Golko	H01Q 1/241
				455/575.7
2013/0050046	A1 *	2/2013	Jarvis	H01Q 9/145
				343/852
2015/0372372	A1 *	12/2015	Lee	H01Q 1/243
				343/702
2017/0288298	A1 *	10/2017	Kim	H01Q 1/243

(Continued)

(21) Appl. No.: 16/217,063

(22) Filed: **Dec. 12, 2018**

(65) **Prior Publication Data**

US 2019/0181552 A1 Jun. 13, 2019

Related U.S. Application Data

(60) Provisional application No. 62/597,442, filed on Dec. 12, 2017, provisional application No. 62/614,364, filed on Jan. 6, 2018.

FOREIGN PATENT DOCUMENTS

CN	103094717	A	5/2013
CN	105305067	A	2/2016

(Continued)

(51) **Int. Cl.**

<i>H01Q 1/24</i>	(2006.01)
<i>H01Q 5/35</i>	(2015.01)
<i>H01Q 9/28</i>	(2006.01)
<i>H01Q 3/24</i>	(2006.01)
<i>H01Q 9/42</i>	(2006.01)
<i>H01Q 5/335</i>	(2015.01)
<i>H01Q 21/28</i>	(2006.01)
<i>H01Q 13/10</i>	(2006.01)
<i>H01Q 9/30</i>	(2006.01)

Primary Examiner — Trinh V Dinh

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(52) U.S. Cl.


CPC ***H01Q 5/35*** (2015.01); ***H01Q 1/243***
(2013.01); ***H01Q 3/247*** (2013.01); ***H01Q***
5/335 (2015.01); ***H01Q 9/285*** (2013.01);


(57)

ABSTRACT

An antenna structure includes a housing and a first feed source. The first feed source is electrically coupled to a first radiating portion of the housing and adapted to provide an electric current to the first radiating portion.

20 Claims, 19 Drawing Sheets





(10) **Patent No.:** **US 10,886,617 B2**
(45) **Date of Patent:** **Jan. 5, 2021**

(54) **ELECTRONIC DEVICES WITH PROBE-FED DIELECTRIC RESONATOR ANTENNAS**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

6,344,833 B1 * 2/2002 Lin H01Q 1/40
343/785

(72) Inventors: **Bilgehan Ayser**, Mountain View, CA (US); **Harish Rajagopalan**, San Jose, CA (US); **Simone Paulotto**, Redwood City, CA (US); **Jennifer M. Edwards**, San Francisco, CA (US); **Mattia Pascolini**, San Francisco, CA (US)

6,531,991	B2	3/2003	Adachi et al.
6,768,454	B2	7/2004	Kingsley et al.
6,995,715	B2	2/2006	Ying et al.
7,405,697	B2	7/2008	Ying
7,605,763	B2	10/2009	Finn et al.
8,493,272	B2	7/2013	Ollikainen et al.
9,074,070	B2	7/2015	Yung et al.
9,667,290	B2	5/2017	Ouyang et al.
9,685,700	B2	6/2017	Komulainen et al.
9,831,562	B2	11/2017	Caratelli et al.
10,027,006	B2	7/2018	Cheng et al.

(Continued)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 42 days.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: 16/289,459

WO 2005015689 A1 2/2005

Primary Examiner — Crystal L Hammond

(22) Filed: **Feb. 28, 2019**

(74) *Attorney, Agent, or Firm* — Treyz Law Group, P.C.;
Michael H. Lyons; Matthew R. Williams

(65) **Prior Publication Data**

US 2020/0280131 A1 Sep. 3, 2020

(51) **Int. Cl.**

H01Q 9/04 (2006.01)

H01Q 5/40 (2015.01)

H01Q 1/24 (2006.01)

H01Q 3/26 (2006.01)

(52) U.S. Cl.

CPC ***H01Q 9/0407*** (2013.01); ***H01Q 1/241***
(2013.01); ***H01Q 3/267*** (2013.01); ***H01Q***
3/2658 (2013.01); ***H01Q 5/40*** (2015.01)

(58) **Field of Classification Search**

None


See application file for complete search history.

(57)

ABSTRACT

An electronic device may be provided with a phased antenna array and a display cover layer. The phased antenna array may include a probe-fed dielectric resonator antenna. The antenna may include a dielectric resonating element mounted to a flexible printed circuit. A feed probe may be formed from a patch of conductive traces on a sidewall of the resonating element. The feed probe may excite resonant modes of the resonating element. The resonating element may convey corresponding radio-frequency signals through the display cover layer. An additional feed probe may be mounted to an orthogonal sidewall of the resonating element for covering additional polarizations. Probe-fed dielectric resonator antennas for covering different polarizations and frequencies may be interleaved across the phased antenna array.

20 Claims, 14 Drawing Sheets





US010886618B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 10,886,618 B2**
(45) **Date of Patent:** **Jan. 5, 2021**

(54) **ANTENNA APPARATUS AND ANTENNA MODULE**

(71) Applicant: **SAMSUNG**
ELECTRO-MECHANICS CO., LTD.,
Suwon-si (KR)

(72) Inventors: **Nam Ki Kim**, Suwon-si (KR); **Ju Hyoung Park**, Suwon-si (KR); **Jeong Ki Ryoo**, Suwon-si (KR); **Myeong Woo Han**, Suwon-si (KR); **Dae Ki Lim**, Suwon-si (KR)

(73) Assignee: **Samsung Electro-Mechanics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 19 days.

(21) Appl. No.: **16/260,505**

(22) Filed: **Jan. 29, 2019**

(65) **Prior Publication Data**
US 2019/0305432 A1 Oct. 3, 2019

(30) **Foreign Application Priority Data**
Mar. 30, 2018 (KR) 10-2018-0037621
Jul. 9, 2018 (KR) 10-2018-0079286

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 1/38 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 9/0457** (2013.01); **H01Q 1/38** (2013.01); **H01Q 9/0464** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC H01Q 21/065; H01Q 9/0464; H01Q 1/38;
H01Q 9/0428; H01Q 1/42; H01Q 9/0435;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,262,495 B1 7/2001 Yablonovitch et al.
2007/0052587 A1 3/2007 Cheng
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1874066 A 12/2006
CN 101145638 A 3/2008
(Continued)

OTHER PUBLICATIONS

Chinese Office Action dated Apr. 3, 2020 issued in the corresponding Chinese Patent Application No. 201910249186.7 (18 pages in English and 13 pages in Chinese).

(Continued)


Primary Examiner — Wei (Victor) Y Chan

(74) *Attorney, Agent, or Firm* — NSIP Law

(57) **ABSTRACT**

An antenna apparatus includes a feed via, a patch antenna pattern which is electrically connected to a first end of the feed via, a plurality of first conductive array patterns, respectively disposed to be spaced apart from the patch antenna pattern and arranged to correspond to at least a portion of a side boundary of the patch antenna pattern, and a first conductive ring pattern spaced apart from the patch antenna pattern and the plurality of conductive array patterns and configured to surround the patch antenna pattern and the plurality of conductive array patterns.

14 Claims, 16 Drawing Sheets





US010886619B2

(12) **United States Patent**
Avser et al.

(10) **Patent No.:** **US 10,886,619 B2**
(45) **Date of Patent:** **Jan. 5, 2021**

(54) **ELECTRONIC DEVICES WITH DIELECTRIC RESONATOR ANTENNAS**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

6,344,833 B1 * 2/2002 Lin H01Q 1/40
343/785

(72) Inventors: **Bilgehan Avser**, Mountain View, CA (US); **Harish Rajagopalan**, San Jose, CA (US); **Simone Paulotto**, Redwood City, CA (US); **Jennifer M. Edwards**, San Francisco, CA (US); **Hao Xu**, Cupertino, CA (US); **Rodney A. Gomez Angulo**, Santa Clara, CA (US); **Matthew D. Hill**, Cupertino, CA (US); **Mattia Pascolini**, San Francisco, CA (US)

6,531,991 B2 3/2003 Adachi et al.
6,768,454 B2 7/2004 Kingsley et al.
6,995,715 B2 2/2006 Ying et al.
7,405,697 B2 7/2008 Ying
7,605,763 B2 10/2009 Finn et al.
8,493,272 B2 7/2013 Ollikainen et al.
9,074,070 B2 7/2015 Yung et al.
9,667,290 B2 5/2017 Ouyang et al.
9,685,700 B2 6/2017 Komulainen et al.

(Continued)

Primary Examiner — Crystal L Hammond

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(74) *Attorney, Agent, or Firm* — Treyz Law Group, P.C.;
Michael H. Lyons; Matthew R. Williams

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 42 days.

(57) **ABSTRACT**

An electronic device may be provided with a phased antenna array and a display cover layer. The phased antenna array may include a dielectric resonator antenna. The dielectric resonator antenna may include a dielectric resonating element embedded in a lower permittivity dielectric substrate. The substrate and the resonating element may be mounted to a flexible printed circuit. A slot may be formed in ground traces on the flexible printed circuit and aligned with the resonating element. The slot may excite resonant modes of the resonating element. The resonating element may convey corresponding radio-frequency signals through the cover layer. A dielectric matching layer may be interposed between the resonating element and the cover layer. If desired, the slot may radiate additional radio-frequency signals and the matching layer may have a tapered shape. Dielectric resonator antennas for covering different polarizations and frequencies may be interleaved across the array.

(21) Appl. No.: **16/289,433**

(22) Filed: **Feb. 28, 2019**

(65) **Prior Publication Data**

US 2020/0280133 A1 Sep. 3, 2020


(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 1/24 (2006.01)
H01Q 21/00 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0485** (2013.01); **H01Q 1/243** (2013.01); **H01Q 21/0075** (2013.01)

(58) **Field of Classification Search**

None
See application file for complete search history.

20 Claims, 17 Drawing Sheets





US010886621B2

(12) **United States Patent**
Tanaka et al.

(10) **Patent No.:** **US 10,886,621 B2**

(45) **Date of Patent:** **Jan. 5, 2021**

(54) **ANTENNA DEVICE**

(56) **References Cited**

(71) Applicant: **PANASONIC INTELLECTUAL
PROPERTY MANAGEMENT CO.,
LTD.**, Osaka (JP)

U.S. PATENT DOCUMENTS

6,195,048 B1 * 2/2001 Chiba H01Q 1/243
343/700 MS

6,456,249 B1 * 9/2002 Johnson H01Q 1/243
343/700 MS

(Continued)

(72) Inventors: **Yuki Tanaka**, Tokyo (JP); **Ryosuke
Hasaba**, Kanagawa (JP); **Yoshio
Koyanagi**, Kanagawa (JP); **Kazuki
Kanai**, Kanagawa (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **PANASONIC INTELLECTUAL
PROPERTY MANAGEMENT CO.,
LTD.**, Osaka (JP)

JP 4874035 B2 2/2012
KR 20080053081 A * 6/2008 G06K 19/07749

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

The ARRL Antenna Book, published by the American Radio Relay
League, chapter 2-24 to 2-25, 1988.*

(21) Appl. No.: **16/298,076**

Primary Examiner — Vibol Tan

(22) Filed: **Mar. 11, 2019**

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(65) **Prior Publication Data**

US 2019/0288399 A1 Sep. 19, 2019

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Mar. 14, 2018 (JP) 2018-046925

(51) **Int. Cl.**
H01Q 13/16 (2006.01)
H01Q 13/10 (2006.01)


(Continued)

(52) **U.S. Cl.**
CPC **H01Q 13/16** (2013.01); **H01Q 1/243**
(2013.01); **H01Q 1/48** (2013.01); **H01Q 13/10**
(2013.01); **H01Q 13/106** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 13/16; H01Q 1/48; H01Q 5/371;
H01Q 7/00; H01Q 1/36; H01Q 1/38;
(Continued)

An antenna device includes a substrate having a ground conductor, an antenna conductor disposed approximately parallel with the ground conductor with an air layer or a dielectric layer, plural short-circuiting conductors that connect the antenna conductor to the ground conductor, and a feed conductor disposed in a vicinity of one of the plural short-circuiting conductors and that feeds the antenna conductor with power. When a wavelength of frequency used in the antenna device is represented by λ , an outer circumferential length of the slot is approximately 1λ to 2λ and a width of the slot is 0.005λ to 0.05λ , an interval between the plural short-circuiting conductors is shorter than or equal to $\lambda/2$, and a distance between the antenna conductor and the ground conductor is 0.005λ to 0.05λ .

7 Claims, 9 Drawing Sheets





US010886633B2

(12) **United States Patent**
Dorsey

(10) **Patent No.:** **US 10,886,633 B2**

(45) **Date of Patent:** **Jan. 5, 2021**

(54) **FLEXIBLE POLYMER ANTENNA WITH
MULTIPLE GROUND RESONATORS**

(71) Applicant: **Taoglas Group Holdings Limited**, San
Diego, CA (US)

(72) Inventor: **Jason Philip Dorsey**, Oceanside, CA
(US)

(73) Assignee: **TAOGLAS GROUP HOLDING
LIMITED**, Enniscorthy (IE)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/665,942**

(22) Filed: **Oct. 28, 2019**

(65) **Prior Publication Data**

US 2020/0235492 A1 Jul. 23, 2020

Related U.S. Application Data

(63) Continuation of application No. 16/140,977, filed on
Sep. 25, 2018, now Pat. No. 10,461,439, which is a
continuation of application No. 15/351,263, filed on
Nov. 14, 2016, now Pat. No. 10,103,451.

(60) Provisional application No. 62/254,140, filed on Nov.
11, 2015.

(51) **Int. Cl.**

H01Q 21/20 (2006.01)
H01Q 1/48 (2006.01)
H01Q 1/24 (2006.01)
H01Q 1/38 (2006.01)
H01Q 5/371 (2015.01)
H01Q 5/30 (2015.01)
H01Q 1/36 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 21/20** (2013.01); **H01Q 1/241**
(2013.01); **H01Q 1/242** (2013.01); **H01Q 1/36**
(2013.01); **H01Q 1/38** (2013.01); **H01Q 1/48**
(2013.01); **H01Q 5/30** (2015.01); **H01Q 5/371**
(2015.01)

(58) **Field of Classification Search**

CPC H01Q 1/241; H01Q 1/242; H01Q 1/36;
H01Q 1/38; H01Q 1/48; H01Q 5/10;
H01Q 5/30; H01Q 5/307; H01Q 5/371;
H01Q 9/04; H01Q 21/20

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,501,991 B2 * 3/2009 Yeap H01Q 1/38
343/700 MS
8,502,747 B2 * 8/2013 Chang H01Q 5/392
343/822

* cited by examiner


Primary Examiner — Hoang V Nguyen

(74) *Attorney, Agent, or Firm* — Garson & Gutierrez, PC

(57) **ABSTRACT**

The disclosure concerns an antenna assembly having a
substrate with an antenna radiating element and a ground
conductor disposed on the substrate, the ground conductor
further characterized by a plurality of ground resonators,
wherein a length associated with each of the ground reso-
nators increases as the ground resonators are distanced from
the antenna radiating element. Additionally, a coaxial cable
is routed around the antenna assembly for configuring the
coaxial cable as an additional ground resonator associated
with the antenna assembly. The resulting antenna provides
wide band performance between 700 MHz and 2700 MHz
with improved efficiency compared with conventional
antennas.

20 Claims, 4 Drawing Sheets





US010887434B2

(12) **United States Patent**
Hwang et al.

(10) **Patent No.:** **US 10,887,434 B2**
(45) **Date of Patent:** ***Jan. 5, 2021**

(54) **MOBILE TERMINAL**

(71) Applicant: **LG ELECTRONICS INC.**, Seoul (KR)

(72) Inventors: **Kyoungsun Hwang**, Seoul (KR); **Moonsoo Song**, Seoul (KR); **Yoonjae Won**, Seoul (KR); **Deuksu Choi**, Seoul (KR); **Chisang You**, Seoul (KR)

(73) Assignee: **LG ELECTRONICS INC.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **16/742,785**

(22) Filed: **Jan. 14, 2020**

(65) **Prior Publication Data**

US 2020/0153947 A1 May 14, 2020

Related U.S. Application Data

(63) Continuation of application No. 16/383,399, filed on Apr. 12, 2019, now Pat. No. 10,560,557, which is a (Continued)

(30) **Foreign Application Priority Data**

May 3, 2018 (KR) 10-2018-0051314

(51) **Int. Cl.**
H04M 1/00 (2006.01)
H04M 1/02 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H04M 1/0202** (2013.01); **H01Q 1/243** (2013.01); **H01Q 13/10** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC H04M 1/0202; H01Q 1/243; H01Q 13/10;
H01Q 5/35; H01Q 1/44; H04B 1/3833;
H04W 88/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2008/0074329 A1 3/2008 Caballero et al.
2010/0073242 A1 3/2010 Ayala Vazquez et al.
(Continued)

FOREIGN PATENT DOCUMENTS

JP 5712361 5/2015
KR 1020080063506 7/2008
KR 1020180024674 3/2018

OTHER PUBLICATIONS

U.S. Appl. No. 16/383,399, Office Action dated Jun. 17, 2019, 34 pages.

(Continued)


Primary Examiner — Barry W Taylor

(74) *Attorney, Agent, or Firm* — Lee, Hong, Degerman, Kang & Waimey

(57) **ABSTRACT**

There is disclosed a mobile terminal including: a display; a middle frame including a supporting portion and a side portion provided around the supporting portion to define a lateral external appearance; a main board including a ground; a first wireless communication unit configured to transceive a first signal; a second wireless communication unit configured to transceive a second signal; and a rear case configured to cover a rear surface of the main board, wherein the side portion includes a plurality of conductive members of which ends are divided into slits, and the plurality of the conductive members includes a common antenna electrically connectable with the first wireless communication unit and the second wireless communication unit and configured to receive the first signal and the second signal; and an

(Continued)





US010892557B1

(12) **United States Patent**
Liu

(10) **Patent No.:** **US 10,892,557 B1**
(45) **Date of Patent:** **Jan. 12, 2021**

(54) **ANTENNA STRUCTURE AND INTELLIGENT HOUSEHOLD APPLIANCE USING THE SAME**

(71) Applicant: **AMBIT MICROSYSTEMS (SHANGHAI) LTD.**, Shanghai (CN)

(72) Inventor: **Yen-Yu Liu**, New Taipei (TW)

(73) Assignee: **AMBIT MICROSYSTEMS (SHANGHAI) LTD.**, Shanghai (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/445,346**

(22) Filed: **Jun. 19, 2019**

(51) **Int. Cl.**
H01Q 9/06 (2006.01)
H01Q 9/04 (2006.01)
H01Q 13/10 (2006.01)
H01Q 1/00 (2006.01)
H01Q 1/22 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 9/065** (2013.01); **H01Q 1/007** (2013.01); **H01Q 1/2208** (2013.01); **H01Q 9/0407** (2013.01); **H01Q 13/106** (2013.01)

(58) **Field of Classification Search**

CPC H01G 9/065; H01G 1/007; H01G 1/2208; H01G 13/106; H01G 9/0407

See application file for complete search history.

Primary Examiner — Graham P Smith

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **ABSTRACT**

An antenna structure capable of operating in several modes includes first and second metal patches and a substrate (which can be an air-filled void) positioned between them. The second patch is substantially an isosceles trapezoidal patch. The second patch includes a first bottom edge, a second bottom edge parallel to and spaced from the first bottom edge, a first side edge, a second side edge, a first shorting wall, and a second short circuit patch. The first side edge and the second side edge are connected to the first bottom edge and the second bottom edge. The first shorting wall and the second shorting wall are formed between the first patch and the second patch. The second patch further defines a V-shaped slot.

20 Claims, 14 Drawing Sheets

