



US010897077B2

(12) **United States Patent**
Chi et al.

(10) **Patent No.:** **US 10,897,077 B2**

(45) **Date of Patent:** **Jan. 19, 2021**

(54) **INVISIBLE ANTENNAS**

(71) Applicant: **HEWLETT-PACKARD
DEVELOPMENT COMPANY, L.P.**,
Houston, TX (US)

(72) Inventors: **David Chi**, Taipei (TW); **Leo Joseph
Gerten**, Taipei (TW); **Hung-Wen
Cheng**, Taipei (TW); **Po Chao Chen**,
Taipei (TW); **Shih Huang Wu**, Taipei
(TW); **Sean Hung**, Taipei (TW)

(73) Assignee: **Hewlett-Packard Development
Company, L.P.**, Spring, TX (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 224 days.

(21) Appl. No.: **16/081,132**

(22) PCT Filed: **Oct. 24, 2016**

(86) PCT No.: **PCT/US2016/058397**

§ 371 (c)(1),

(2) Date: **Aug. 30, 2018**

(87) PCT Pub. No.: **WO2018/080420**

PCT Pub. Date: **May 3, 2018**

(65) **Prior Publication Data**

US 2019/0013573 A1 Jan. 10, 2019

(51) **Int. Cl.**
H01Q 1/38 (2006.01)
G06F 1/16 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/38** (2013.01); **G06F 1/1616**
(2013.01); **G06F 1/1698** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC .. H01Q 1/38; H01Q 5/38; H01Q 1/22; H01Q
1/24; H01Q 1/48; H01Q 9/30
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,130,150 B2 * 3/2012 Wang H01Q 1/2266
343/700 MS

8,866,679 B2 10/2014 Golko et al.
2010/0321253 A1 * 12/2010 Ayala Vazquez H01Q 1/2258
343/702

2011/0012794 A1 1/2011 Schlub et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1595718 A 3/2005
CN 102227036 A 10/2011

(Continued)

OTHER PUBLICATIONS

Wong et al., "Small-Size Uniplanar WWAN Tablet Computer Antenna
Using a Parallel-Resonant Strip for Bandwidth Enhancement",
IEEE Transactions on Antennas and Propagation, vol. 61, Issue 1,
Retrieved from Internet: http://www.ora.nsysu.edu.tw/db/hici_pdf/492-496.pdf, Jan. 2013, pp. 492-496.

Primary Examiner — Andrea Lindgren Baltzell


(74) *Attorney, Agent, or Firm* — Tong, Rea, Bentley &
Kim LLC

(57) **ABSTRACT**

In example implementations, an antenna for a mobile device
is provided. The antenna includes a printed circuit board and
a plurality of metal members coupled to the printed circuit
board. The printed circuit board is devoid of metal traces.
The plurality of metal members is positioned along a length
of the printed circuit board to operate at a desired frequency
band when inserted into an opening along an outer edge
perimeter of a metallic housing of the mobile device.

12 Claims, 4 Drawing Sheets

200





US010897085B2

(12) **United States Patent**
Hansson et al.

(10) **Patent No.:** **US 10,897,085 B2**
(45) **Date of Patent:** **Jan. 19, 2021**

(54) **ANTENNA AND ANTENNA SYSTEM**

(56) **References Cited**

(71) Applicant: **SmarteQ Wireless Aktiebolag**, Kista (SE)

U.S. PATENT DOCUMENTS

(72) Inventors: **Erika Hansson**, Stockholm (SE);
Mattias Hellgren, Åkersberga (SE);
Johan Sjöberg, Sollentuna (SE); **Yuan Xu**, Sollentuna (SE)

4,922,259 A * 5/1990 Hall et al. H01Q 1/38
343/700 MS

7,554,489 B2 6/2009 Tsai et al.
(Continued)

(73) Assignee: **SMARTEQ WIRELESS**
AKTIEBOLAG, Kista (SE)

FOREIGN PATENT DOCUMENTS

EP 2 833 479 A1 2/2015
FR 2 740 500 A1 4/1997

(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

(21) Appl. No.: **16/583,961**

Swedish Search Report and English translation thereof, dated Apr. 17, 2019 issued in Swedish Application No. 1851260-8 consisting of 31 pages.

(22) Filed: **Sep. 26, 2019**

(Continued)

(65) **Prior Publication Data**

US 2020/0119450 A1 Apr. 16, 2020

Primary Examiner — Hoang V Nguyen

(30) **Foreign Application Priority Data**

(74) Attorney, Agent, or Firm — Christopher & Weisberg, P.A.

Oct. 15, 2018 (SE) 1851260

(51) **Int. Cl.**
H01Q 1/32 (2006.01)
H01Q 9/04 (2006.01)
(Continued)

(57) **ABSTRACT**


An antenna for a vehicle. The antenna has an omni-directional radiation pattern and is configured for V2X communication. An x-y plane is defined as the horizontal plane in relation to the vehicle, an x-z plane is defined as a plane that is parallel to a side of the vehicle to which the antenna is positioned, and a y-z plane is defined as an elevation plane in relation to the vehicle. The antenna includes a first patch antenna and a second patch antenna and a reflector, and a feed network and power divider. The first patch antenna is aimed in a first direction along the x-axis. The second patch antenna is aimed in a second and opposite direction along the x-axis, and the reflector is positioned in a plane that is parallel to the x-z plane.

(52) **U.S. Cl.**
CPC **H01Q 9/0414** (2013.01); **H01Q 1/3233** (2013.01); **H01Q 1/3283** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC H01Q 1/32; H01Q 1/3233; H01Q 1/3283;
H01Q 9/0407; H01Q 9/0414; H01Q
19/10; H01Q 21/205; H01Q 21/29; H01Q
25/005

See application file for complete search history.

23 Claims, 3 Drawing Sheets





US010897087B2

(12) **United States Patent**
Chen et al.

(10) **Patent No.:** **US 10,897,087 B2**
(45) **Date of Patent:** **Jan. 19, 2021**

(54) **INTEGRATED SLOT ANTENNA**

(56) **References Cited**

(71) Applicant: **Hewlett-Packard Development Company, L.P.**, Spring, TX (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Juhung Chen**, Taipei (TW); **Leo Gerten**, Austin, TX (US); **Po Chao Chen**, Taipei (TW); **Hung-Wen Cheng**, Taipei (TW)

6,664,931	B1	12/2003	Nguyen et al.
7,746,288	B2	6/2010	Wang et al.
8,022,882	B2	9/2011	Tsai et al.
8,441,404	B2	5/2013	Chiang et al.
8,489,162	B1	7/2013	Dou et al.
9,559,425	B2	1/2017	Zhu et al.
2012/0026048	A1*	2/2012	Vazquez H01Q 5/371
			343/725
2016/0336643	A1*	11/2016	Pascolini H01Q 9/0421
2017/0033467	A1*	2/2017	Huang H01Q 5/357

(73) Assignee: **Hewlett-Packard Development Company, L.P.**, Spring, TX (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

(21) Appl. No.: **16/608,821**

N.I. Voytovich et al, Mathematical Models of Slot Antennas, Vestnik Yuurgu, No. 35, 2012, pp. 6-10.

(22) PCT Filed: **Apr. 18, 2017**

Ban, Y-L. et al., Decoupled Planar WWAN Antennas with T-shaped Protruded Ground for Smartphone Applications, 2014.

(86) PCT No.: **PCT/US2017/028028**

Chiu, C-W., et al., An Internal Multiband Antenna for WLAN and WWAN Applications, May 13, 2009, < <http://onlinelibrary.wiley.com/doi/10.1002/mop.24501/abstract> >.

§ 371 (c)(1),

(2) Date: **Oct. 26, 2019**

Wong, K-L, et al, Internal Wideband Metal-plate Antenna for Laptop Application, Jan. 19, 2005.

* cited by examiner

(87) PCT Pub. No.: **WO2018/194555**

PCT Pub. Date: **Oct. 25, 2018**

Primary Examiner — Andrea Lindgren Baltzell

(74) Attorney, Agent, or Firm — HPI Patent Department

(65) **Prior Publication Data**

US 2020/0203842 A1 Jun. 25, 2020

(57) **ABSTRACT**

(51) **Int. Cl.**

H01Q 13/10 (2006.01)

H01Q 1/24 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 13/10** (2013.01); **H01Q 1/24** (2013.01)

Examples of an integrated slot antenna are described. The integrated slot antenna comprises a first slot, a second slot and a separating member. The first slot is an open-ended slot and is coupled to a first antenna member to form a first slot antenna. The first slot antenna operates in a first predetermined range of frequencies. The second slot is a close-ended slot and is separated from the first slot by the separating member.


(58) **Field of Classification Search**

CPC H01Q 13/10; H01Q 1/24

USPC 343/770

See application file for complete search history.

15 Claims, 5 Drawing Sheets





(12) **United States Patent**
Hu et al.

(10) **Patent No.:** **US 10,903,549 B2**
(45) **Date of Patent:** **Jan. 26, 2021**

(54) **RECONFIGURABLE ANTENNA DEVICE
SUITABLE FOR THREE-SEGMENT TYPE
METAL BACK COVER**

(71) Applicant: **JRD Communication (Shenzhen)
LTD., Shenzhen (CN)**

(72) Inventors: **Wei Hu, Shenzhen (CN); Chaoyu
Tian, Shenzhen (CN)**

(73) Assignee: **JRD Communication (Shenzhen)
LTD., Shenzhen (CN)**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 13 days.

(21) Appl. No.: **16/344,775**

(22) PCT Filed: **Sep. 1, 2017**

(86) PCT No.: **PCT/CN2017/100265**

§ 371 (c)(1),

(2) Date: **Apr. 24, 2019**

(87) PCT Pub. No.: **WO2018/076928**

PCT Pub. Date: **May 3, 2018**

(65) **Prior Publication Data**

US 2019/0237853 A1 Aug. 1, 2019

(30) **Foreign Application Priority Data**

Oct. 26, 2016 (CN) 2016 1 0942722

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 1/50 (2006.01)

H01Q 5/307 (2015.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/242**
(2013.01); **H01Q 1/50** (2013.01); **H01Q 5/307**
(2015.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 1/242; H01Q 1/50;
H01Q 5/307; H01Q 1/48; H01Q 5/335;
H01Q 5/328

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

9,484,631 B1 * 11/2016 Napoles H01Q 1/243
10,701,195 B2 * 6/2020 Wang H01Q 5/335
(Continued)

FOREIGN PATENT DOCUMENTS

CN 102368575 A 3/2012
CN 103700925 A 4/2014

(Continued)


Primary Examiner — Daniel D Chang

(57)

ABSTRACT

A reconfigurable antenna device suitable for a three-segment metal back cover is provided. The antenna device may include an antenna radiation body, a first matching module, a second matching module, a switch module and a feeding end. The antenna radiation body can be parallel to and above a first metal body and a second metal body of the metal back cover. The antenna radiation body can be grounded after being connected to the first matching module. The antenna radiation body is further connected to the second matching module, and the second matching module is connected to the feeding end and a switch module, respectively. A multi-band reconfigurable antenna can be achieved by adjusting the position of the switch module.

20 Claims, 1 Drawing Sheet





US010910692B2

(12) **United States Patent**
Furlan

(10) **Patent No.:** **US 10,910,692 B2**
(45) **Date of Patent:** **Feb. 2, 2021**

(54) **IN-GLASS HIGH PERFORMANCE ANTENNA**

(56) **References Cited**

(71) Applicant: **TAOGLAS GROUP HOLDINGS LIMITED**, Enniscorthy (IE)

U.S. PATENT DOCUMENTS

4,870,375 A 9/1989 Krueger, Jr. et al.
6,677,909 B2 1/2004 Sun et al.
(Continued)

(72) Inventor: **Vladimir Furlan**, Munich (DE)

(73) Assignee: **TAOGLAS GROUP HOLDINGS LIMITED**, Enniscorthy (IE)

FOREIGN PATENT DOCUMENTS

KR 101209620 B1 12/2012
WO 2012079029 6/2012
WO 2016141177 9/2016

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 68 days.

OTHER PUBLICATIONS

(21) Appl. No.: **16/192,191**

Mudegaonkar, et al. A microstrip-line-fed suspended square slot microstrip antenna for circular polarization operations, Communications on Applied Electronics 1(3) Feb. 2015.

(22) Filed: **Nov. 15, 2018**

(65) **Prior Publication Data**

US 2019/0165447 A1 May 30, 2019

Primary Examiner — Hai V Tran

(74) *Attorney, Agent, or Firm* — Garson & Gutierrez, PC

(57) **ABSTRACT**

Disclosed is an antenna including a radiating element, a co-planar ground plane element and a transmission line extending across at least a portion of the radiating element and the ground plane element. The transmission line includes a dielectric layer. The dielectric layer has a portion of a first major surface adjacent to the ground plane and a second major surface opposite and separated from the first surface. A shield is formed on the second major surface. At least one via extends through the dielectric layer to connect the shield to the ground plane. A feed line extends longitudinally through the dielectric layer from a feed point at a proximal end of the transmission line towards a distal end of the transmission line, the feed line being shielded along a portion of its length extending across the ground plane element by the shield with the distal end of the transmission line lying in register with the radiating element and coupling the feed line to the radiating element.

Related U.S. Application Data


(60) Provisional application No. 62/591,221, filed on Nov. 28, 2017.

(51) **Int. Cl.**
H01Q 1/52 (2006.01)
H01Q 1/12 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/1271** (2013.01); **H01P 3/085** (2013.01); **H01P 5/1007** (2013.01); **H01Q 1/12** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC .. H01Q 1/52; H01Q 1/12; H01Q 1/48; H01Q 13/085; H01Q 1/2283; H01Q 1/526;
(Continued)

21 Claims, 10 Drawing Sheets



(12) **United States Patent**
Chang et al.

(10) **Patent No.:** **US 10,910,696 B2**
(45) **Date of Patent:** **Feb. 2, 2021**

(54) **MOBILE DEVICE**

(71) Applicant: **Acer Incorporated**, New Taipei (TW)

(72) Inventors: **Kun-Sheng Chang**, New Taipei (TW);
Ching-Chi Lin, New Taipei (TW)

(73) Assignee: **ACER INCORPORATED**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/550,681**

(22) Filed: **Aug. 26, 2019**

(65) **Prior Publication Data**

US 2021/0005952 A1 Jan. 7, 2021

(30) **Foreign Application Priority Data**

Jul. 5, 2019 (TW) 108123737 A

(51) **Int. Cl.**

H01Q 1/22 (2006.01)

H01Q 9/42 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/2291** (2013.01); **H01Q 9/42** (2013.01)

(58) **Field of Classification Search**

CPC .. H01Q 1/16; H01Q 1/38; H01Q 1/48; H01Q 1/243; H01Q 1/2291; H01Q 5/385; H01Q 9/42; H04M 1/26

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,629,990 B2 4/2020 Lee et al.
2015/0123871 A1* 5/2015 Chang H01Q 1/243
343/872

2016/0315373 A1* 10/2016 Azad H01Q 1/48
2017/0207542 A1* 7/2017 Tseng H01Q 13/106
2017/0331187 A1* 11/2017 Huang H01Q 1/2291
2019/0006766 A1* 1/2019 Yonei H01Q 13/16
2019/0027811 A1* 1/2019 Chen H04M 1/26
2019/0221943 A1* 7/2019 Wu H01Q 13/106

FOREIGN PATENT DOCUMENTS

TW 201814965 A 4/2018

OTHER PUBLICATIONS

Chinese language office action dated Feb. 24, 2020, issued in application No. TW 108123737.

* cited by examiner

Primary Examiner — Ganiyu A Hanidu



(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57)

ABSTRACT

A mobile device includes a metal mechanism element, a feeding radiation element, a first radiation element, a second radiation element, and a dielectric substrate. The metal mechanism element has a slot. The slot has an open end and a closed end. The feeding radiation element has a feeding point. The first radiation element extends across the slot of the metal mechanism element. The feeding radiation element is coupled through the first radiation element to a ground voltage. The second radiation element is coupled to the feeding radiation element. The dielectric substrate is adjacent to the metal mechanism element. The feeding radiation element, the first radiation element, and the second radiation element are disposed on the dielectric substrate. An antenna structure is formed by the feeding radiation element, the first radiation element, the second radiation element, and the slot of the metal mechanism element.

15 Claims, 6 Drawing Sheets





US010910697B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 10,910,697 B2**
(45) **Date of Patent:** **Feb. 2, 2021**

(54) **MOBILE TERMINAL**

(71) Applicant: **LG ELECTRONICS INC.**, Seoul (KR)

(72) Inventors: **Dongjin Kim**, Seoul (KR); **Kangjae Jung**, Seoul (KR); **Duckyun Kim**, Seoul (KR); **Changwon Yun**, Seoul (KR); **Soyeon Lee**, Seoul (KR); **Songyi Lee**, Seoul (KR)

(73) Assignee: **LG ELECTRONICS INC.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/479,072**

(22) PCT Filed: **Jan. 26, 2017**

(86) PCT No.: **PCT/KR2017/000942**

§ 371 (c)(1),

(2) Date: **Jul. 18, 2019**

(87) PCT Pub. No.: **WO2018/139691**

PCT Pub. Date: **Aug. 2, 2018**

(65) **Prior Publication Data**

US 2020/0014093 A1 Jan. 9, 2020

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 1/52 (2006.01)

H01Q 1/48 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/521** (2013.01); **H01Q 1/48** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 1/48; H01Q 1/521;
H01Q 9/40; H01Q 5/30; H01Q 1/52;
H01Q 3/00; H01Q 1/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,651,556 B2 * 5/2020 Nishikawa H01Q 5/385
2012/0287010 A1 11/2012 Soekawa
2016/0226133 A1 8/2016 Jung et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1446389 A 10/2003
CN 1588894 A 3/2005

(Continued)



Primary Examiner — Jimmy T Vu

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(57) **ABSTRACT**

A mobile terminal, which comprises: a case including an electric component mounting part therein; a middle frame mounted on the case; a main board mounted on the case; a first antenna spaced apart from and arranged in parallel to the middle frame, and having a first end that is open and a second end connected to the middle frame; a first feed line connected to a first part of the first antenna so as to transmit a signal; a ground line connected to a second part of the first antenna and performing grounding; a second antenna connected to the ground line; and a second feed line connected to the second antenna, increases the number of Wi-Fi antennas, thereby enabling data transmission speed to become faster.

10 Claims, 8 Drawing Sheets





US010910698B2

(12) **United States Patent**
Wei et al.

(10) **Patent No.:** **US 10,910,698 B2**
(45) **Date of Patent:** **Feb. 2, 2021**

(54) **MOBILE DEVICE AND ANTENNA STRUCTURE**

(56) **References Cited**

(71) Applicant: **Wistron NeWeb Corp.**, Hsinchu (TW)

U.S. PATENT DOCUMENTS

(72) Inventors: **Shih-Chiang Wei**, Hsinchu (TW);
Cheng-Da Yang, Hsinchu (TW);
Kuan-Hung Li, Hsinchu (TW);
Shu-Yun Yeh, Hsinchu (TW)

6,876,329 B2 * 4/2005 Milosavljevic H01Q 1/243
343/700 MS
7,876,274 B2 * 1/2011 Hobson H01Q 1/243
343/702
9,172,142 B2 * 10/2015 Sudo H01Q 19/28
(Continued)

(73) Assignee: **WISTRON NEWEB CORP.**, Hsinchu (TW)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

TW 201703350 A 1/2017
TW M537316 U 2/2017
TW I646729 B 1/2019

Primary Examiner — Hasan Z Islam

(21) Appl. No.: **16/669,732**

(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(22) Filed: **Oct. 31, 2019**

(65) **Prior Publication Data**

US 2020/0274231 A1 Aug. 27, 2020

(30) **Foreign Application Priority Data**

Feb. 22, 2019 (TW) 108105956 A

(51) **Int. Cl.**

H01Q 5/30 (2015.01)
H01Q 1/24 (2006.01)
H01Q 5/357 (2015.01)
H01Q 5/385 (2015.01)

(52) **U.S. Cl.**

CPC **H01Q 1/244** (2013.01); **H01Q 5/357** (2015.01); **H01Q 5/385** (2015.01)

(58) **Field of Classification Search**


CPC H01Q 1/24; H01Q 1/38; H01Q 5/378–5/385; H01Q 13/10

See application file for complete search history.

(57) **ABSTRACT**

A mobile device includes a metal mechanism element, a dielectric substrate, a holder, a feeding radiation element, a ground plane, a shorting element, a circuit element, a first parasitic radiation element, a second parasitic radiation element, and an additional radiation element. The metal mechanism element has a slot. The ground plane and the shorting element are respectively coupled to the metal mechanism element. The circuit element is coupled between the shorting element and the ground plane. The first parasitic radiation element and the second parasitic radiation element are respectively coupled to the ground plane. The additional radiation element is adjacent to the feeding radiation element or is coupled to the feeding radiation element. An antenna structure is formed by the feeding radiation element, the circuit element, the first parasitic radiation element, the second parasitic radiation element, the additional radiation element, and the slot of the metal mechanism element.

20 Claims, 12 Drawing Sheets



(12) **United States Patent**
Chen et al.

(10) **Patent No.:** **US 10,910,708 B2**
(45) **Date of Patent:** **Feb. 2, 2021**

(54) **ANTENNA DEVICE AND ELECTRONIC DEVICE COMPRISING ANTENNA**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(72) Inventors: **Kuo Cheng Chen**, Gyeonggi-do (KR);
Se Hyun Park, Gyeonggi-do (KR); **Tae Young Kim**, Gyeonggi-do (KR);
Ahmed Hussain, Gyeonggi-do (KR); **Igor Shcherbatko**, Gyeonggi-do (KR);
Je Hun Jong, Seoul (KR); **Jin Woo Jung**, Seoul (KR); **Jae Hoon Jo**,
Gyeonggi-do (KR)

(73) Assignee: **Samsung Electronics Co., Ltd**

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/833,964**

(22) Filed: **Mar. 30, 2020**

(65) **Prior Publication Data**

US 2020/0227823 A1 Jul. 16, 2020

Related U.S. Application Data

(63) Continuation of application No. 16/022,023, filed on Jun. 28, 2018, now Pat. No. 10,608,336.

(30) **Foreign Application Priority Data**

Jun. 28, 2017 (KR) 10-2017-0081751

(51) **Int. Cl.**
H01Q 3/24 (2006.01)
H01Q 3/36 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 3/247** (2013.01); **H01Q 1/243**
(2013.01); **H01Q 1/246** (2013.01); **H01Q 1/48**
(2013.01);
(Continued)

(58) **Field of Classification Search**

CPC H01Q 3/247; H01Q 1/48; H01Q 1/243;
H01Q 21/065; H01Q 21/005
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,187,328 B2 3/2007 Tanaka et al.
8,760,352 B2 6/2014 Rao et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 103367877 10/2013
CN 103959557 7/2014
(Continued)

OTHER PUBLICATIONS

International Search Report dated Oct. 19, 2018 issued in counter-part application No. PCT/KR2018/007353, 5 pages.

(Continued)


Primary Examiner — Brian K Young

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm, P.C.

(57) **ABSTRACT**

An antenna device includes a ground member including a plane part and a plurality of extension parts extending from one end of the plane part in a first direction and arranged along a second direction, a plurality of patch-type radiators arranged on the plane part along the second direction and configured to radiate vertical polarization, and a plurality of straight radiators spaced apart from the ground member, respectively arranged to be adjacent to the plurality of extension parts, extending in the first direction, and configured to radiate horizontal polarization.

20 Claims, 18 Drawing Sheets





US010910715B2

(12) **United States Patent**
Rutfors

(10) **Patent No.:** **US 10,910,715 B2**
(45) **Date of Patent:** **Feb. 2, 2021**

(54) **ANTENNA ARRANGEMENT AND A DEVICE
COMPRISING SUCH AN ANTENNA
ARRANGEMENT**

(58) **Field of Classification Search**

CPC H01Q 1/36; H01Q 1/38; H01Q 13/08;
H01Q 13/085; H01Q 13/10; H01Q
13/103;

(71) Applicant: **PROANT AB**, Umea (SE)

(Continued)

(72) Inventor: **Tomas Rutfors**, Holmsund (SE)

(56) **References Cited**

(73) Assignee: **Proant AB**, Umea (SE)

U.S. PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 12 days.

7,872,605 B2 * 1/2011 Baliarda H01Q 13/10
343/700 MS
8,884,835 B2 * 11/2014 Pelosi H01Q 1/521
343/848

(21) Appl. No.: **16/487,465**

(Continued)

(22) PCT Filed: **Feb. 27, 2018**

FOREIGN PATENT DOCUMENTS

(86) PCT No.: **PCT/EP2018/054758**

KR 2013 0106652 9/2013
WO WO 00/69021 11/2000

§ 371 (c)(1),

(2) Date: **Aug. 21, 2019**

Primary Examiner — Jason Crawford

(74) Attorney, Agent, or Firm — Mark P. Stone

(87) PCT Pub. No.: **WO2018/154132**

PCT Pub. Date: **Aug. 30, 2018**

(57) **ABSTRACT**

(65) **Prior Publication Data**

US 2019/0393603 A1 Dec. 26, 2019

The invention concerns an antenna arrangement (1) comprising: —a printed circuit board (2) having a metallised area (3) acting as a ground plane (3) in use, —a recess portion (4) in an edge portion of the ground plane (3), —a first electrically reactive network (9) bridging the recess portion (4)—a second electrically reactive network (16) bridging the recess portion (4), separately from the first electrically reactive network (9), wherein an electrical length of the recess portion (4) is $\frac{1}{10}$ th of a wavelength of the resonance frequency of the antenna arrangement (1) or less, and wherein a physical distance between the first (9) and second (16) electrically reactive networks (9, 16) is less than $\frac{1}{12}$ of a wavelength of the resonance frequency of the antenna arrangement (1). The invention also concerns a device comprising an antenna arrangement (1).

(30) **Foreign Application Priority Data**

Feb. 27, 2017 (EP) 17158217

(51) **Int. Cl.**

H01Q 5/335 (2015.01)


H01Q 9/04 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 5/335** (2015.01); **H01Q 1/38**
(2013.01); **H01Q 1/48** (2013.01); **H01Q 9/045**
(2013.01)

20 Claims, 8 Drawing Sheets





(12) **United States Patent**
Chang et al.

(10) **Patent No.:** **US 10,910,726 B2**
(45) **Date of Patent:** **Feb. 2, 2021**

(54) **SLOT ANTENNA AND TERMINAL**

(71) Applicant: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(72) Inventors: **Chih-Hua Chang**, Taipei (TW);
Chien-Ming Lee, Shanghai (CN);
Hanyang Wang, Reading (GB);
Yen-Cheng Lai, Taipei (TW); **Yu Chan Yang**, Taipei (TW)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/065,813**

(22) PCT Filed: **Dec. 24, 2015**

(86) PCT No.: **PCT/CN2015/098689**

§ 371 (c)(1),

(2) Date: **Jun. 24, 2018**

(87) PCT Pub. No.: **WO2017/107137**

PCT Pub. Date: **Jun. 29, 2017**

(65) **Prior Publication Data**

US 2019/0013588 A1 Jan. 10, 2019

(51) **Int. Cl.**

H01Q 13/10 (2006.01)

H01Q 13/08 (2006.01)

H01Q 1/48 (2006.01)

H01Q 5/35 (2015.01)

H01Q 21/28 (2006.01)

H01Q 5/335 (2015.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 13/08** (2013.01); **H01Q 1/243** (2013.01); **H01Q 1/48** (2013.01); **H01Q 5/328** (2015.01); **H01Q 5/335** (2015.01); **H01Q 13/103** (2013.01); **H01Q 13/106** (2013.01); **H01Q 21/28** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 13/10; H01Q 1/243; H01Q 1/48; H01Q 5/328; H01Q 5/335

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,677,909 B2 1/2004 Sun et al.
6,864,848 B2* 3/2005 Sievenpiper H01Q 9/14
343/767
9,379,445 B2* 6/2016 Zhu H01Q 13/10
(Continued)

FOREIGN PATENT DOCUMENTS

CN 101320843 A 12/2008
CN 102130379 A 7/2011

(Continued)


Primary Examiner — Hasan Z Islam

(74) Attorney, Agent, or Firm — Kilpatrick Townsend & Stockton LLP

(57) **ABSTRACT**

This application discloses a slot antenna and a terminal. The slot antenna includes a ground plane, an open slot disposed on the ground plane, a slot feeder, and a resonant circuit. The resonant circuit effectively excites a current on a surface of the ground plane, so that the ground plane becomes a primary radiator, and the antenna is a secondary radiator. Therefore, a volume of the antenna can be reduced without affecting radiation efficiency of the antenna.

5 Claims, 10 Drawing Sheets



(12) **United States Patent**
Samadi Taheri et al.

(10) **Patent No.:** **US 10,910,732 B2**
(45) **Date of Patent:** **Feb. 2, 2021**

(54) **COLLOCATED END-FIRE ANTENNA AND LOW-FREQUENCY ANTENNA SYSTEMS, DEVICES, AND METHODS**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **wiSpry, Inc.**, Irvine, CA (US)

4,835,538 A * 5/1989 McKenna H01Q 9/0414
343/700 MS
7,079,079 B2 * 7/2006 Jo H01Q 1/243
343/700 MS

(72) Inventors: **Mohammad Mehdi Samadi Taheri**,
Tehran (IR); **Shuai Zhang**, Aalborg SV
(DK); **Gert Frølund Pedersen**,
Storvorde (DK)

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **WISPRY, INC.**, Irvine, CA (US)

WO WO 2017/056437 A1 4/2017
WO WO 2019/075190 A1 4/2019

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

(21) Appl. No.: **16/157,683**

International Search Report and Written Opinion for Application No. PCT/US2018/055393 dated Feb. 14, 2019.

(22) Filed: **Oct. 11, 2018**

(Continued)

(65) **Prior Publication Data**

US 2019/0109387 A1 Apr. 11, 2019

Related U.S. Application Data

(60) Provisional application No. 62/570,930, filed on Oct. 11, 2017.

Primary Examiner — Ab Salam Alkassim, Jr.

(74) *Attorney, Agent, or Firm* — Jenkins, Wilson, Taylor & Hunt, P.A.

(51) **Int. Cl.**
H01Q 21/30 (2006.01)
H01Q 21/28 (2006.01)
(Continued)

(57) **ABSTRACT**


Antenna systems, devices, and methods for providing both end-fire mm-wave high-frequency signals and low-frequency RF signals from a collocated antenna array in which at least one high-frequency antenna element and a low-frequency antenna element are spaced apart from one another. Grating strips are positioned between the high-frequency antenna elements and the low-frequency antenna element, the grating strips being spaced apart from one another by a defined spacing. The grating strips are configured such that a signal wave from the high-frequency antenna element propagates through the low-frequency antenna element.

(52) **U.S. Cl.**
CPC **H01Q 21/28** (2013.01); **H01Q 1/521**
(2013.01); **H01Q 5/15** (2015.01); **H01Q 5/307**
(2015.01);
(Continued)

(58) **Field of Classification Search**
CPC H01Q 1/521; H01Q 5/307; H01Q 9/0414;
H01Q 21/29

See application file for complete search history.

14 Claims, 11 Drawing Sheets





US010916832B2

(12) **United States Patent**
Azad et al.

(10) **Patent No.:** **US 10,916,832 B2**
(45) **Date of Patent:** **Feb. 9, 2021**

(54) **ELECTRONIC DEVICE SLOT ANTENNAS**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

(72) Inventors: **Umar Azad**, Santa Clara, CA (US);
Harish Rajagopalan, San Jose, CA
(US); **David Garrido Lopez**, Campbell,
CA (US); **Rodney A. Gomez Angulo**,
Santa Clara, CA (US); **Mattia**
Pascolini, San Francisco, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 345 days.

(21) Appl. No.: **15/900,610**

(22) Filed: **Feb. 20, 2018**

(65) **Prior Publication Data**

US 2019/0260112 A1 Aug. 22, 2019

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 1/52 (2006.01)

H01Q 21/06 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/523**
(2013.01); **H01Q 21/064** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 21/064
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,612,725 B2 11/2009 Hill et al.
8,552,913 B2 10/2013 Ayatollahi et al.

9,024,823 B2 5/2015 Bevelacqua
9,768,506 B2 9/2017 Krogerus
9,825,352 B2 11/2017 Vance
2004/0257283 A1* 12/2004 Asano H01Q 5/378
343/702
2012/0229347 A1* 9/2012 Jin H01Q 7/00
343/702
2016/0211570 A1 7/2016 Jin et al.
2017/0048363 A1* 2/2017 Lee H04B 1/3833
(Continued)

OTHER PUBLICATIONS

Jiangwei Zhong et al., "Multiband Slot Antennas for Metal Back
Cover Mobile Handsets" Progress in Electromagnetics Research
Letters, vol. 39, 115-126, 2013.

(Continued)


Primary Examiner — Ricardo I Magallanes

(74) *Attorney, Agent, or Firm* — Treyz Law Group, P.C.;
Michael H. Lyons; Matthew R. Williams

(57) **ABSTRACT**

An electronic device may include first, second, and third
antennas and conductive housing structures. The first, sec-
ond, and third antennas may each include slots having open
ends defined by gaps in the conductive housing structures.
The second antenna may be interposed between the first and
third antennas. The first and second antennas may convey
signals at the same frequencies. The third antenna may
convey signals at a lower frequency than the first and second
antennas. A switch may be coupled across the third slot and
may have a first state at which the switch forms a closed end
of the third slot and a second state at which the third slot has
two opposing open ends. Control circuitry may selectively
activate one of two feeds for the third antenna and may
adjust the switch so that the third antenna exhibits satisfac-
tory antenna efficiency regardless of environmental condi-
tions for the device.

19 Claims, 10 Drawing Sheets





US010916833B2

(12) **United States Patent**
Shin et al.

(10) **Patent No.:** **US 10,916,833 B2**

(45) **Date of Patent:** ***Feb. 9, 2021**

(54) **ANTENNA USING COUPLING AND
ELECTRONIC DEVICE INCLUDING THE
SAME**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(72) Inventors: **Dong Ryul Shin**, Daegu (KR); **Min
Sakong**, Gyeongsangbuk-do (KR);
Chae Up Yoo, Seoul (KR); **Jin Woo
Jung**, Seoul (KR); **Ho Saeng Kim**,
Gyeonggi-do (KR); **Byung Chan Jang**,
Gyeongsangbuk-do (KR)

(73) Assignee: **Samsung Electronics Co., Ltd**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **16/291,567**

(22) Filed: **Mar. 4, 2019**

(65) **Prior Publication Data**

US 2019/0198978 A1 Jun. 27, 2019

Related U.S. Application Data

(63) Continuation of application No. 14/922,967, filed on
Oct. 26, 2015, now Pat. No. 10,224,603.

(30) **Foreign Application Priority Data**

Oct. 24, 2014 (KR) 10-2014-0145540

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 9/42 (2006.01)

H01Q 5/378 (2015.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 5/378**
(2015.01); **H01Q 9/42** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,450,072 B2	11/2008	Kim et al.
8,270,914 B2	9/2012	Pascolini et al.
8,842,048 B2	9/2014	Kim et al.
9,059,506 B2	6/2015	Kim et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EP	2 763 240	8/2014
KR	1020120097877	9/2012

(Continued)

OTHER PUBLICATIONS

European Search Report dated Mar. 29, 2016 issued in counterpart
application No. 15191118.7-1812, 6 pages.

(Continued)


Primary Examiner — Robert Karacsony

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm,
P.C.

(57) **ABSTRACT**

An electronic device is provided. The electronic device
includes a housing including a segment part used to insulate
a portion of the housing and an antenna disposed at a
position corresponding to the segment part.

11 Claims, 13 Drawing Sheets





(12) **United States Patent**
Hsu et al.

(10) **Patent No.:** **US 10,916,840 B2**
(45) **Date of Patent:** **Feb. 9, 2021**

(54) **ELECTRONIC DEVICE WITH MULTI-PIECE ANTENNA STRUCTURE FOR INCREASED STRENGTH AND CONNECTION STABILITY**

(71) Applicant: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(72) Inventors: **Liao-Yuan Hsu**, New Taipei (TW);
Kuo-Heng Sun, New Taipei (TW);
Pao-Ching Mao, New Taipei (TW);
Yen-Wei Lin, New Taipei (TW)

(73) Assignee: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/424,859**

(22) Filed: **May 29, 2019**

(65) **Prior Publication Data**
US 2019/0372211 A1 Dec. 5, 2019

(30) **Foreign Application Priority Data**
May 29, 2018 (CN) 2018 1 0534171

(51) **Int. Cl.**
H01Q 1/50 (2006.01)
H01Q 1/24 (2006.01)
H01Q 1/36 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/50** (2013.01); **H01Q 1/242** (2013.01); **H01Q 1/36** (2013.01)

(58) **Field of Classification Search**

CPC .. H01Q 1/22; H01Q 1/48; H01Q 1/50; H01Q 1/242; H01Q 1/233; H01Q 1/243; H01Q 1/36; H01Q 9/0421
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,306,029 B1 *	5/2019	Hwang		H04M 1/026
2009/0067141 A1 *	3/2009	Dabov		H01Q 1/42
				361/753
2016/0149289 A1 *	5/2016	Lilja		H01Q 1/526
				343/789
2019/0159355 A1 *	5/2019	Baek		H04M 1/026

FOREIGN PATENT DOCUMENTS

CN	103022647 A	4/2013
CN	107087364 A	8/2017
CN	108039561 A	5/2018
TW	201507574 A	2/2015

* cited by examiner


Primary Examiner — Seokjin Kim

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **ABSTRACT**

An electronic device which is simple to manufacture includes a carrier frame and an outer frame. The carrier frame and the outer frame are both made of metal. The carrier frame serves as a ground terminal. A portion of the outer frame serves as an antenna of the electronic device. The antenna includes a feeding portion and a grounding portion. The feeding portion connects to a feed source. The grounding portion is attached to the carrier frame, and it is fixed to the carrier frame by welding process.

10 Claims, 5 Drawing Sheets





(12) **United States Patent**
Desclos et al.

(10) **Patent No.:** **US 10,916,846 B2**
(45) **Date of Patent:** **Feb. 9, 2021**

(54) **ANTENNA WITH MULTIPLE COUPLED REGIONS**

5/385 (2015.01); *H01Q 7/005* (2013.01);
H01Q 9/06 (2013.01); *H01Q 9/42* (2013.01);
H01Q 19/005 (2013.01)

(71) Applicant: **Ethertronics, Inc.**, San Diego, CA (US)

(58) **Field of Classification Search**

(72) Inventors: **Laurent Desclos**, San Diego (CA);
Chew Chwee Heng, Singapore (SG);
Sebastian Rowson, San Diego, CA
(US); **Jeffrey Shamblin**, San Diego,
CA (US)

CPC *H01Q 5/30-5/342*; *H01Q 5/378-5/385*;
H01Q 9/42; *H01Q 1/22-1/24*
See application file for complete search history.

(56) **References Cited**

(73) Assignee: **Ethertronics, Inc.**, San Diego, CA (US)

U.S. PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 58 days.

5,966,097 A 10/1999 Fukasawa et al.
6,339,402 B1 1/2002 McKivergan
(Continued)

(21) Appl. No.: **15/948,203**

OTHER PUBLICATIONS

(22) Filed: **Apr. 9, 2018**

Rowson et al. "Isolated Magnetic Dipole Antenna: Application to
GPS," *Microwave and Optical Technology Letters*, vol. 41, Issue 6,
Jun. 20, 2004, pp. 449-451.

(65) **Prior Publication Data**

US 2018/0226717 A1 Aug. 9, 2018

(Continued)

Related U.S. Application Data

Primary Examiner — Hasan Z Islam

(63) Continuation of application No. 14/885,981, filed on
Oct. 16, 2015, now Pat. No. 9,941,588, which is a
(Continued)

(74) *Attorney, Agent, or Firm* — Dority & Manning, P.A.

(51) **Int. Cl.**
H01Q 1/22 (2006.01)
H01Q 5/328 (2015.01)
H01Q 5/385 (2015.01)
H01Q 7/00 (2006.01)
H01Q 9/06 (2006.01)
H01Q 9/42 (2006.01)


(Continued)

(57) **ABSTRACT**

A device includes a plurality of antennas, including one or
more active antennas, the antennas being configured in one
of a plurality of possible configurations to achieve operation
in WAN, LTE, WiFi, or WiMax bands, or a combination
thereof. In some embodiments, a passive antenna is utilized
with lumped loading to fix the antenna tuning state. A
primary and auxiliary radiator can be included in the device
and configured for WAN/LTE bands, while additional anten-
nas can be incorporated for WiFi and WiMax bands. Various
antenna configurations incorporate the antenna having multi-
ple coupled regions.

(52) **U.S. Cl.**
CPC *H01Q 5/328* (2015.01); *H01Q 5/321*
(2015.01); *H01Q 5/378* (2015.01); *H01Q*

4 Claims, 15 Drawing Sheets



(12) **United States Patent**
Chang

(10) **Patent No.:** **US 10,916,847 B2**
(45) **Date of Patent:** **Feb. 9, 2021**

(54) **MULTI-BAND ANTENNA**

(56) **References Cited**

(71) Applicant: **Acer Incorporated**, New Taipei (TW)

U.S. PATENT DOCUMENTS

(72) Inventor: **Kun-Sheng Chang**, New Taipei (TW)

4,730,195 A * 3/1988 Phillips H01Q 9/18
343/727
6,903,686 B2 * 6/2005 Vance H01Q 1/243
343/700 MS
7,525,488 B2 * 4/2009 Rowell H01Q 1/243
343/700 MS
7,592,957 B2 * 9/2009 Achour H01Q 1/38
343/700 MS
7,605,766 B2 * 10/2009 Dahlstrom H01Q 1/243
343/700 MS

(73) Assignee: **Acer Incorporated**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(Continued)

(21) Appl. No.: **16/396,743**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Apr. 28, 2019**

CN 202564541 11/2012
TW 201008025 2/2010

(65) **Prior Publication Data**

US 2020/0168991 A1 May 28, 2020

(Continued)

(30) **Foreign Application Priority Data**

Primary Examiner — Haissa Philogene
(74) *Attorney, Agent, or Firm* — JCIPRNET

Nov. 23, 2018 (TW) 107141762 A

(57) **ABSTRACT**

(51) **Int. Cl.**
H01Q 5/50 (2015.01)
H01Q 5/328 (2015.01)
H01Q 1/36 (2006.01)


A multi-band antenna includes a ground plane and an antenna element. The antenna element includes a first radiation portion and a second radiation portion. A first end of the first radiation portion is coupled to a feeding point, and a second end of the first radiation portion is a first open end. A first end of the second radiation portion is coupled to a ground plane, and a second end of the second radiation portion is a second open end. The second radiation portion is not electrically connected to the first radiation portion, and a coupling distance exists between the second radiation portion and the first radiation portion. The antenna element operates in a first band through the first radiation portion and operates in a second band through the second radiation portion. The frequency in the first band is lower than the frequency in the second band.

(52) **U.S. Cl.**
CPC **H01Q 5/328** (2015.01); **H01Q 1/36** (2013.01); **H01Q 5/50** (2015.01)

(58) **Field of Classification Search**
CPC .. H01Q 5/00; H01Q 5/10; H01Q 5/50; H01Q 5/328; H01Q 5/378; H01Q 5/371; H01Q 5/357; H01Q 1/48; H01Q 1/50; H01Q 1/243; H01Q 9/045; H01Q 9/0442; H01Q 9/0435; H01Q 9/0421

See application file for complete search history.

11 Claims, 3 Drawing Sheets



(12) **United States Patent**
Shinkawa

(10) **Patent No.:** **US 10,916,848 B2**
(45) **Date of Patent:** **Feb. 9, 2021**

(54) **ANTENNA**

(71) Applicant: **YAMAHA CORPORATION**,
Hamamatsu (JP)

(72) Inventor: **Tomohiro Shinkawa**, Hamamatsu (JP)

(73) Assignee: **YAMAHA CORPORATION**,
Hamamatsu (JP)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/135,518**

(22) Filed: **Sep. 19, 2018**

(65) **Prior Publication Data**

US 2019/0044233 A1 Feb. 7, 2019

Related U.S. Application Data

(63) Continuation of application No.
PCT/JP2017/010646, filed on Mar. 16, 2017.

(30) **Foreign Application Priority Data**

Mar. 22, 2016 (JP) 2016-057137

(51) **Int. Cl.**

H01Q 5/378 (2015.01)

H01Q 5/321 (2015.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 5/378** (2015.01); **H01Q 5/321**
(2015.01); **H01Q 5/385** (2015.01); **H01Q 7/00**
(2013.01);

(Continued)

(58) **Field of Classification Search**

CPC .. H01Q 1/38; H01Q 1/48; H01Q 5/30–5/385;
H01Q 9/42

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,079,079 B2 * 7/2006 Jo H01Q 1/243
343/700 MS

7,358,906 B2 4/2008 Sato et al.
(Continued)

FOREIGN PATENT DOCUMENTS

JP 2005079969 A 3/2005
JP 2005203878 A 7/2005

(Continued)

OTHER PUBLICATIONS

International Search Report issued in Intl. Appln. No. PCT/JP2017/
010646 dated May 30, 2017. English translation provided.

(Continued)

Primary Examiner — Hasan Z Islam


(74) *Attorney, Agent, or Firm* — Rossi, Kimms &
McDowell LLP

(57)

ABSTRACT

Provided is a lower-profile multi-band antenna. According to one embodiment of the present invention, there is provided an antenna including a linear first antenna portion, a conductive portion that connects the first antenna portion with a power feeding point, grounding regions where opposite ends of the first antenna portion are short-circuited and grounded, and a second antenna portion, at least a part of which overlaps with the conductive portion with a dielectric substance interposed between the conductive portion and the second antenna portion. The second antenna portion is disposed in a region surrounded by the grounding regions and the first antenna portion. The conductive portion may be connected to the first antenna portion at a middle point between the opposite ends of the first antenna portion.

5 Claims, 10 Drawing Sheets





US010916851B2

(12) **United States Patent**
Wei et al.

(10) **Patent No.:** **US 10,916,851 B2**

(45) **Date of Patent:** **Feb. 9, 2021**

(54) **MOBILE ELECTRONIC DEVICE**

(71) Applicant: **Acer Incorporated**, New Taipei (TW)

(72) Inventors: **Wan-Chu Wei**, New Taipei (TW);
Hsieh-Chih Lin, New Taipei (TW);
Hsin-Wu Chiang, New Taipei (TW);
Pei-Chi Ma, New Taipei (TW);
Yu-Chia Chang, New Taipei (TW);
Pang-Chun Tsai, New Taipei (TW);
Chung-hao Huang, New Taipei (TW)

(73) Assignee: **Acer Incorporated**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 223 days.

(21) Appl. No.: **15/943,722**

(22) Filed: **Apr. 3, 2018**

(65) **Prior Publication Data**

US 2019/0074590 A1 Mar. 7, 2019

(30) **Foreign Application Priority Data**

Sep. 4, 2017 (TW) 106130165 A

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 21/28 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 9/0407** (2013.01); **H01Q 1/2275** (2013.01); **H01Q 1/243** (2013.01); **H01Q 1/521** (2013.01); **H01Q 21/28** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/2275; H01Q 1/24; H01Q 1/241; H01Q 1/242; H01Q 1/243; H01Q 1/521;

H01Q 9/0407; H01Q 21/28; H01Q 5/30;
H01Q 5/307; H01Q 5/314; H01Q 5/328;
H01Q 5/50; H01Q 1/523; H01Q 1/525

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,378,900 B2 * 2/2013 Hyvonen H01Q 1/48 343/702
8,816,912 B2 * 8/2014 Rajgopal H01P 1/203 343/702
10,418,700 B2 * 9/2019 Harper H01Q 1/38

FOREIGN PATENT DOCUMENTS

CN 103682627 3/2014
CN 103811868 5/2014

(Continued)

Primary Examiner — Dimary S Lopez Cruz


Assistant Examiner — Patrick R Holecek

(74) *Attorney, Agent, or Firm* — JCIPRNET

(57) **ABSTRACT**

A mobile electronic device includes a ground plane, a first slot, a plurality of first inductive elements, a first antenna, a second antenna, a first signal source, and a second signal source. The first slot is disposed in the ground plane to form a first ground portion and a second ground portion separated from each other. The first inductive elements are respectively connected to the first ground portion and the second ground portion. The first antenna and the second antenna respectively receive a radio-frequency signal in a predetermined band. The first signal source is electrically connected between the first antenna and the first ground portion and receives the radio-frequency signal from the first antenna. The second signal source is electrically connected between the second antenna and the second ground portion and receives the radio-frequency signal from the second antenna.

8 Claims, 4 Drawing Sheets





US010916860B2

(12) **United States Patent**
Tarng et al.

(10) **Patent No.:** **US 10,916,860 B2**
(45) **Date of Patent:** **Feb. 9, 2021**

(54) **COMPACT HIGH-GAIN PATTERN
RECONFIGURABLE ANTENNA**

(56) **References Cited**

(71) Applicants: **NATIONAL CHIAO TUNG
UNIVERSITY**, Hsinchu (TW);
QUANTA COMPUTER INC., Tao
Yuan (TW)

U.S. PATENT DOCUMENTS

6,337,668 B1 1/2002 Ito et al.
7,180,465 B2* 2/2007 Lynch H01Q 1/243
343/702

(Continued)

(72) Inventors: **Jenn-Hwan Tarng**, Hsinchu (TW);
Yu-Chen Lo, New Taipei (TW);
Sung-Jung Wu, Taipei (TW);
Nai-Chen Liu, Taichung (TW)

FOREIGN PATENT DOCUMENTS

CN 106129613 A 11/2016
TW I380509 B1 12/2012

(Continued)

(73) Assignee: **National Chaio Tung University**
Quanta Computer Inc., Tao Yuan
(TW)

OTHER PUBLICATIONS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 35 days.

English machine translation of "CN106129613A", Qiu et al., Nov.
16, 2016, pp. 1-10 (Year: 2016).*

(Continued)

(21) Appl. No.: **16/422,412**

Primary Examiner — Daniel D Chang

(22) Filed: **May 24, 2019**

(74) *Attorney, Agent, or Firm* — Lewis Roca Rothgerber
Christie LLP

(65) **Prior Publication Data**

US 2020/0203848 A1 Jun. 25, 2020

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Dec. 19, 2018 (TW) 107145882 A


(51) **Int. Cl.**
H01Q 19/28 (2006.01)
H01Q 1/36 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 19/28** (2013.01); **H01Q 1/36**
(2013.01); **H01Q 1/48** (2013.01); **H01Q 9/045**
(2013.01)

(58) **Field of Classification Search**
CPC H01Q 19/28; H01Q 1/36; H01Q 1/48;
H01Q 9/045; H01Q 9/30; H01Q 19/32
See application file for complete search history.

A pattern reconfigurable antenna includes a radiator, a first parasitic element, a second parasitic element, a ground plane, a first switch and a second switch. The radiator includes a feed portion and a radiating portion that are interconnected. The first and second parasitic elements are symmetrically located at two opposite sides of the radiating portion, and are closely adjacent to and spaced apart from the radiating portion. The ground plane is located at another side of the radiating portion, and is spaced apart from the first and second parasitic elements. Each of the first and second switches is connected between the ground plane and a respective one of the first and second parasitic elements, and is operable to establish connection between the same.

8 Claims, 14 Drawing Sheets





US010923816B2

(12) **United States Patent
Shen**

(10) **Patent No.: US 10,923,816 B2**

(45) **Date of Patent: Feb. 16, 2021**

(54) **ANTENNA SYSTEM OF MOBILE TERMINAL
AND MOBILE TERMINAL**

(71) Applicant: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(72) Inventor: **Yachuan Shen**, Shenzhen (CN)

(73) Assignee: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 38 days.

(21) Appl. No.: **16/524,215**

(22) Filed: **Jul. 29, 2019**

(65) **Prior Publication Data**

US 2020/0044341 A1 Feb. 6, 2020

(30) **Foreign Application Priority Data**

Aug. 3, 2018 (CN) 201821245508.8

(51) **Int. Cl.**

H01Q 5/335 (2015.01)

H01Q 9/04 (2006.01)

H01Q 1/24 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/335** (2015.01); **H01Q 1/242**
(2013.01); **H01Q 9/0414** (2013.01)

(58) **Field of Classification Search**

None

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2018/0115054 A1* 4/2018 Wu H01Q 5/35

2018/0375196 A1* 12/2018 Han H01Q 5/328

* cited by examiner


Primary Examiner — Jany Richardson

(74) *Attorney, Agent, or Firm* — W&G Law Group LLP

(57) **ABSTRACT**

The present disclosure provides an antenna system of a mobile terminal. The mobile terminal includes a housing, a mainboard accommodated in the housing, a plastic holder covering the mainboard, and a USB interface installed on the mainboard. The antenna system includes a radiator formed on a surface of the plastic holder facing the housing, and a feed end, a first ground point and a second ground point that are disposed on the mainboard. The radiator includes a feed end and a ground feed end spaced apart from each other, a connection end connecting the feed end and the ground feed end, a first stub connected to the ground feed end, and a second stub and a third stub connected to the feed end. The antenna system provided by the present disclosure is more space-saving, and reduces the impact of the USB interface on the antenna.

18 Claims, 7 Drawing Sheets





(12) **United States Patent**
Hwang et al.

(10) **Patent No.:** **US 10,923,823 B2**
(45) **Date of Patent:** **Feb. 16, 2021**

(54) **PATCH ANTENNA**

(71) Applicants: **AMOTECH CO., LTD.**, Incheon (KR);
WINNERCOM CO., LTD.,
Gyeongsangnam-do (KR)

(72) Inventors: **Chui Hwang**, Incheon (KR); **In-Jo Jeong**, Incheon (KR); **Sang-O Kim**, Incheon (KR); **Hyun-Woo Oh**, Seongnam-si (KR); **Dong-Hwan Koh**, Seoul (KR); **Won-Hee Lee**, Incheon (KR); **Tae-Byung Park**, Anyang-si (KR); **Gi-Cho Kang**, Anyang-si (KR); **Keun-Ho Baek**, Hanam-si (KR)

(73) Assignees: **AMOTECH CO., LTD.**, Incheon (KR);
WINNERCOM CO., LTD., Gimhae-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 159 days.

(21) Appl. No.: **16/311,092**

(22) PCT Filed: **Jun. 2, 2017**

(86) PCT No.: **PCT/KR2017/005760**

§ 371 (c)(1),

(2) Date: **Dec. 18, 2018**

(87) PCT Pub. No.: **WO2018/004136**

PCT Pub. Date: **Jan. 4, 2018**

(65) **Prior Publication Data**

US 2020/0313298 A1 Oct. 1, 2020

(30) **Foreign Application Priority Data**

Jun. 29, 2016 (KR) 10-2016-0081829

(51) **Int. Cl.**
H01Q 9/04 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0407** (2013.01); **H01Q 9/0414** (2013.01)

(58) **Field of Classification Search**
CPC .. H01Q 9/0407; H01Q 9/0414; H01Q 9/0471; H01Q 9/0464; H01Q 9/0428;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,633,645 A * 5/1997 Day H01Q 9/0457
343/700 MS

6,639,556 B2 * 10/2003 Baba H01Q 9/0407
343/700 MS

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2016-5178 A 1/2016
KR 2010-0083550 A 7/2010

(Continued)

Primary Examiner — Awat M Salih

(74) *Attorney, Agent, or Firm* — CL Intellectual LLC

(57) **ABSTRACT**

Disclosed is a patch antenna, which is formed so that the upper surface of a dielectric layer has a wider area than the lower surface thereof and is mounted on a printed circuit board to form an air gap, thus maximizing antenna performance while implementing lightweight. The disclosed patch antenna includes a dielectric layer, a radiation patch formed on the upper surface of the dielectric layer, and a lower patch formed on the lower surface of the dielectric layer; and the dielectric layer is formed so that an area of the upper surface is wider than an area of the lower surface to form an air gap between the printed circuit board and the dielectric layer.

10 Claims, 8 Drawing Sheets

