



(12) **United States Patent**
Wang

(10) **Patent No.:** **US 10,985,444 B2**
(45) **Date of Patent:** **Apr. 20, 2021**

(54) **ANTENNA MODULE AND TERMINAL**

2014/0306848 A1* 10/2014 Hong H01Q 1/243
343/702

(71) Applicant: **BEIJING XIAOMI MOBILE
SOFTWARE CO., LTD.**, Beijing (CN)

2014/0361929 A1 12/2014 Lin
2015/0097752 A1* 4/2015 Li H01Q 5/321
343/848

(72) Inventor: **Yali Wang**, Beijing (CN)

2015/0123871 A1 5/2015 Chang et al.
2016/0111786 A1 4/2016 Lilja
2017/0012339 A1 1/2017 Ito et al.

(73) Assignee: **BEIJING XIAOMI MOBILE
SOFTWARE CO., LTD.**, Beijing (CN)

(Continued)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

FOREIGN PATENT DOCUMENTS

CN 101997165 A 3/2011
CN 101998689 A 3/2011

(Continued)

(21) Appl. No.: **16/699,388**

(22) Filed: **Nov. 29, 2019**

OTHER PUBLICATIONS

(65) **Prior Publication Data**

Notice of Allowance in Russian Application No. 2019138731 dated
May 25, 2020.

US 2021/0066787 A1 Mar. 4, 2021

(Continued)

(30) **Foreign Application Priority Data**

Aug. 30, 2019 (CN) 201910817109.7

Primary Examiner — Md K Talukder

(74) *Attorney, Agent, or Firm* — Syncoda LLC; Feng Ma

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 9/04 (2006.01)

H04M 1/02 (2006.01)

(57)

ABSTRACT

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 9/0464**
(2013.01); **H04M 1/026** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 1/01; H01Q 9/0464;
H04M 1/026

See application file for complete search history.


An antenna module includes: a feeding branch, a first
branch, a second branch, a third branch and a grounding
branch; the feeding branch is connected to a feeding point,
and the grounding branch is connected to a grounding point;
the first branch and the third branch are concave branches;
the second branch is a bent branch; the feeding branch, the
first branch, the second branch, the third branch and the
grounding branch are connected in sequence to form an
annular structure with a slot, the slot is located between the
feeding branch and the grounding branch, and the slot is
internally insulated.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2012/0229348 A1 9/2012 Chiang
2012/0235879 A1* 9/2012 Eder H01Q 1/38
343/873

19 Claims, 6 Drawing Sheets





(12) **United States Patent**
Hung

(10) **Patent No.:** **US 10,985,452 B2**
(45) **Date of Patent:** **Apr. 20, 2021**

(54) **ANTENNA ELEMENTS**

(71) Applicant: **Hewlett-Packard Development Company, L.P.**, Spring, TX (US)

(72) Inventor: **Kuan-Jung Hung**, Taipei (TW)

(73) Assignee: **Hewlett-Packard Development Company, L.P.**, Spring, TX (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/603,855**

(22) PCT Filed: **Apr. 17, 2017**

(86) PCT No.: **PCT/US2017/027947**

§ 371 (c)(1),
(2) Date: **Oct. 9, 2019**

(87) PCT Pub. No.: **WO2018/194546**

PCT Pub. Date: **Oct. 25, 2018**

(65) **Prior Publication Data**

US 2020/0119436 A1 Apr. 16, 2020

(51) **Int. Cl.**

H01Q 1/48 (2006.01)
H01Q 1/38 (2006.01)
H01Q 13/10 (2006.01)
H01Q 5/321 (2015.01)
H01Q 9/42 (2006.01)
H01Q 5/328 (2015.01)
H01Q 1/22 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/38** (2013.01); **H01Q 1/48** (2013.01); **H01Q 5/321** (2015.01); **H01Q 5/328** (2015.01); **H01Q 9/42** (2013.01); **H01Q 13/10** (2013.01); **H01Q 1/2266** (2013.01)

(58) **Field of Classification Search**

CPC **H01Q 1/38**; **H01Q 1/48**; **H01Q 1/2258**;
H01Q 13/10; **H01Q 5/321**; **H01Q 5/328**;
H01Q 9/42

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,827,266 A 5/1989 Sato et al.
9,564,679 B2* 2/2017 Rho **H01Q 1/243**
(Continued)

FOREIGN PATENT DOCUMENTS

EP 2197074 B1 12/2012
JP 2012015909 A 1/2012
WO WO-2006118587 A1 11/2006

OTHER PUBLICATIONS

Hung, C. et al., Design of Slot Antenna Loaded with Lumped Circuit Components, Oct. 23-25, 2013, < <http://ieeexplore.ieee.org/document/6717714/> >.


Primary Examiner — Hoang V Nguyen

(74) Attorney, Agent, or Firm — HPI Patent Department

(57) **ABSTRACT**

Examples of antenna elements are described herein. In an example, the antenna element may include a substrate for being disposed on an enclosure. The substrate may include a ground plane. Further, the antenna element may include an antenna feeder that may be electrically coupled to the ground plane. The antenna element may also include a radiator. The radiator may be electrically coupled to the antenna feeder. In addition, the antenna element may include a lump component connected to the radiator.

11 Claims, 8 Drawing Sheets





US010985459B2

(12) **United States Patent**
Tsou et al.

(10) **Patent No.:** **US 10,985,459 B2**
(45) **Date of Patent:** **Apr. 20, 2021**

(54) **ANTENNA STRUCTURE AND WIRELESS COMMUNICATION DEVICE USING THE SAME**

(71) Applicant: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(72) Inventors: **Tun-Yuan Tsou**, New Taipei (TW);
Shu-Wei Jhang, New Taipei (TW);
Yi-Te Chou, New Taipei (TW);
Chang-Ching Huang, New Taipei (TW)

(73) Assignee: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 34 days.

(21) Appl. No.: **16/684,981**

(22) Filed: **Nov. 15, 2019**

(65) **Prior Publication Data**

US 2020/0176870 A1 Jun. 4, 2020

(30) **Foreign Application Priority Data**

Nov. 30, 2018 (CN) 201811455055.6

(51) **Int. Cl.**

H01Q 1/52 (2006.01)

H01Q 5/335 (2015.01)

H04B 1/00 (2006.01)

H01Q 1/22 (2006.01)

H01Q 1/24 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/335** (2015.01); **H01Q 1/2291** (2013.01); **H01Q 1/243** (2013.01); **H04B 1/0064** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 5/335

USPC 343/853, 702, 852

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,960,489 B2 5/2018 Kim et al.
2019/0393586 A1* 12/2019 Ayala Vazquez H01Q 9/42
2020/0106159 A1* 4/2020 Hsu H01Q 1/50

FOREIGN PATENT DOCUMENTS

CN 105474460 B 8/2018

* cited by examiner


Primary Examiner — Peguy Jean Pierre

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **ABSTRACT**

An antenna structure of few components and reduced size which functions by switching between components to achieve radiation in three different frequency bands includes two radiating portions, a feeding portion, a matching circuit, and a first switching circuit. With the first switching circuit closed, current flows along a first radiating portion to activate a first frequency band. A second radiating portion obtains the current from the first switching circuit by coupling with the first radiating portion, to activate a second frequency band. Current in the first radiating portion can activate a third frequency band. With the first switching circuit open, current in the first radiating portion activates radiation in the first frequency band. The second radiating portion can radiate in second frequency band by coupling current from the first radiating portion. Frequency multiplication of the first frequency band can activate the third frequency band.

18 Claims, 15 Drawing Sheets



(12) **United States Patent**
Chang et al.

(10) **Patent No.:** **US 10,985,460 B2**
(45) **Date of Patent:** **Apr. 20, 2021**

(54) **ANTENNA STRUCTURE**

(71) Applicant: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(72) Inventors: **Yun-Jian Chang**, New Taipei (TW);
Geng-Hong Liou, New Taipei (TW);
Yen-Hui Lin, New Taipei (TW)

(73) Assignee: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/535,215**

(22) Filed: **Aug. 8, 2019**

(65) **Prior Publication Data**

US 2020/0052401 A1 Feb. 13, 2020

(30) **Foreign Application Priority Data**

Aug. 9, 2018 (CN) 201810903857.2

(51) **Int. Cl.**

H01Q 5/371 (2015.01)
H01Q 5/335 (2015.01)
H01Q 5/328 (2015.01)
H01Q 21/00 (2006.01)
H01Q 9/04 (2006.01)
H01Q 9/14 (2006.01)
H01Q 13/10 (2006.01)
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/371** (2015.01); **H01Q 1/243** (2013.01); **H01Q 5/328** (2015.01); **H01Q 5/335** (2015.01); **H01Q 9/0407** (2013.01); **H01Q 9/14** (2013.01); **H01Q 13/10** (2013.01); **H01Q 21/0006** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 1/125; H01Q 1/185
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,236,659 B2 *	1/2016	Vazquez		H01Q 9/145
9,331,397 B2 *	5/2016	Jin		H01Q 9/06
9,634,709 B2 *	4/2017	Hu		H04B 1/3888
10,224,606 B2 *	3/2019	Kim		H01Q 5/335
10,665,926 B2 *	5/2020	Kim		H04M 1/0266
2015/0084817 A1	3/2015	Yong		
2018/0090847 A1 *	3/2018	Romano		H01Q 9/285

FOREIGN PATENT DOCUMENTS

CN	107039766	8/2017
TW	201804661	2/2018

* cited by examiner


Primary Examiner — Daniel D Chang

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **ABSTRACT**

An antenna structure includes a border frame, a first feed portion, a second feed portion, and two ground portions. The border frame includes a first gap and a second gap passing through the border frame, thereby defining a first radiating portion and a second radiating portion. The first feed portion is electrically coupled to the first radiating portion to supply an electric current to the first radiating portion. The second feed portion is electrically coupled to the second radiating portion to supply an electric current to the second radiating portion. The two ground portions are disposed between the first feed portion and the second feed portion and separated from each other. The two ground portions are electrically coupled to the first radiating portion or the second radiating portion.

12 Claims, 14 Drawing Sheets



(12) **United States Patent**
Leung et al.

(10) **Patent No.:** **US 10,985,473 B2**
(45) **Date of Patent:** **Apr. 20, 2021**

(54) **DIELECTRIC RESONATOR ANTENNA**

(56) **References Cited**

(71) Applicant: **City University of Hong Kong,**
Kowloon (HK)

(72) Inventors: **Kwok Wa Leung,** Kowloon Tong
(HK); **Nan Yang,** Sham Shui Po (HK);
Weiwei Li, Toronto (CA)

(73) Assignee: **City University of Hong Kong,**
Kowloon (HK)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

U.S. PATENT DOCUMENTS

6,067,055 A	5/2000	Vaidyanathan	
6,414,647 B1	7/2002	Lee	
7,646,343 B2	1/2010	Shtrom et al.	
7,675,474 B2	3/2010	Shtrom et al.	
7,936,314 B2	5/2011	Kuramoto	
8,368,609 B2	2/2013	Morrow et al.	
8,988,298 B1	3/2015	Akhoondzadehasl et al.	
9,461,368 B2	10/2016	Azulay	
9,887,466 B2	2/2018	Ermutlu et al.	
9,917,375 B2	3/2018	Korva et al.	
10,148,002 B2	12/2018	McGough et al.	
10,181,655 B2	1/2019	Shtrom et al.	
2009/0305652 A1*	12/2009	Boffa	H01Q 9/0485 455/90.3
2013/0335282 A1*	12/2013	Leung	H01Q 15/244 343/756

(21) Appl. No.: **16/556,499**

(22) Filed: **Aug. 30, 2019**

(65) **Prior Publication Data**

US 2021/0066816 A1 Mar. 4, 2021

(51) **Int. Cl.**
H01Q 1/38 (2006.01)
H01Q 21/24 (2006.01)
H01Q 21/00 (2006.01)
H01Q 1/50 (2006.01)
H01Q 9/04 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 21/24** (2013.01); **H01Q 1/38**
(2013.01); **H01Q 1/50** (2013.01); **H01Q 9/045**
(2013.01); **H01Q 21/0075** (2013.01)

(58) **Field of Classification Search**
CPC .. H01Q 1/38; H01Q 1/50; H01Q 9/04; H01Q
9/045; H01Q 9/0485; H01Q 21/0075;
H01Q 21/06; H01Q 21/065; H01Q 21/24
See application file for complete search history.

OTHER PUBLICATIONS

1. W. W. Li et al, "Omnidirectional dielectric resonator antenna with a planar feed for circular polarization diversity design", IEEE Trans. Antennas Propagat., vol. 66, No. 3, pp. 1189-1197, Mar. 2018.

* cited by examiner


Primary Examiner — Jimmy T Vu

(74) Attorney, Agent, or Firm — Renner Kenner Greive
Bobak Taylor & Weber

(57) **ABSTRACT**

A dielectric resonator antenna having a dielectric resonator element and a substrate assembly attached to the dielectric resonator element. The substrate assembly includes a feeding network arranged to: feed the dielectric resonator element to produce a first linearly-polarized omnidirectional radiation pattern at a first resonant mode, and feed the dielectric resonator element to produce a second linearly-polarized omnidirectional radiation pattern at a second resonant mode different from the first resonant mode.

26 Claims, 8 Drawing Sheets



(12) **United States Patent**
Lin et al.

(10) **Patent No.:** **US 10,990,136 B2**
(45) **Date of Patent:** **Apr. 27, 2021**

(54) **WIRELESS COMMUNICATION DEVICE
AND CASE ASSEMBLY**

(71) Applicant: **HTC CORPORATION**, Taoyuan (TW)

(72) Inventors: **Cheng Hung Lin**, Taoyuan (TW); **Szu Po Wang**, Taoyuan (TW); **Chun Hsien Lee**, Taoyuan (TW)

(73) Assignee: **HTC CORPORATION**, Taoyuan (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/537,984**

(22) Filed: **Aug. 12, 2019**

(65) **Prior Publication Data**

US 2021/0048843 A1 Feb. 18, 2021

(51) **Int. Cl.**

G06F 1/16 (2006.01)
H04B 1/3888 (2015.01)
H01Q 1/12 (2006.01)
H01Q 21/06 (2006.01)
H01Q 1/24 (2006.01)
H04B 7/0413 (2017.01)
H04B 7/06 (2006.01)

(52) **U.S. Cl.**

CPC **G06F 1/166** (2013.01); **G06F 1/1626** (2013.01); **H01Q 1/125** (2013.01); **H01Q 21/065** (2013.01); **H04B 1/3888** (2013.01); **H01Q 1/242** (2013.01); **H04B 7/0413** (2013.01); **H04B 7/0617** (2013.01)

(58) **Field of Classification Search**

CPC G06F 1/166; G06F 1/1626; H01Q 1/125; H01Q 21/065; H04B 1/3888
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,341,227 B1 * 1/2002 Moster H04B 1/3833 455/550.1
2013/0286623 A1 * 10/2013 Slipy F16M 11/10 361/807
2019/0393598 A1 * 12/2019 Logothetis H01Q 3/08
* cited by examiner

Primary Examiner — James Wu


Assistant Examiner — Hung Q Dang

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **ABSTRACT**

A wireless communication device and a case assembly are provided. The wireless communication device includes main body, kickstand structure and antenna module. The main body includes display portion, back portion and RF signal module. The display and back portions are opposite, which the RF signal module is disposed between. The kickstand structure is rotationally pivoted to the back portion of main body. The antenna module is disposed on the kickstand structure and electrically connected to the RF signal module of main body. The case assembly is partially covered the wireless communication device and includes case covering the back portion of wireless communication device, kickstand structure rotationally pivoted to the case and antenna module disposed on the kickstand structure and electrically connecting to the RF signal module of wireless communication device. Thus, rotation of kickstand structure can change orientation of antenna module to transmit and receive wireless signals, so as to improve wireless signal transmission.

5 Claims, 7 Drawing Sheets



(12) **United States Patent**
Huang et al.

(10) **Patent No.:** **US 10,992,043 B2**
(45) **Date of Patent:** **Apr. 27, 2021**

(54) **ANTENNA DEVICE AND CONTROL METHOD THEREOF**

(71) Applicant: **ASUSTeK COMPUTER INC.**, Taipei (TW)

(72) Inventors: **Pei-Chuan Huang**, Taipei (TW);
Shao-Kai Liu, Taipei (TW)

(73) Assignee: **ASUSTEK COMPUTER INC.**, Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/510,073**

(22) Filed: **Jul. 12, 2019**

(65) **Prior Publication Data**

US 2020/0028265 A1 Jan. 23, 2020

(30) **Foreign Application Priority Data**

Jul. 19, 2018 (CN) 201810794869.6

(51) **Int. Cl.**

H01Q 1/24 (2006.01)
H01Q 9/04 (2006.01)
H01Q 1/36 (2006.01)
H01Q 19/00 (2006.01)
H01Q 1/50 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 9/045** (2013.01); **H01Q 1/24** (2013.01); **H01Q 1/243** (2013.01); **H01Q 1/36** (2013.01); **H01Q 1/50** (2013.01); **H01Q 19/005** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 21/30; H01Q 5/371; H01Q 5/335; H01Q 21/28; H01Q 5/321;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,757,267 B1 * 6/2004 Evans H04B 7/0615 342/374
8,022,881 B2 * 9/2011 Wong H01Q 5/00 343/700 MS

(Continued)

FOREIGN PATENT DOCUMENTS

CN 102790638 A 11/2012
CN 104425873 A 3/2015

(Continued)

OTHER PUBLICATIONS

Wong Kang et al., "A Beam Pattern-Reconfigurable antenna Using PIN diodes"; 2010 IEEE Antennas and Propagation Society International Symposium, Sep. 2, 2010.


Primary Examiner — Vibol Tan

(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

An antenna device and its control method is provided. The antenna device includes: a ground layer; a feeding element, connecting to the ground layer; a first radiating element, extending along a first direction and connected to the ground layer; a second radiating element, extending along a second direction which is orthogonal to the first direction, and connected the ground layer; a first switching element, coupled between the feeding element and the first radiating element, and configured to electrically connect or disconnect the feeding element and the first radiating element; and a second switching element disposed between the feeding element and the second radiating element, and configured to electrically connect or disconnect the feeding element and the second radiating element.

16 Claims, 10 Drawing Sheets





(12) **United States Patent**
Zhu et al.

(10) **Patent No.:** **US 10,992,059 B2**
(45) **Date of Patent:** **Apr. 27, 2021**

(54) **MILLIMETER WAVE ARRAY ANTENNA
MODULE AND MOBILE TERMINAL**

(71) Applicant: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(72) Inventors: **Zhimin Zhu**, Shenzhen (CN);
Zhengdong Yong, Shenzhen (CN);
Xiaoyue Xia, Shenzhen (CN); **Chao
Wang**, Shenzhen (CN)

(73) Assignee: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/706,880**

(22) Filed: **Dec. 9, 2019**

(65) **Prior Publication Data**

US 2020/0350696 A1 Nov. 5, 2020

(30) **Foreign Application Priority Data**

Dec. 29, 2018 (CN) 201811641112.X

(51) **Int. Cl.**

H01Q 21/08 (2006.01)

H01Q 1/22 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 21/08** (2013.01); **H01Q 1/2283**
(2013.01); **H01Q 1/243** (2013.01); **H01Q 3/38**
(2013.01); **H01Q 9/0407** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 21/08; H01Q 1/2283; H01Q 1/243;
H01Q 3/38; H01Q 9/0407

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,354,972 B2 * 1/2013 Borja H01Q 5/378

343/797

9,136,576 B2 * 9/2015 Hashimoto H01P 5/107

(Continued)

FOREIGN PATENT DOCUMENTS

CN 106898882 A1 6/2017

CN 109103589 A1 12/2018

CN 109687165 A1 4/2019

OTHER PUBLICATIONS

1st Office Action dated Mar. 25, 2020 by SIPO in related Chinese
Patent Application No. 201811641112.X (7 Pages).

(Continued)

Primary Examiner — Hai V Nguyen


(74) *Attorney, Agent, or Firm* — W&G Law Group LLP

(57)

ABSTRACT

A millimeter wave array antenna module and a mobile terminal are provided. The millimeter wave array antenna module includes a dielectric substrate, a radio frequency integrated circuit chip affixed to one side of the dielectric substrate, a plurality of antenna units arranged in an array and disposed on a side of the dielectric substrate facing away from the radio frequency integrated circuit chip, and a feeding network formed in the dielectric substrate. Each antenna unit is electrically connected to the radio frequency integrated circuit chip through the feeding network, and includes a substrate integrated waveguide and a patch antenna. The substrate integrated waveguide has a back cavity and the patch antenna is arranged in the back cavity and affixed to the substrate integrated waveguide.

11 Claims, 3 Drawing Sheets





(12) **United States Patent**
Chang et al.

(10) **Patent No.:** **US 10,992,064 B2**
(45) **Date of Patent:** **Apr. 27, 2021**

(54) **MOBILE DEVICE**

(71) Applicant: **Wistron Corp.**, New Taipei (TW)

(72) Inventors: **Yu-Chia Chang**, New Taipei (TW);
Wan Chu Wei, New Taipei (TW);
Chun-Hong Kuo, New Taipei (TW);
Tsung-Te Lin, New Taipei (TW)

(73) Assignee: **WISTRON CORP.**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 5 days.

(21) Appl. No.: **16/416,332**

(22) Filed: **May 20, 2019**

(65) **Prior Publication Data**

US 2020/0313308 A1 Oct. 1, 2020

(30) **Foreign Application Priority Data**

Mar. 29, 2019 (TW) 108111140

(51) **Int. Cl.**

H01Q 21/28 (2006.01)

H04B 7/0426 (2017.01)

H01Q 21/29 (2006.01)

H01Q 1/50 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 21/28** (2013.01); **H01Q 1/50**
(2013.01); **H01Q 21/29** (2013.01); **H04B**
7/0426 (2013.01)

(58) **Field of Classification Search**

CPC H01Q 21/28; H01Q 1/50; H01Q 21/29;
H04B 4/0426; H04B 7/0456; H04B
7/0602

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,900,894 B2 2/2018 Jung et al.
2013/0241798 A1 9/2013 Lee et al.
2016/0381618 A1 12/2016 Sayem et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 104167591 A 11/2014
CN 104362439 A 2/2015
(Continued)

OTHER PUBLICATIONS

Chinese language office action dated Apr. 28, 2020, issued in application No. TW 108111140.

(Continued)

Primary Examiner — Wei (Victor) Y Chan


(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

A mobile device includes a WLAN (Wireless Local Area Network) module, a WWAN (Wireless Wide Area Network) module, a first antenna element, a second antenna element, a third antenna element, a fourth antenna element, a first switch element, and a second switch element. The WLAN module has a first port, a second port, and a first control port. The WWAN module has a third port, a fourth port, a fifth port, and a sixth port. The first antenna element is coupled to the third port. The first switch element couples the second antenna element to the first port or the fourth port according to a first control signal. The second switch element couples the third antenna element to the second port or the fifth port according to a second control signal. The fourth antenna element is coupled to the sixth port.

12 Claims, 8 Drawing Sheets

100



(12) **United States Patent**
Liang et al.

(10) **Patent No.:** **US 10,992,065 B2**
(45) **Date of Patent:** **Apr. 27, 2021**

(54) **MIMO ANTENNA AND TERMINAL**

(71) Applicant: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(72) Inventors: **Yue Liang**, Shenzhen (CN); **Jianan Wang**, Shenzhen (CN); **Yongli Chen**,
Shenzhen (CN)

(73) Assignee: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 27 days.

(21) Appl. No.: **16/703,889**

(22) Filed: **Dec. 5, 2019**

(65) **Prior Publication Data**

US 2020/0212599 A1 Jul. 2, 2020

(30) **Foreign Application Priority Data**

Dec. 28, 2018 (CN) 201811625843.5

(51) **Int. Cl.**

H01Q 21/28 (2006.01)
H01Q 1/24 (2006.01)
H01Q 1/22 (2006.01)
H01Q 21/06 (2006.01)
H01Q 21/30 (2006.01)
H04B 7/0413 (2017.01)

(52) **U.S. Cl.**

CPC **H01Q 21/28** (2013.01); **H01Q 1/2283**
(2013.01); **H01Q 1/243** (2013.01); **H01Q**
21/064 (2013.01); **H01Q 21/065** (2013.01);
H01Q 21/30 (2013.01); **H04B 7/0413**
(2013.01)

(58) **Field of Classification Search**

CPC H01Q 21/28; H01Q 1/2283; H01Q 1/243;
H01Q 21/064; H01Q 21/065; H01Q
21/30

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2014/0191918 A1* 7/2014 Cheng H01Q 21/205
343/834

FOREIGN PATENT DOCUMENTS

CN 103915678 A1 7/2014
CN 106129637 A1 11/2016

OTHER PUBLICATIONS

PCT search report dated Jan. 14, 2020 by SIPO in related PCT
Patent Application No. PCT/CN2019/110742 (4 Pages).

* cited by examiner


Primary Examiner — Graham P Smith

(74) *Attorney, Agent, or Firm* — W&G Law Group LLP

(57) **ABSTRACT**

The present invention provides a MIMO antenna. The MIMO antenna includes a regular octagonal substrate and eight antenna components with a same structure arranged along eight edges of the regular octagonal substrate, and the eight antenna components are distributed in an annular array. The present disclosure further provides a terminal applying with the MIMO antenna. The eight antenna components in the MIMO antenna provided by the present disclosure are distributed in an annular array, so that an area occupied by the MIMO antenna in the terminal is greatly reduced; and moreover, the antenna components have good isolation therebetween and are simple in form, and the MIMO antenna has a higher bandwidth.

12 Claims, 4 Drawing Sheets





US010998609B2

(12) **United States Patent**
Tsuchiya et al.

(10) **Patent No.:** **US 10,998,609 B2**
(45) **Date of Patent:** **May 4, 2021**

(54) **LOOP ANTENNA**

(71) Applicant: **Japan Aviation Electronics Industry, Limited**, Tokyo (JP)

(72) Inventors: **Kenta Tsuchiya**, Tokyo (JP); **Osamu Hirata**, Tokyo (JP); **Daisuke Hiraoka**, Tokyo (JP); **Mitsunori Sato**, Tokyo (JP); **Yutaka Takezawa**, Tokyo (JP); **Yutaro Kogawa**, Tokyo (JP)

(73) Assignee: **Japan Aviation Electronics Industry, Limited**, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/613,633**

(22) PCT Filed: **Jan. 23, 2018**

(86) PCT No.: **PCT/JP2018/001893**

§ 371 (c)(1),

(2) Date: **Nov. 14, 2019**

(87) PCT Pub. No.: **WO2018/220893**

PCT Pub. Date: **Dec. 6, 2018**

(65) **Prior Publication Data**

US 2020/0203830 A1 Jun. 25, 2020

(30) **Foreign Application Priority Data**

May 31, 2017 (JP) JP2017-108033

(51) **Int. Cl.**

H01Q 7/00 (2006.01)

H01Q 1/12 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/1271** (2013.01); **H01Q 7/00** (2013.01); **H01Q 21/30** (2013.01); **H01Q 1/38** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/1271; H01Q 7/00

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,391,871 B2 * 8/2019 Lu B60L 11/182
2008/0158092 A1 * 7/2008 Yakubo H01Q 1/2283
343/866

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101180764 A 5/2008
CN 101180765 A 5/2008

(Continued)

OTHER PUBLICATIONS

Ohinese Office Action in CN 201880033224.9, dated Jul. 28, 2020.

(Continued)


Primary Examiner — Peguy Jean Pierre

(74) *Attorney, Agent, or Firm* — Collard & Roe, P.C.

(57) **ABSTRACT**

This loop antenna is provided with: an insulating substrate; an antenna portion that is a conductor provided on the substrate and includes a first feeding portion, a second feeding portion, and an antenna mesh portion having a mesh structure and forming a loop shape by connecting the two feeding portions to each other; and a dummy pattern part portion that is a conductor having a mesh structure and provided in a region surrounded by the antenna portion, and is isolated from the antenna portion. The dummy pattern portion has at least one cut portion that cuts a path included in the mesh structure.

7 Claims, 18 Drawing Sheets





US010998610B2

(12) **United States Patent**
Nie et al.

(10) **Patent No.:** **US 10,998,610 B2**
(45) **Date of Patent:** **May 4, 2021**

(54) **ELECTRONIC DEVICE, METHOD FOR
ADJUSTING OPERATING FREQUENCY
BAND OF ANTENNA OF ELECTRONIC
DEVICE**

(71) Applicant: **BEIJING XIAOMI MOBILE
SOFTWARE CO., LTD.**, Beijing (CN)

(72) Inventors: **Fan Nie**, Beijing (CN); **Bingxiao
Wang**, Beijing (CN); **Linchuan Wang**,
Beijing (CN)

(73) Assignee: **BEIJING XIAOMI MOBILE
SOFTWARE CO., LTD.**, Beijing (CN)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/425,920**

(22) Filed: **May 29, 2019**

(65) **Prior Publication Data**

US 2019/0372195 A1 Dec. 5, 2019

(30) **Foreign Application Priority Data**

May 31, 2018 (CN) 201810551275.2

(51) **Int. Cl.**
H01Q 1/22 (2006.01)
H01Q 5/378 (2015.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/22** (2013.01); **H01Q 1/50**
(2013.01); **H01Q 5/378** (2015.01); **H01Q 9/42**
(2013.01)

(58) **Field of Classification Search**
CPC H01Q 13/10; H01Q 1/50; H01Q 1/36;
H01Q 5/50

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,529,749 B1 * 3/2003 Hayes et al.
6,662,028 B1 * 12/2003 Hayes et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1122534 A 5/1996
CN 106229624 A 12/2016
(Continued)

OTHER PUBLICATIONS

Extended European Search Report in Application No. 19176463,
dated Oct. 9, 2019.

(Continued)


Primary Examiner — Jany Richardson

(74) *Attorney, Agent, or Firm* — Syncoda LLC; Feng Ma

(57) **ABSTRACT**

An electronic device includes a feeding point, a first switch module, a second switch module, a first connecting portion, a second connecting portion and a third connecting portion; the feeding point is connected to an end of the first sub-bezel through the first connecting portion; a first end of the first switch module is connected to the second partition through the second connecting portion, and a second end of the first switch module is grounded; a connection position between the second connecting portion and the second partitioning is adjacent to the feeding point; and a first end of the second switch module is connected to the first sub-bezel through the third connecting portion, and a second end of the second switch module is grounded.

18 Claims, 8 Drawing Sheets



(12) **United States Patent**
Mow et al.

(10) **Patent No.:** **US 10,998,616 B2**
(45) **Date of Patent:** **May 4, 2021**

(54) **ELECTRONIC DEVICE WITH MILLIMETER WAVE ANTENNA ARRAYS**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

(72) Inventors: **Matthew A. Mow**, Los Altos, CA (US);
Basim H. Noori, San Jose, CA (US);
Mattia Pascolini, San Francisco, CA (US);
Xu Han, San Jose, CA (US);
Victor C. Lee, Sunnyvale, CA (US);
Ming-Ju Tsai, Cupertino, CA (US);
Simone Paulotto, Redwood City, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 200 days.

(21) Appl. No.: **16/272,932**

(22) Filed: **Feb. 11, 2019**

(65) **Prior Publication Data**

US 2019/0173160 A1 Jun. 6, 2019

Related U.S. Application Data

(63) Continuation of application No. 15/275,183, filed on Sep. 23, 2016, now Pat. No. 10,205,224.

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 1/22 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/22** (2013.01); **H01Q 1/242** (2013.01); **H01Q 1/48** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC ... H01Q 21/062; H01Q 21/065; H01Q 1/2283
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,888,597 A 12/1989 Rebiez et al.
2010/0033393 A1 2/2010 Myszne et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 102349073 A 2/2012
CN 103339796 A 10/2013

(Continued)


Primary Examiner — Ricardo I Magallanes

(74) *Attorney, Agent, or Firm* — Treyz Law Group, P.C.;
Tianyi He

(57) **ABSTRACT**

An electronic device may be provided with wireless circuitry. The wireless circuitry may include one or more antennas. The antennas may include millimeter wave antenna arrays formed from arrays of patch antennas, dipole antennas or other millimeter wave antennas on millimeter wave antenna array substrates. Circuitry such as upconverter and downconverter circuitry may be mounted on the substrates. The upconverter and downconverter may be coupled to wireless communications circuitry such as a baseband processor circuit using an intermediate frequency signal path. The electronic device may have opposing front and rear faces. A display may cover the front face. A rear housing wall may cover the rear face. A metal midplate may be interposed between the display and rear housing wall. Millimeter wave antenna arrays may transmit and receive antenna signals through the rear housing wall.

19 Claims, 8 Drawing Sheets



(12) **United States Patent**
Sakong et al.

(10) **Patent No.:** **US 10,998,622 B2**
(45) **Date of Patent:** **May 4, 2021**

(54) **ANTENNA FOR WIRELESS COMMUNICATION AND ELECTRONIC DEVICE INCLUDING THE SAME**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(72) Inventors: **Min Sakong**, Gyeongsangbuk-do (KR);
Dong Ryul Shin, Daegu (KR); **Yoon Jae Lee**, Seoul (KR); **Seong Tae Jeong**,
Gyeonggi-do (KR); **Jin Woo Jung**,
Seoul (KR)

(73) Assignee: **Samsung Electronics Co., Ltd**

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 190 days.

(21) Appl. No.: **15/656,669**

(22) Filed: **Jul. 21, 2017**

(65) **Prior Publication Data**

US 2018/0026361 A1 Jan. 25, 2018

(30) **Foreign Application Priority Data**

Jul. 21, 2016 (KR) 10-2016-0092871
Mar. 28, 2017 (KR) 10-2017-0039558

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 3/00 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 3/00** (2013.01); **H01Q 1/243**
(2013.01); **H01Q 1/245** (2013.01); **H01Q 1/48**
(2013.01); **H04B 1/3838** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 5/30; H01Q 5/335; H01Q 9/24;
H01Q 1/245; H01Q 1/48; H04B 1/3838
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,100,127 B2 8/2006 Chen et al.
8,022,888 B2 9/2011 Kim et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 103636061 3/2014
CN 103828247 5/2014
(Continued)

OTHER PUBLICATIONS

International Search Report dated Nov. 9, 2017 issued in counterpart application No. PCT/KR2017/007887, 3 pages.

(Continued)


Primary Examiner — Awat M Salih

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm, P.C.

(57) **ABSTRACT**

A communication method performed in an electronic device including a conductive pattern and the electronic device are provided. The electronic device includes a conductive pattern used as a radiator for wireless communication, a feeding unit connected with the conductive pattern, a ground unit connected with the conductive pattern, a first impedance matching circuit disposed in a first area adjacent to the feeding unit and connected to the conductive pattern, a second impedance matching circuit disposed in a second area adjacent to the conductive pattern and connected to the conductive pattern, and a control unit that matches impedance by controlling at least one of the first impedance matching circuit and the second impedance matching circuit by a closed-loop scheme.

14 Claims, 19 Drawing Sheets





US010998631B2

(12) **United States Patent**
Duan

(10) **Patent No.:** **US 10,998,631 B2**
(45) **Date of Patent:** **May 4, 2021**

(54) **ANTENNA SYSTEM**

(71) Applicant: **Sercomm Corporation**, Taipei (TW)

(72) Inventor: **Jhih-Hao Duan**, Taipei (TW)

(73) Assignee: **SERCOMM CORPORATION**, Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 186 days.

(21) Appl. No.: **16/263,418**

(22) Filed: **Jan. 31, 2019**

(65) **Prior Publication Data**

US 2019/0252778 A1 Aug. 15, 2019

(30) **Foreign Application Priority Data**

Feb. 13, 2018 (CN) 201820255966.3

(51) **Int. Cl.**

H01Q 5/48 (2015.01)

H01Q 21/30 (2006.01)

H01Q 9/26 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/48** (2015.01); **H01Q 9/26** (2013.01); **H01Q 21/30** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 5/48; H01Q 21/30; H01Q 9/26;
H01Q 7/00; H01Q 21/28; H01Q 25/00;
H01Q 1/521; H01Q 1/52; H01Q 5/371

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,960,499 B2 * 5/2018 Liu H01Q 21/062
2005/0024282 A1 2/2005 Apostolos

2009/0284430 A1 * 11/2009 Liu H01Q 21/0075
343/810

2011/0241953 A1 10/2011 Su

2012/0081259 A1 4/2012 Regala

2015/0118972 A1 * 4/2015 Montgomery G01R 29/10
455/75

2015/0214634 A1 4/2015 Montgomery et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 102280687 A 12/2011

CN 203813022 U 9/2014

(Continued)

Primary Examiner — Alexander H Taningco

Assistant Examiner — Amy X Yang


(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57)

ABSTRACT

An antenna system is configured to transceive a wireless signal. The antenna system includes a first dipole antenna and a second dipole antenna. The first dipole antenna includes a first radiator, a second radiator, and a first feeding point. The second dipole antenna includes a third radiator, a fourth radiator, and a second feeding point. The first radiator and the third radiator have a notch facing towards a first direction. The second radiator and the fourth radiator have a notch facing towards a second direction inverse to the first direction. The first feeding point, disposed between the first radiator and the second radiator, is located on one side of the first dipole antenna adjacent to the second dipole antenna. The second feeding point, disposed between the third radiator and the fourth radiator, is located on one side of the second dipole antenna adjacent to the first dipole antenna.

11 Claims, 6 Drawing Sheets





US010998632B2

(12) **United States Patent**
Gu

(10) **Patent No.:** **US 10,998,632 B2**

(45) **Date of Patent:** ***May 4, 2021**

(54) **ANTENNA SYSTEM AND MOBILE
TERMINAL**

(71) Applicant: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(72) Inventor: **Haichuan Gu**, Shenzhen (CN)

(73) Assignee: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **16/524,041**

(22) Filed: **Jul. 27, 2019**

(65) **Prior Publication Data**

US 2020/0044346 A1 Feb. 6, 2020

(30) **Foreign Application Priority Data**

Aug. 3, 2018 (CN) 201810876500.X

(51) **Int. Cl.**

H01Q 5/50 (2015.01)

H01Q 5/335 (2015.01)

H04B 7/0413 (2017.01)

H01Q 5/328 (2015.01)

H01Q 1/24 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/50** (2015.01); **H01Q 1/241**
(2013.01); **H01Q 5/328** (2015.01); **H04B**
7/0413 (2013.01)

(58) **Field of Classification Search**

CPC .. H01Q 5/00; H01Q 5/35; H01Q 5/50; H01Q
5/328; H01Q 5/335; H01Q 1/241-243;
H04B 7/0413

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2018/0026333 A1* 1/2018 Lee H01Q 13/18
343/702

FOREIGN PATENT DOCUMENTS

CN 109149086 A1 8/2016
CN 109149115 A1 1/2019

OTHER PUBLICATIONS

PCT search report dated Aug. 21, 2019 by SIPO in related PCT
Patent Application No. PCT/CN2019/087543 (4 Pages).

* cited by examiner



Primary Examiner — Henry Luong

(74) *Attorney, Agent, or Firm* — W&G Law Group LLP

(57) **ABSTRACT**

The present disclosure provides an antenna system and a mobile terminal. The antenna system comprises a metal frame, a main board received in the metal frame, and a first feeding point, a second feeding point, a first grounding point, a second grounding point, a third feeding point, a fourth feeding point, a third grounding point, a fourth grounding point, a first tuning switch, a second tuning switch, a first matching network, a variable capacitor, a third tuning switch, a fourth tuning switch, and a second matching network disposed at the main board. The metal frame is partitioned into a first radiating portion and a second radiating portion at the bottom and a third radiating portion and a fourth radiating portion at the top.

15 Claims, 13 Drawing Sheets





US010998633B2

(12) **United States Patent**
Nasimuddin et al.

(10) **Patent No.:** **US 10,998,633 B2**
(45) **Date of Patent:** **May 4, 2021**

(54) **COMPACT WIDEBAND HIGH GAIN
CIRCULARLY POLARIZED ANTENNA**

(71) Applicant: **Agency for Science, Technology and
Research, Singapore (SG)**

(72) Inventors: **Nasimuddin, Singapore (SG);
Xianming Qing, Singapore (SG)**

(73) Assignee: **Agency for Science, Technology and
Research, Singapore (SG)**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/499,460**

(22) PCT Filed: **Mar. 19, 2018**

(86) PCT No.: **PCT/SG2018/050118**

§ 371 (c)(1),
(2) Date: **Sep. 30, 2019**

(87) PCT Pub. No.: **WO2018/182507**

PCT Pub. Date: **Oct. 4, 2018**

(65) **Prior Publication Data**

US 2020/0076082 A1 Mar. 5, 2020

(30) **Foreign Application Priority Data**

Mar. 31, 2017 (SG) 10201702690U

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 21/06 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0428** (2013.01); **H01Q 9/045**
(2013.01); **H01Q 21/065** (2013.01)

(58) **Field of Classification Search**
CPC .. H01Q 9/0428; H01Q 9/0421; H01Q 21/065;
H01Q 9/0414; H01Q 9/045; H01Q
9/0442; H01Q 21/24

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,644,090 A * 6/1953 Dorne H01Q 13/18
343/769
5,565,875 A * 10/1996 Buralli H01Q 9/0464
343/700 MS

(Continued)

FOREIGN PATENT DOCUMENTS

CN 104821432 A 8/2015
WO 2014080360 A2 5/2014

OTHER PUBLICATIONS

Chen et al., "Circularly Polarized Stacked Annular-Ring Microstrip
Antenna with Integrated Feeding Network for UHF RFID Readers,"
IEEE Antennas and Wireless Propagation Letters, vol. 9, 2010, pp.
542-545.

(Continued)

Primary Examiner — Graham P Smith


Assistant Examiner — Jae E Kim

(74) *Attorney, Agent, or Firm* — Winstead PC

(57) **ABSTRACT**

A compact wideband single feed circularly polarized antenna is provided. The circularly polarized antenna may include a ground plane. The circularly polarized antenna may include a radiating patch with an embedded ring-shaped slot. The circularly polarized antenna may include a via that shorts a round section of the radiating patch surrounded by the ring-shaped slot to the ground plane. The circularly polarized antenna may include a coaxial feed. The inner conductive material of the coaxial feed may be connected to the radiating patch and the outer conductive material of the coaxial feed may touch the ground plane. The circularly polarized antenna may include a slit-slotted parasitic square patch.

20 Claims, 15 Drawing Sheets





US011005154B2

(12) **United States Patent**
Hung et al.

(10) **Patent No.:** **US 11,005,154 B2**

(45) **Date of Patent:** **May 11, 2021**

(54) **ANTENNAS IN FRAMES FOR DISPLAY PANELS**

(71) Applicant: **Hewlett-Packard Development Company, L.P.**, Spring, TX (US)

(72) Inventors: **Kuan-Jung Hung**, Taipei (TW);
Chun-Chih Liu, Taipei (TW)

(73) Assignee: **Hewlett-Packard Development Company, L.P.**, Spring, TX (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/603,612**

(22) PCT Filed: **Apr. 11, 2017**

(86) PCT No.: **PCT/US2017/027008**

§ 371 (c)(1),

(2) Date: **Oct. 8, 2019**

(87) PCT Pub. No.: **WO2018/190808**

PCT Pub. Date: **Oct. 18, 2018**

(65) **Prior Publication Data**

US 2020/0136230 A1 Apr. 30, 2020

(51) **Int. Cl.**

H01Q 1/22 (2006.01)

H01Q 7/00 (2006.01)

H01Q 5/385 (2015.01)

G06F 1/16 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/2266** (2013.01); **G06F 1/1681** (2013.01); **H01Q 1/48** (2013.01); **H01Q 5/385** (2015.01); **H01Q 7/00** (2013.01); **H01Q 9/42** (2013.01)

(58) **Field of Classification Search**

CPC **H01Q 1/2258**; **H01Q 1/2266**; **H01Q 1/48**;
H01Q 5/385; **H01Q 7/00**; **H01Q 9/42**;
H01Q 1/22

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,048,118 A * 9/1991 Brooks G02F 1/13452
455/156.1

7,541,993 B2 6/2009 Tsai et al.

7,969,371 B2 6/2011 Yun et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101048946 10/2007

CN 102043438 5/2011

(Continued)

OTHER PUBLICATIONS

Chiu, C.W. et al., A Meandered Loop Antenna for LTE/WWAN Operations in a Smart Phone, 2010.

(Continued)


Primary Examiner — Hoang V Nguyen

(74) *Attorney, Agent, or Firm* — HPI Patent Department

(57) **ABSTRACT**

The present subject matter describes positioning of an antenna inside a frame for a display panel of an electronic device. The antenna comprises a ground plate extending along a side of the frame, a substrate positioned on the ground plate, and two loop antenna elements formed on the substrate, both ends of each of the two loop antenna elements being connected to the ground plate.

15 Claims, 8 Drawing Sheets





(12) **United States Patent**
Ying

(10) **Patent No.:** **US 11,005,156 B2**
(45) **Date of Patent:** **May 11, 2021**

(54) **ANTENNA ON PROTRUSION OF
MULTI-LAYER CERAMIC-BASED
STRUCTURE**

(71) Applicant: **Sony Mobile Communications Inc.,**
Tokyo (JP)

(72) Inventor: **Zhinong Ying, Lund (SE)**

(73) Assignee: **SONY MOBILE
COMMUNICATIONS INC., Tokyo**
(JP)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 15 days.

(21) Appl. No.: **16/331,071**

(22) PCT Filed: **Sep. 15, 2016**

(86) PCT No.: **PCT/EP2016/071849**

§ 371 (c)(1),

(2) Date: **Mar. 6, 2019**

(87) PCT Pub. No.: **WO2018/050230**

PCT Pub. Date: **Mar. 22, 2018**

(65) **Prior Publication Data**

US 2019/0198974 A1 Jun. 27, 2019

(51) **Int. Cl.**

H01Q 1/22 (2006.01)

H01Q 1/24 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/2283** (2013.01); **H01Q 1/243**
(2013.01); **H01Q 9/0457** (2013.01); **H01Q**
9/285 (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC **H01Q 1/2283**; **H01Q 1/243**; **H01Q 9/0457**;
H01Q 9/285; **H01Q 13/106**; **H01Q**
21/205; **H01Q 21/28**; **H01Q 21/30**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2005/0134507 A1* 6/2005 Dishongh **H01L 23/36**
343/700 MS

2009/0295662 A1* 12/2009 Suetsuna **H01Q 1/48**
343/787

(Continued)

FOREIGN PATENT DOCUMENTS

CN 202977719 U 6/2013
EP 0920071 A2 6/1999

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion from counterpart
International Patent Application No. PCT/EP2016/071849 dated
Jun. 9, 2017, 10 pages.

(Continued)

Primary Examiner — Jimmy T Vu


(74) *Attorney, Agent, or Firm* — Tucker Ellis LLP

(57) **ABSTRACT**

Antenna on protrusion of multi-layer ceramic-based structure An antenna device (100) includes a multi-layer ceramic-based structure (110) with a plurality of ceramic-based layers. Further, the antenna device (100) includes a protrusion (120) formed by at least one of the ceramic-based layers extending beyond at least one other of the ceramic-based layers at an edge of the multi-layer ceramic-based structure (110). Further, the antenna device (100) includes at least one antenna (140) formed by at least one conductive layer on the protrusion (120).

14 Claims, 6 Drawing Sheets

100
↓





US011005162B2

(12) **United States Patent**
Hu et al.

(10) **Patent No.:** **US 11,005,162 B2**

(45) **Date of Patent:** **May 11, 2021**

(54) **ANTENNA STRUCTURE OF WIRELESS COMMUNICATION DEVICE**

(71) Applicant: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(72) Inventors: **Cheng-Nan Hu**, New Taipei (TW);
Kwo-Jyr Wong, New Taipei (TW)

(73) Assignee: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 55 days.

(21) Appl. No.: **16/545,213**

(22) Filed: **Aug. 20, 2019**

(65) **Prior Publication Data**

US 2020/0067178 A1 Feb. 27, 2020

(30) **Foreign Application Priority Data**

Aug. 21, 2018 (CN) 201810955002.4

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 1/36 (2006.01)

H01Q 9/04 (2006.01)

H01Q 5/378 (2015.01)

H01Q 5/328 (2015.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/36** (2013.01); **H01Q 5/328** (2015.01); **H01Q 5/378** (2015.01); **H01Q 9/0414** (2013.01)

(58) **Field of Classification Search**

None

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,293,815	B1 *	3/2016	Horner	H01Q 1/36
2005/0169388	A1	8/2005	Toland et al.	
2014/0361946	A1	12/2014	Ganchrow et al.	
2016/0276751	A1	9/2016	Ueda	
2019/0386384	A1 *	12/2019	Villa	H01Q 21/28
2020/0295437	A1 *	9/2020	Ueda	H01Q 9/30

FOREIGN PATENT DOCUMENTS

CN	1901282	1/2007
CN	101217217 A	7/2008
CN	105794043 A	7/2016
CN	105934851 A	9/2016
CN	106876879 A	6/2017
CN	107221759	9/2017

* cited by examiner

Primary Examiner — Jany Richardson


(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **ABSTRACT**

An antenna structure includes a first array antenna having a number of first antenna units. The antenna units are arranged along a first direction and a second direction. The first antenna units are monopole antennas. The monopole antennas include a radiating body having a strip portion and a bulb portion. The radiating body generates radiation along the first direction or the second direction. The strip portion is electrically coupled to a signal source. The bulb portion is electrically coupled to the strip portion. An end of the bulb portion away from the strip portion is semi-circular in shape.

20 Claims, 19 Drawing Sheets

200



(12) **United States Patent**
Sugimoto et al.

(10) **Patent No.:** **US 11,005,171 B2**
(45) **Date of Patent:** **May 11, 2021**

(54) **ANTENNA DEVICE**

(71) Applicant: **DENSO CORPORATION**, Kariya (JP)

(72) Inventors: **Yuji Sugimoto**, Nisshin (JP); **Shiro Koide**, Kariya (JP); **Hiroyuki Izumi**, Obu (JP)

(73) Assignee: **DENSO CORPORATION**, Kariya (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/373,675**

(22) Filed: **Apr. 3, 2019**

(65) **Prior Publication Data**

US 2019/0229411 A1 Jul. 25, 2019

Related U.S. Application Data

(63) Continuation of application No. PCT/JP2017/034828, filed on Sep. 27, 2017.

(30) **Foreign Application Priority Data**

Oct. 5, 2016 (JP) JP2016-197466

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 1/42 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/42** (2013.01); **H01Q 1/48** (2013.01); **H01Q 9/0407** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC .. H01Q 9/0464; H01Q 9/0471; H01Q 9/0428; H01Q 9/065; H01Q 9/005;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2003/0214443 A1* 11/2003 Bauregger H01Q 3/247 343/700 MS

2009/0015354 A1 1/2009 Kim et al.

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2008236362 A 10/2008

JP 2009021594 A 1/2009

(Continued)


Primary Examiner — Awat M Salih

(74) *Attorney, Agent, or Firm* — Hamess, Dickey & Pierce, P.L.C.

(57) **ABSTRACT**

An antenna device includes a ground plate that is a plate-shaped conductor member, a patch portion that is a plate-shaped conductor member placed to be opposed to the ground plate with a predetermined distance therebetween, a short-circuit portion that is a conductor member electrically connecting together the patch portion and the ground plate, and an additional conductor that is a plate-shaped conductor member placed to be opposed to the patch portion with a predetermined distance therebetween. The additional conductor is placed on a side of the patch portion on which the ground plate is not placed. An inductance of the short-circuit portion, a capacitance formed by the ground plate and the patch portion, and a capacitance formed by the patch portion and the additional conductor are used to perform parallel resonance.

7 Claims, 3 Drawing Sheets



(12) **United States Patent**
Yoon et al.

(10) **Patent No.:** **US 11,005,174 B2**
(45) **Date of Patent:** **May 11, 2021**

(54) **POINT SYMMETRIC COMPLEMENTARY MEANDER LINE SLOTS FOR MUTUAL COUPLING REDUCTION**

(71) Applicants: **University of Florida Research Foundation, Inc.**, Gainesville, FL (US); **Electronics and Telecommunication Research Institute (ETRI)**, Daejeon (KR)

(72) Inventors: **Yong-Kyu Yoon**, Gainesville, FL (US); **Seahae Hwangbo**, Gainesville, FL (US); **Hae Yong Yang**, Daejeon (KR)

(73) Assignees: **University of Florida Research Foundation, Incorporated**, Gainesville, FL (US); **Electronics and Telecommunication Research Institute (ETRI)**, Daejeon (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 143 days.

(21) Appl. No.: **16/310,294**

(22) PCT Filed: **Jun. 15, 2017**

(86) PCT No.: **PCT/US2017/037724**
§ 371 (c)(1),
(2) Date: **Dec. 14, 2018**

(87) PCT Pub. No.: **WO2017/218806**
PCT Pub. Date: **Dec. 21, 2017**

(65) **Prior Publication Data**
US 2019/0334235 A1 Oct. 31, 2019

Related U.S. Application Data

(60) Provisional application No. 62/350,442, filed on Jun. 15, 2016.

(51) **Int. Cl.**
H01Q 1/52 (2006.01)
H01Q 21/06 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/523** (2013.01); **H01Q 1/52** (2013.01); **H01Q 3/00** (2013.01); **H01Q 9/0407** (2013.01); **H01Q 21/06** (2013.01); **H01Q 21/065** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/523; H01Q 21/065; H01Q 3/00; H01Q 1/52; H01Q 9/0407; H01Q 21/06
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,450,310 B2 * 9/2016 Bily H01Q 15/0066
2001/0048394 A1 12/2001 Apostolos et al.
(Continued)

OTHER PUBLICATIONS


International Search Report dated Sep. 6, 2017.
(Continued)

Primary Examiner — Hai V Tran

(74) *Attorney, Agent, or Firm* — Thomas|Horstemeyer, LLP

(57) **ABSTRACT**

Various examples are provided for point symmetric complementary meander line (PSC-ML) slots, which can be used for mutual coupling reduction. In one example, an antenna array includes first and second patch antenna elements disposed on a first side of a substrate, the first and second patch antenna elements separated by a gap. The antenna array can include point symmetric complementary meander line (PSC-ML) slots formed in a ground plane disposed on a second side of the substrate. The PSC-ML slots can include a pair of ML slots aligned with the gap between the first and second patch antenna elements. In another example, a
(Continued)



(12) **United States Patent**
Lin et al.

(10) **Patent No.:** **US 11,005,190 B1**
(45) **Date of Patent:** **May 11, 2021**

(54) **ANTENNA ARRAY**

(56) **References Cited**

(71) Applicant: **Wistron Corp.**, New Taipei (TW)

U.S. PATENT DOCUMENTS

(72) Inventors: **Po-Tsang Lin**, New Taipei (TW);
Ying-Sheng Fang, New Taipei (TW)

4,987,421 A 1/1991 Sunahara et al.
5,945,938 A 8/1999 Chia et al.
(Continued)

(73) Assignee: **WISTRON CORP.**, New Taipei (TW)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 40 days.

CN 101924272 B 6/2013
CN 208904214 U 5/2019
(Continued)

(21) Appl. No.: **16/710,494**

OTHER PUBLICATIONS

(22) Filed: **Dec. 11, 2019**

European Search Report dated Jul. 3, 2020, issued in application No. EP 20151087.2.

(30) **Foreign Application Priority Data**

(Continued)

Oct. 30, 2019 (TW) 108139167

(51) **Int. Cl.**

Primary Examiner — Joseph J Lauture

H01Q 21/00 (2006.01)
H01Q 21/08 (2006.01)
H01Q 7/00 (2006.01)
H01Q 1/38 (2006.01)
H01Q 1/22 (2006.01)
H01Q 1/24 (2006.01)
H01Q 5/20 (2015.01)
H01Q 21/28 (2006.01)
H01Q 25/00 (2006.01)

(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(52) **U.S. Cl.**

(57) **ABSTRACT**


CPC **H01Q 21/08** (2013.01); **H01Q 1/38** (2013.01); **H01Q 7/00** (2013.01); **H01Q 1/2225** (2013.01); **H01Q 1/2283** (2013.01); **H01Q 1/243** (2013.01); **H01Q 5/20** (2015.01); **H01Q 21/28** (2013.01); **H01Q 25/00** (2013.01)

An antenna array includes a dielectric substrate, a ground metal plane, a first antenna unit, a second antenna unit, a third antenna unit, and a fourth antenna unit. The first antenna unit includes a first metal loop and a first feeding metal element. The first feeding metal element is adjacent to the first metal loop. The second antenna unit includes a second metal loop and a second feeding metal element. The second feeding metal element is adjacent to the second metal loop. The third antenna unit includes a third metal loop and a third feeding metal element. The third feeding metal element is adjacent to the third metal loop. The fourth antenna unit includes a fourth metal loop and a fourth feeding metal element. The fourth feeding metal element is adjacent to the fourth metal loop.

(58) **Field of Classification Search**

CPC H01Q 1/2225; H01Q 25/00; H01Q 1/243; H01Q 5/20; H01Q 21/28; H01Q 1/2283; H01Q 5/335; H01Q 5/392
USPC 343/867, 702, 893
See application file for complete search history.

20 Claims, 6 Drawing Sheets





US011005980B1

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 11,005,980 B1**

(45) **Date of Patent:** **May 11, 2021**

(54) **MOBILE TERMINAL**

(71) Applicant: **LG ELECTRONICS INC.**, Seoul (KR)

(72) Inventors: **Soyeon Lee**, Seoul (KR); **Changil Kim**, Seoul (KR); **Hanphil Rhyu**, Seoul (KR); **Changwon Yoon**, Seoul (KR); **Jaewoo Lee**, Seoul (KR)

(73) Assignee: **LG ELECTRONICS INC.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 43 days.

(21) Appl. No.: **16/620,785**

(22) PCT Filed: **Dec. 8, 2017**

(86) PCT No.: **PCT/KR2017/014371**

§ 371 (c)(1),

(2) Date: **Dec. 9, 2019**

(87) PCT Pub. No.: **WO2019/054572**

PCT Pub. Date: **Mar. 21, 2019**

Related U.S. Application Data

(60) Provisional application No. 62/559,644, filed on Sep. 18, 2017.

(51) **Int. Cl.**

H01Q 1/22 (2006.01)

H04M 1/02 (2006.01)

H01Q 1/24 (2006.01)

H01Q 9/04 (2006.01)

H01Q 21/28 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H04M 1/026** (2013.01); **H01Q 1/243** (2013.01); **H01Q 1/44** (2013.01); **H01Q 9/0464** (2013.01); **H01Q 21/28** (2013.01)

(58) **Field of Classification Search**

CPC **H04M 1/026**; **H01Q 1/243**; **H01Q 1/44**; **H01Q 9/0464**; **H01Q 21/28**

USPC **455/566**
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2013/0050046 A1* 2/2013 Jarvis **H01Q 9/145**
 343/852
 2016/0028148 A1* 1/2016 Tan **H01Q 1/22**
 343/702
 2016/0261050 A1 9/2016 Sharawi et al.

FOREIGN PATENT DOCUMENTS

CN 1816973 A 8/2006
 CN 104681946 A 6/2015
 CN 205005335 U 1/2016

(Continued)

Primary Examiner — Lee Nguyen

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(57) **ABSTRACT**

Provided is a mobile terminal comprising: a body; a ground embedded inside the body and having a vertical length longer than a horizontal length; a side case positioned on the periphery of a side surface of the body and comprising a first side member and a second side member positioned on the left and right side surfaces of the body, respectively; a first patch for connecting one end of the first side member and one end of the second side member; a second patch for connecting the other end of the first side member and the other end of the second side member; and a power supply part connected to the second patch, wherein the first side member, the second side member, the first patch, and the second patch form a loop form a loop ring-patch antenna.

13 Claims, 14 Drawing Sheets

