



US011205831B2

(12) **United States Patent**
Zhu et al.

(10) **Patent No.:** **US 11,205,831 B2**
(45) **Date of Patent:** **Dec. 21, 2021**

(54) **ANTENNA ELEMENT AND
MANUFACTURING METHOD FOR SAME**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

5,294,938 A * 3/1994 Matsuo H01Q 1/3275
343/829

(72) Inventors: **Jianpeng Zhu**, Shenzhen (CN); **Hua
Jiang**, Shenzhen (CN); **Lulong Li**,
Shenzhen (CN)

2003/0132885 A1 * 7/2003 Kuramoto H01Q 9/36
343/702

2004/0021606 A1 * 2/2004 Shigihara H01Q 9/0428
343/700 MS

(73) Assignee: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

2006/0017650 A1 * 1/2006 Allen H01Q 19/32
343/900

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

2008/0074327 A1 * 3/2008 Noro H01Q 9/0442
343/700 MS

2010/0289705 A1 * 11/2010 Shtrom H01Q 15/14
343/702

2017/0250471 A1 * 8/2017 Lee H01Q 1/2291
2019/0103682 A1 * 4/2019 Thai H01Q 13/16

(Continued)

(21) Appl. No.: **16/996,877**

(22) Filed: **Aug. 18, 2020**

Primary Examiner — Jason Crawford

(65) **Prior Publication Data**

US 2021/0036399 A1 Feb. 4, 2021

(74) *Attorney, Agent, or Firm* — W&G Law Group

Related U.S. Application Data

(63) Continuation of application No.
PCT/CN2019/094040, filed on Jun. 30, 2019.

(51) **Int. Cl.**
H01Q 1/12 (2006.01)
H01Q 1/50 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/12** (2013.01); **H01Q 1/50**
(2013.01)


(58) **Field of Classification Search**
CPC H01Q 1/12; H01Q 1/1207; H01Q 1/1242;
H01Q 1/20; H01Q 1/38; H01Q 1/50;
H01Q 9/04; H01Q 9/0407; H01Q 9/0414;
H01Q 9/045; H01Q 15/14; H01Q 15/141;
H01Q 15/142

See application file for complete search history.

(57) **ABSTRACT**

The invention provides an antenna element and a manufacturing method of the antenna element. The antenna element includes a main body and a feeding board. The main body has an insulation bracket and a conductive layer by way of electroplating or lasering. The insulation bracket includes a base, first support legs and second support legs. The conductive layer includes a radiation layer covering the top surface, a coupling layer covering the bottom surface and coupled to the radiation layer, a feeding column layer covering the outer surface of each first support leg and a branch layer covering the outer surface of each second support leg. By virtue of the configuration, it is unnecessary to assemble the main body additionally, so that the consistency of the antenna element is improved.

20 Claims, 3 Drawing Sheets





US011205833B2

(12) **United States Patent**
Wang et al.

(10) **Patent No.:** **US 11,205,833 B2**

(45) **Date of Patent:** **Dec. 21, 2021**

(54) **ELECTRONIC DEVICE AND ANTENNA**

(71) Applicant: **Lenovo (Beijing) Co., Ltd.**, Beijing (CN)

(72) Inventors: **Wenlei Wang**, Beijing (CN); **Chang Su**, Beijing (CN); **Weimin Bao**, Beijing (CN)

(73) Assignee: **LENOVO (BEIJING) CO., LTD.**, Beijing (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 46 days.

(21) Appl. No.: **16/729,373**

(22) Filed: **Dec. 28, 2019**

(65) **Prior Publication Data**

US 2020/0212535 A1 Jul. 2, 2020

(30) **Foreign Application Priority Data**

Dec. 29, 2018 (CN) 201811646097.8

(51) **Int. Cl.**

H01Q 1/36 (2006.01)

H01Q 1/22 (2006.01)

H01Q 5/314 (2015.01)

H01Q 9/30 (2006.01)

H01Q 21/30 (2006.01)

H01Q 13/10 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/2258** (2013.01); **H01Q 1/36** (2013.01); **H01Q 5/314** (2015.01); **H01Q 9/30** (2013.01); **H01Q 13/10** (2013.01); **H01Q 21/30** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/2258; H01Q 9/30

USPC 342/702

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,356,173 B1 * 3/2002 Nagata H01L 23/66 257/664

FOREIGN PATENT DOCUMENTS

CN 103296385 A 9/2013

CN 105720382 A 6/2016

CN 106450658 A 2/2017

CN 108470978 A 8/2018

WO 2018150202 A1 8/2018

* cited by examiner


Primary Examiner — Peguy Jean Pierre

(74) *Attorney, Agent, or Firm* — Anova Law Group, PLLC

(57) **ABSTRACT**

Embodiments of the present disclosure provide an electronic device and an antenna. The antenna for includes a first component configured for high frequency feed; a second component configured for low frequency feed; a third component configured for high frequency signal transmission; and a fourth component configured for low frequency signal transmission. The first component is coupling a high frequency signal to the third component, and the second component is coupling a low frequency signal to the fourth component.

17 Claims, 4 Drawing Sheets





US011205834B2

(12) **United States Patent**
Ayala Vazquez et al.

(10) **Patent No.:** **US 11,205,834 B2**
(45) **Date of Patent:** **Dec. 21, 2021**

(54) **ELECTRONIC DEVICE ANTENNAS HAVING SWITCHABLE FEED TERMINALS**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)
(72) Inventors: **Enrique Ayala Vazquez**, Watsonville, CA (US); **Hongfei Hu**, Cupertino, CA (US); **Mattia Pascolini**, San Francisco, CA (US); **Nanbo Jin**, San Jose, CA (US); **Kevin M. Froese**, San Francisco, CA (US); **Erica J. Tong**, Pacifica, CA (US); **Xu Han**, San Jose, CA (US)

9,190,712 B2 11/2015 Hu et al.
9,768,506 B2 9/2017 Krogerus
9,923,272 B2 3/2018 Sorensen et al.
10,158,384 B1 * 12/2018 Yarga H01Q 13/103
10,200,092 B1 * 2/2019 Irei H04B 5/02
10,804,617 B2 * 10/2020 Zhou H01Q 9/0421

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)
(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 300 days.

CN 105281800 A 1/2016
CN 105826652 A 8/2016

(Continued)

Primary Examiner — Graham P Smith

Assistant Examiner — Jae K Kim

(74) *Attorney, Agent, or Firm* — Treyz Law Group, P.C.;
Michael H. Lyons; Tianyi He

(21) Appl. No.: **16/019,322**

(22) Filed: **Jun. 26, 2018**

(57) **ABSTRACT**

(65) **Prior Publication Data**

US 2019/0393586 A1 Dec. 26, 2019

(51) **Int. Cl.**

H01Q 1/24 (2006.01)
H01Q 1/48 (2006.01)
H01Q 13/10 (2006.01)
H01Q 5/328 (2015.01)

(52) **U.S. Cl.**

CPC **H01Q 1/242** (2013.01); **H01Q 1/48**
(2013.01); **H01Q 5/328** (2015.01); **H01Q**
13/103 (2013.01)


(58) **Field of Classification Search**

CPC H01Q 21/28; H01Q 1/48; H01Q 9/42;
H01Q 5/328; H01Q 1/243; H01Q 13/103;
H01Q 1/242

See application file for complete search history.

An electronic device may include a conductive housing and an antenna. The antenna may include an arm formed from a first segment of the housing. A gap may separate the first segment from a second segment. The antenna may include a feed coupled to a transmission line having a signal conductor. The feed may include first and second positive terminals on the first segment and a third positive terminal on the second segment. An adjustable component may be coupled between the first and third terminals. The signal conductor may be coupled to the first terminal. A wide conductive trace may be coupled between the signal conductor and the second terminal. A switch may be interposed on the signal conductor. The second terminal may cover a cellular low band when the switch is open. The first terminal may cover the cellular low band and higher bands when the switch is closed.

20 Claims, 11 Drawing Sheets





US011205835B2

(12) **United States Patent**
Kim

(10) **Patent No.:** **US 11,205,835 B2**

(45) **Date of Patent:** **Dec. 21, 2021**

(54) **ELECTRONIC DEVICE INCLUDING ANTENNA MODULE**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(72) Inventor: **Yeonwoo Kim**, Gyeonggi-do (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/932,945**

(22) Filed: **Jul. 20, 2020**

(65) **Prior Publication Data**

US 2021/0066788 A1 Mar. 4, 2021

(30) **Foreign Application Priority Data**

Aug. 30, 2019 (KR) 10-2019-0106955

(51) **Int. Cl.**

H01Q 3/34 (2006.01)

H01Q 1/24 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 3/34**
(2013.01)

(58) **Field of Classification Search**

CPC H01G 1/243; H01G 3/34

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,898,405 A 4/1999 Iwasaki
2014/0306846 A1 10/2014 Nakatsu et al.

2019/0020100 A1 1/2019 Jong et al.
2019/0020110 A1 1/2019 Paulotto et al.
2019/0103682 A1 4/2019 Thai et al.
2019/0165472 A1 5/2019 Yun et al.
2020/0412022 A1 12/2020 Yun et al.

FOREIGN PATENT DOCUMENTS

KR 10-2019-0062064 A 6/2019
KR 10-2019-0098529 A 8/2019
KR 10-2020-0014601 A 2/2020
KR 10-2020-0024408 A 3/2020

OTHER PUBLICATIONS

International Search Report dated Nov. 13, 2020.


Primary Examiner — Graham P Smith

(74) *Attorney, Agent, or Firm* — Cha & Reiter, LLC

(57) **ABSTRACT**

Disclosed in one embodiment is an antenna module which includes a printed circuit board (PCB) that includes a first surface, a second surface, and a third surface, a first antenna that is disposed on the first surface, a second antenna that includes a first portion disposed on the second surface, a second portion extended from the first portion so as to be adjacent to the third surface, and a third portion extended from the second portion so as to face the first antenna, at least one ground layer that is interposed between the first antenna and the second antenna, and at least one wire that feeds the first antenna and the second antenna. The first antenna and at least a portion of the first portion overlap each other when viewed in the second direction, and the first antenna and the second portion are disposed to be spaced from each other.

20 Claims, 26 Drawing Sheets



(12) **United States Patent**
Jia

(10) **Patent No.:** **US 11,205,850 B2**
(45) **Date of Patent:** **Dec. 21, 2021**

(54) **HOUSING ASSEMBLY, ANTENNA ASSEMBLY, AND ELECTRONIC DEVICE**

(71) Applicant: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Guangdong (CN)

(72) Inventor: **Yuhu Jia**, Guangdong (CN)

(73) Assignee: **SHENZHEN HEYTAP TECHNOLOGY CORP., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/891,964**

(22) Filed: **Jun. 3, 2020**

(65) **Prior Publication Data**

US 2020/0411993 A1 Dec. 31, 2020

(30) **Foreign Application Priority Data**

Jun. 30, 2019 (CN) 201910588901.X

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 1/42 (2006.01)
H01Q 15/00 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0414** (2013.01); **H01Q 1/422** (2013.01); **H01Q 15/0026** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/422; H01Q 1/42; H01Q 1/22; H01Q 1/243; H01Q 1/38; H01Q 1/50; H01Q 1/523
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,323,825 B1 11/2001 Zidek et al.
9,065,175 B2* 6/2015 Corbin H05K 1/0215
(Continued)

FOREIGN PATENT DOCUMENTS

CN 102931454 A 2/2013
CN 104685578 A 6/2015
(Continued)

OTHER PUBLICATIONS

“3GPP TS 38.101-2” retrieved from the Internet: https://www.3gpp.org/ftp/Specs/archive/38_series/38.101-2.
(Continued)


Primary Examiner — Lam T Mai

(74) *Attorney, Agent, or Firm* — Young Basile Hanlon & MacFarlane, P.C.

(57) **ABSTRACT**

A housing assembly, an antenna assembly, and an electronic device are provided according to the present disclosure. The housing assembly includes a dielectric substrate and a radio-wave transparent structure. The dielectric substrate has a first transmittance for a radio frequency signal in a preset frequency band. The radio-wave transparent structure includes a first radio-wave transparent layer and a second radio-wave transparent layer coupled with the first radio-wave transparent layer. The first radio-wave transparent layer and the second radio-wave transparent layer are indirectly stacked together, and the radio-wave transparent structure at least partially covers the dielectric substrate. A region of the housing assembly corresponding to the radio-wave transparent structure has a second transmittance for the radio frequency signal in the preset frequency band, and the second transmittance is larger than the first transmittance.

20 Claims, 31 Drawing Sheets





US011205859B2

(12) **United States Patent**
Segador Alvarez et al.

(10) **Patent No.:** **US 11,205,859 B2**

(45) **Date of Patent:** **Dec. 21, 2021**

(54) **DUAL-POLARIZED RADIATING ELEMENT AND ANTENNA**

(71) Applicant: **Huawei Technologies Co., Ltd.**,
Shenzhen (CN)

(72) Inventors: **Juan Segador Alvarez**, Munich (DE);
Tao Tang, Dongguan (CN); **Bruno Biscontini**, Munich (DE)

(73) Assignee: **Huawei Technologies Co., Ltd.**,
Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/673,430**

(22) Filed: **Nov. 4, 2019**

(65) **Prior Publication Data**

US 2020/0067205 A1 Feb. 27, 2020

Related U.S. Application Data

(63) Continuation of application No.
PCT/EP2017/060689, filed on May 4, 2017.

(51) **Int. Cl.**
H01Q 21/26 (2006.01)
H01Q 5/307 (2015.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 21/26** (2013.01); **H01Q 5/307**
(2015.01); **H01Q 9/26** (2013.01); **H01Q 21/0006** (2013.01); **H01Q 1/243** (2013.01);
H01Q 1/246 (2013.01); **H01Q 19/08**
(2013.01); **H01Q 21/062** (2013.01); **H01Q 21/30** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 21/26; H01Q 21/30; H01Q 21/062;
H01Q 19/108; H01Q 1/243; H01Q
21/065

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,976,534 A * 3/1961 Kampinsky H01Q 21/22
343/756

2008/0284656 A1 11/2008 Petropoulos
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1688067 A 10/2005
CN 201018007 Y 2/2008

(Continued)

OTHER PUBLICATIONS

CN/201780090402.7, Notice of Allowance/Search Report, dated Feb. 4, 2021.


Primary Examiner — Joseph J Lauture

(74) *Attorney, Agent, or Firm* — Leydig, Voit & Mayer, Ltd.

(57) **ABSTRACT**

The present disclosure provides a dual-polarized radiating element comprising a feeding arrangement and four dipole arms. The feeding arrangement comprises four slots, which extend from a periphery towards a center of the feeding arrangement and are arranged at regular angular intervals forming a first angular arrangement. The four dipole arms extend outwards from the feeding arrangement and are arranged at regular angular intervals forming a second angular arrangement. The second angular arrangement of the four dipole arms is rotated with respect to the first angular arrangement of the four slots.

19 Claims, 15 Drawing Sheets





(12) **United States Patent**
Wu et al.

(10) **Patent No.:** **US 11,217,873 B2**
(45) **Date of Patent:** **Jan. 4, 2022**

(54) **ANTENNA MODULE**

(56) **References Cited**

(71) Applicants: **Chao-Lin Wu**, Taipei (TW); **Shih-Chia Liu**, Taipei (TW); **Yen-Hao Yu**, Taipei (TW); **Li-Chun Lee**, Taipei (TW); **Jhin-Ciang Chen**, Taipei (TW); **Jui-Hung Lai**, Taipei (TW)

U.S. PATENT DOCUMENTS

2015/0270618 A1* 9/2015 Zhu H01Q 13/103
343/702
2015/0340756 A1* 11/2015 Huang H01Q 1/243
343/702

(72) Inventors: **Chao-Lin Wu**, Taipei (TW); **Shih-Chia Liu**, Taipei (TW); **Yen-Hao Yu**, Taipei (TW); **Li-Chun Lee**, Taipei (TW); **Jhin-Ciang Chen**, Taipei (TW); **Jui-Hung Lai**, Taipei (TW)

FOREIGN PATENT DOCUMENTS

CN 103199335 7/2013
CN 103779660 5/2014
(Continued)

(73) Assignee: **COMPAL ELECTRONICS, INC.**, Taipei (TW)

OTHER PUBLICATIONS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 121 days.

“Office Action of Taiwan Counterpart Application,” dated Dec. 11, 2019, p. 1-p. 6.

(Continued)

(21) Appl. No.: **16/253,170**

Primary Examiner — Alexander H Taningco

(22) Filed: **Jan. 21, 2019**

Assistant Examiner — Amy X Yang

(74) *Attorney, Agent, or Firm* — JCIPRNET

(65) **Prior Publication Data**

US 2019/0237847 A1 Aug. 1, 2019

Related U.S. Application Data

(60) Provisional application No. 62/621,561, filed on Jan. 24, 2018.

(51) **Int. Cl.**
H01Q 1/22 (2006.01)
H04B 1/00 (2006.01)
(Continued)


(52) **U.S. Cl.**
CPC **H01Q 1/22** (2013.01); **H01Q 13/10** (2013.01); **H04B 1/0053** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC H01Q 1/22; H01Q 13/10; H01Q 1/243;
H01Q 5/335; H01Q 9/42; H01Q 5/371;
(Continued)

(57) **ABSTRACT**

The disclosure provides an antenna module adapted for an electronic device having a metal casing. The antenna module includes an antenna structure and a slot structure. The antenna structure includes a radiation portion, a feeding portion, a ground portion and an extension portion, wherein the feeding portion, the ground portion and the extension portion are connected to the radiation portion. The slot structure has an open end and a closed end, wherein the open end of the slot structure is adjacent to the extension portion of the antenna structure. The antenna structure is excited and resonates to generate a first antenna resonant mode, and the slot structure is coupled to the antenna structure and resonates to generate a second antenna resonant mode.

14 Claims, 8 Drawing Sheets





US011217875B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 11,217,875 B2**
(45) **Date of Patent:** **Jan. 4, 2022**

(54) **ELECTRONIC DEVICE COMPRISING ANTENNA**

(56) **References Cited**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(72) Inventors: **Dong Yeon Kim**, Gyeonggi-do (KR);
Jun Hwa Oh, Seoul (KR); **Hyung Joo Lee**, Gyeonggi-do (KR); **Soon Ho Hwang**, Seoul (KR); **Sung Hyup Lee**, Gyeonggi-do (KR); **Yoon Jae Lee**, Gyeonggi-do (KR)

U.S. PATENT DOCUMENTS

6,347,044 B1 * 2/2002 Won G06F 1/1616
174/138 G

7,369,091 B2 5/2008 Man et al.
7,511,673 B2 3/2009 Man et al.
7,940,222 B2 5/2011 Man et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 203071225 7/2013
CN 103985953 8/2014
(Continued)

OTHER PUBLICATIONS

Definition of term "Spaced", retrieved from <https://www.dictionary.com/browse/space?s=t> (Year: 2019).*

(Continued)

(73) Assignee: **Samsung Electronics Co., Ltd.**

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/935,504**

(22) Filed: **Mar. 26, 2018**

(65) **Prior Publication Data**

US 2018/0277934 A1 Sep. 27, 2018

(30) **Foreign Application Priority Data**

Mar. 24, 2017 (KR) 10-2017-0037523

(51) **Int. Cl.**

H01Q 1/24 (2006.01)
H01Q 1/38 (2006.01)
H01Q 9/42 (2006.01)
H04M 1/02 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/38** (2013.01); **H01Q 9/42** (2013.01); **H04M 1/026** (2013.01)

(58) **Field of Classification Search**

None

See application file for complete search history.


Primary Examiner — Gennadiy Tsvey

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm, P.C.

(57) **ABSTRACT**

An electronic device includes a cover glass, a display exposed through the cover glass, a housing for mounting the display, a first printed circuit board (PCB) and a second PCB that are disposed inside the housing, a back cover coupled to the housing, a first antenna element electrically connected to a ground area through the first PCB, and a communication circuit feeding the first antenna element and transmitting or receiving a signal through the first antenna element. A spaced distance between the first PCB and the display is longer than a spaced distance between the second PCB and the display.

13 Claims, 20 Drawing Sheets





US011217878B2

(12) **United States Patent**
Jeong et al.

(10) **Patent No.:** **US 11,217,878 B2**

(45) **Date of Patent:** **Jan. 4, 2022**

- (54) **DUAL POLARIZED ANTENNA AND ELECTRONIC DEVICE INCLUDING THE SAME**

- (58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 1/1221; H01Q 1/2283;
H01Q 1/405; H01Q 9/0407; H01Q 9/045;
H01Q 21/08; H01Q 21/24
See application file for complete search history.

- (71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

- (56)
- References Cited**

- (72) Inventors: **Myunghun Jeong**, Suwon-si (KR); **Jaehoon Jo**, Suwon-si (KR); **Dongyeon Kim**, Suwon-si (KR); **Hosaeng Kim**, Suwon-si (KR); **Seongjin Park**, Suwon-si (KR); **Sumin Yun**, Suwon-si (KR); **Woomin Jang**, Suwon-si (KR); **Jehun Jong**, Suwon-si (KR); **Jaebong Chun**, Suwon-si (KR)

U.S. PATENT DOCUMENTS

5,708,444	A	1/1998	Pouwels et al.
6,515,628	B2	2/2003	Roberts

(Continued)

FOREIGN PATENT DOCUMENTS

- (73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

JP	2019-009763	A	1/2019
KR	10-0965729	B1	6/2010
KR	10-2020-0007377	A	1/2020

OTHER PUBLICATIONS

- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

International Search Report dated May 22, 2020, issued in an International Application No. PCT/KR2020/001947.

Primary Examiner — Hoang V Nguyen

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

- (21) Appl. No.: 16/788,822

- (22) Filed: **Feb. 12, 2020**

- (57) **ABSTRACT**

- (65) **Prior Publication Data**

US 2020/0266521 A1 Aug. 20, 2020

- (30) **Foreign Application Priority Data**

Feb. 15, 2019 (KR) 10-2019-0017915


- (51) **Int. Cl.**
H01Q 1/24 (2006.01)
H04M 1/02 (2006.01)

(Continued)

- (52) **U.S. Cl.**
CPC *H01Q 1/243* (2013.01); *H01Q 1/2283*
(2013.01); *H01Q 9/0407* (2013.01); *H04M*
1/0266 (2013.01)

An electronic device is provided. The electronic device includes a housing and an antenna structure. The housing includes a front plate, a rear plate, and a lateral member surrounding a space between the front and rear plates. The antenna structure is disposed in the space includes a printed circuit board (PCB) disposed in the space and includes a ground layer at least in part. The antenna structure further includes at least one conductive patch disposed on the PCB in a second direction and configured to transmit and/or receive first and second signals having a frequency between about 3 GHz and about 100 GHz. The conductive patch includes a first feeder and a second feeder. The first feeder is disposed on a first virtual line passing through a center of the conductive patch and forming a first angle with respect to a virtual axis passing through the center and perpendicular to the second direction, and configured to transmit and/or

(Continued)





US011217879B2

(12) **United States Patent**
Liu

(10) **Patent No.:** **US 11,217,879 B2**
(45) **Date of Patent:** **Jan. 4, 2022**

(54) **ANTENNA ASSEMBLY AND ELECTRONIC
DEVICE USING SAME**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

2011/0032157 A1 * 2/2011 Suh H01Q 5/371
343/702

(72) Inventor: **Feng Liu**, Shenzhen (CN)

2018/0123234 A1 * 5/2018 Wang H01Q 9/42

2020/0076080 A1 * 3/2020 Liu H01Q 21/28

(73) Assignee: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

2020/0321688 A1 * 10/2020 Khripkov H01Q 1/243

2020/0412412 A1 * 12/2020 Su H01Q 1/38

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

CA 2287329 A1 * 8/1999 H01Q 1/526

EP 3324484 A1 * 5/2018 H01Q 13/10

WO WO-2019209285 A1 * 10/2019 H01Q 1/243

(21) Appl. No.: **16/936,412**

* cited by examiner

(22) Filed: **Jul. 22, 2020**

Primary Examiner — Lewis G West

(65) **Prior Publication Data**

(74) *Attorney, Agent, or Firm* — W&G Law Group

US 2020/0411955 A1 Dec. 31, 2020

Related U.S. Application Data

(57) **ABSTRACT**

(63) Continuation of application No.
PCT/CN2019/093346, filed on Jun. 27, 2019.

The present application provides an antenna assembly and an electronic device. The antenna assembly includes a plastic housing, a frame body and a circuit board arranged in the frame body, wherein the frame body includes a middle frame and an outer metal frame surrounding the edge of the middle frame and connected with the middle frame. The plastic housing covers the outer side of the outer metal frame. A number of gaps are arranged on the outer metal frame. The present application can randomly set the positions of the gaps as described in requirements of an antenna structure, then the performance of the antennas can be ensured, and the attractiveness is not affected.


(51) **Int. Cl.**
H01Q 1/24 (2006.01)

H04M 1/02 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H04M 1/026**
(2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/243; H04M 1/0266
See application file for complete search history.

4 Claims, 6 Drawing Sheets





US011217887B2

(12) **United States Patent**
Li et al.

(10) **Patent No.:** **US 11,217,887 B2**
(45) **Date of Patent:** **Jan. 4, 2022**

(54) **ANTENNA MODULE**

(56) **References Cited**

(71) Applicants: **Inventec (Pudong) Technology Corporation**, Shanghai (CN);
INVENTEC CORPORATION, Taipei (TW)

U.S. PATENT DOCUMENTS

10,910,698 B2 * 2/2021 Wei H01Q 1/244
2008/0258992 A1 * 10/2008 Tsai H01Q 1/2266
343/853
2015/0002359 A1 * 1/2015 Dong H01Q 1/243
343/853
2018/0006369 A1 * 1/2018 Higaki H01Q 3/247
2020/0021029 A1 * 1/2020 Chou H01Q 9/04

(72) Inventors: **Chih-Cheng Li**, Taipei (TW); **Ssu-Han Ting**, Taipei (TW)

(73) Assignees: **Inventec (Pudong) Technology Corporation**, Shanghai (CN);
INVENTEC CORPORATION, Taipei (TW)

FOREIGN PATENT DOCUMENTS

TW 201303560 A 1/2013
TW 201611408 A 3/2016
TW 202007097 A 2/2020

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

* cited by examiner

Primary Examiner — Hasan Islam

(74) *Attorney, Agent, or Firm* — CKC & Partners Co., LLC

(21) Appl. No.: **16/902,283**

(22) Filed: **Jun. 16, 2020**

(65) **Prior Publication Data**

US 2021/0376459 A1 Dec. 2, 2021

(30) **Foreign Application Priority Data**

Jun. 2, 2020 (CN) 202010490475.9

(51) **Int. Cl.**
H01Q 1/48 (2006.01)
H01Q 9/04 (2006.01)


(52) **U.S. Cl.**
CPC **H01Q 1/48** (2013.01); **H01Q 9/0457** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/24-1/48; H01Q 9/0407; H01Q 9/0457; H01Q 1/243
See application file for complete search history.

(57) **ABSTRACT**

An antenna module includes a grounding plane, a first high-frequency radiator, a second high-frequency radiator, and a low-frequency grounding component. The first high-frequency radiator includes a first feeding portion, a first grounding portion, and a first radiating portion. The first grounding portion is coupled to the grounding plane. The second high-frequency radiator includes a second feeding portion, a second grounding portion, and a second radiating portion. The second grounding portion is coupled to the grounding plane. The low-frequency grounding component located between the first and second high-frequency radiators. The low-frequency grounding component includes a third grounding portion which is coupled to the grounding plane, a first coupling portion, and a second coupling portion. The low-frequency grounding component extends from the third grounding portion and extends in a first direction and a second direction of a first axis respectively to form the first and second coupling portions.

8 Claims, 5 Drawing Sheets



(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 11,217,892 B2**
(45) **Date of Patent:** **Jan. 4, 2022**

(54) **ANTENNA STRUCTURE**

(71) Applicant: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(72) Inventors: **Cheng-Han Lee**, New Taipei (TW);
Te-Chang Lin, New Taipei (TW);
Huo-Ying Chang, New Taipei (TW);
Min-Hui Ho, New Taipei (TW)

(73) Assignee: **Chiun Mai Communication Systems, Inc.**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 500 days.

(21) Appl. No.: **16/217,066**

(22) Filed: **Dec. 12, 2018**

(65) **Prior Publication Data**

US 2019/0181554 A1 Jun. 13, 2019

Related U.S. Application Data

(60) Provisional application No. 62/614,364, filed on Jan. 6, 2018, provisional application No. 62/597,442, filed on Dec. 12, 2017.

(51) **Int. Cl.**
H01Q 5/35 (2015.01)
H01Q 9/28 (2006.01)
H01Q 3/24 (2006.01)
H01Q 9/42 (2006.01)
H01Q 5/335 (2015.01)
H01Q 21/28 (2006.01)
H01Q 1/24 (2006.01)
H01Q 13/10 (2006.01)
H01Q 9/30 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/35** (2015.01); **H01Q 1/243** (2013.01); **H01Q 3/247** (2013.01); **H01Q 5/335** (2015.01); **H01Q 9/285** (2013.01); **H01Q 9/30** (2013.01); **H01Q 9/42** (2013.01); **H01Q 13/10** (2013.01); **H01Q 21/28** (2013.01)

(58) **Field of Classification Search**

USPC 343/702
See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0009983 A1* 1/2012 Mow H04B 1/40 455/575.7
2015/0372372 A1 12/2015 Lee et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 104300215 A 1/2015
CN 105552552 A 5/2016
(Continued)

OTHER PUBLICATIONS

CN 107317095 with English translation, year 2017, 13 pgs.*

Primary Examiner — Trinh V Dinh

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.


(57)

ABSTRACT

An antenna structure includes a housing, a first feed source, and a second feed source. The first feed source is electrically coupled to a first radiating portion of the housing and adapted to provide an electric current to the first radiating portion. The second feed source is electrically coupled to one of a second radiating portion or a third radiating portion of the housing. The other one of the second radiating portion or the third radiating portion is electrically coupled to the first radiating portion.

20 Claims, 32 Drawing Sheets

100





US011217903B2

(12) **United States Patent**
Khripkov et al.

(10) **Patent No.:** **US 11,217,903 B2**
(45) **Date of Patent:** **Jan. 4, 2022**

(54) **ANTENNA SYSTEM FOR A WIRELESS COMMUNICATION DEVICE**

(71) Applicant: **HUAWEI TECHNOLOGIES CO., LTD.**, Guangdong (CN)

(72) Inventors: **Alexander Khripkov**, Helsinki (FI);
Linsheng Li, Kista (SE)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Guangdong (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/757,821**

(22) PCT Filed: **Nov. 15, 2017**

(86) PCT No.: **PCT/EP2017/079321**

§ 371 (c)(1),

(2) Date: **Apr. 21, 2020**

(87) PCT Pub. No.: **WO2019/096376**

PCT Pub. Date: **May 23, 2019**

(65) **Prior Publication Data**

US 2021/0194153 A1 Jun. 24, 2021

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 21/06 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 21/064** (2013.01); **H01Q 1/243** (2013.01); **H01Q 13/085** (2013.01); **H01Q 13/10** (2013.01); **H04W 16/28** (2013.01)

(58) **Field of Classification Search**

CPC **H01G 21/064**; **H01G 1/243**; **H01G 13/085**;
H01G 13/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2005/0219126 A1 10/2005 Rebeiz et al.
2014/0240186 A1 8/2014 Zhou et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 204947073 U 1/2016
CN 106129594 A 11/2016

(Continued)

OTHER PUBLICATIONS

R4-1703345 Huawei, HiSilicon, "On mmWave UE reference architecture for EIS assumption", 3GPP TSG-RAN WG4 Meeting #82b, Spokane, Washington, USA, Apr. 3-7, 2017 (2 pages).

(Continued)


Primary Examiner — Graham P Smith

(74) *Attorney, Agent, or Firm* — Westerman, Hattori, Daniels & Adrian, LLP

(57) **ABSTRACT**

An antenna system for a mobile device includes a first trough antenna element formed by a first planar conductive member, a second conductive member spaced apart from the first planar conductive member; and a back wall member disposed between the first planar conductive member and the second conductive member. A first slot antenna is formed in the first planar conductive member and the second conductive member adjacent to the first trough antenna element.

14 Claims, 16 Drawing Sheets





US011218583B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 11,218,583 B2**
(45) **Date of Patent:** **Jan. 4, 2022**

(54) **MOBILE TERMINAL**

(71) Applicant: **LG ELECTRONICS INC.**, Seoul (KR)

(72) Inventors: **Jaewon Lee**, Seoul (KR); **Seungwoo Ryu**, Seoul (KR); **Joohee Lee**, Seoul (KR); **Junyoung Jung**, Seoul (KR); **Jaewan Kim**, Seoul (KR); **Sangjo Park**, Seoul (KR)

(73) Assignee: **LG ELECTRONICS INC.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/590,287**

(22) Filed: **Oct. 1, 2019**

(65) **Prior Publication Data**

US 2020/0036824 A1 Jan. 30, 2020

Related U.S. Application Data

(63) Continuation of application No. 16/034,215, filed on Jul. 12, 2018, now Pat. No. 10,455,065.
(Continued)

(30) **Foreign Application Priority Data**

May 2, 2018 (KR) 10-2018-0050813

(51) **Int. Cl.**

H04M 1/02 (2006.01)
H01Q 9/04 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H04M 1/0277** (2013.01); **H01Q 1/2283** (2013.01); **H01Q 1/243** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC H04M 1/0277; H04M 1/0274; H01Q 21/065; H01Q 1/243; H01Q 9/0435;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,522,900 B2 12/2019 Khripkov et al.
2006/0139210 A1 6/2006 Stavros et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 101809814 8/2010
CN 103367864 10/2013
(Continued)

OTHER PUBLICATIONS

United States Patent and Trademark Office U.S. Appl. No. 16/034,215, Final Office Action dated Feb. 26, 2019, 12 pages.
(Continued)


Primary Examiner — Marcos L Torres

(74) *Attorney, Agent, or Firm* — Lee, Hong, Degerman, Kang & Waimey PC

(57) **ABSTRACT**

The present disclosure discloses a mobile terminal, including a case forming a portion of an appearance; a circuit board disposed inside the case; a flexible printed circuit board electrically connected to the circuit board; a first connector mounted on the circuit board; a second connector mounted on the flexible printed circuit board and fastened to the first connector; and a first antenna having array elements mounted on the flexible printed circuit board, wherein the first antenna is disposed to face a side surface of the case to radiate beam-formed wireless signals through the side surface adjacent to one side of the circuit board.

18 Claims, 10 Drawing Sheets





US011223102B2

(12) **United States Patent**
Jeon

(10) **Patent No.:** **US 11,223,102 B2**

(45) **Date of Patent:** **Jan. 11, 2022**

(54) **ANTENNA ARRAY AND ELECTRONIC
DEVICE INCLUDING ANTENNA ARRAY**

(58) **Field of Classification Search**

CPC H01Q 1/24; H01Q 21/0006; H01Q 21/06;
H01Q 1/38; H01Q 1/243; H01Q 9/04

See application file for complete search history.

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,859,174 B2 2/2005 Kane et al.
7,242,352 B2 7/2007 Tavassoli Hozouri
7,298,339 B1 11/2007 Ollikainen

(Continued)

(72) Inventor: **Seung Gil Jeon**, Gyeonggi-do (KR)

(73) Assignee: **Samsung Electronics Co., Ltd** (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 143 days.

FOREIGN PATENT DOCUMENTS

EP 2 038 962 3/2009
EP 2 950 385 12/2015

(Continued)

(21) Appl. No.: **16/614,710**

(22) PCT Filed: **May 17, 2018**

(86) PCT No.: **PCT/KR2018/005660**

§ 371 (c)(1),

(2) Date: **Nov. 18, 2019**

OTHER PUBLICATIONS

PCT/ISA/210 Search Report issued on PCT/KR2018/005660, pp. 5.
(Continued)

(87) PCT Pub. No.: **WO2018/221879**

PCT Pub. Date: **Dec. 6, 2018**

Primary Examiner — David E Lotter

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm,
P.C.

(65) **Prior Publication Data**

US 2020/0076055 A1 Mar. 5, 2020

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

May 30, 2017 (KR) 10-2017-0066626

An electronic device according to an embodiment of the disclosure may include housing including a rear cover and a cover glass facing away from the rear cover, an antenna array interposed between the rear cover and the cover glass and including at least one or more antenna units, a printed circuit board (PCB) interposed between the antenna array and the cover glass, and a communication circuit disposed on the PCB and feeding the antenna array. Other various embodiments as understood from the specification are also possible.

13 Claims, 25 Drawing Sheets

(51) **Int. Cl.**


H01Q 1/24 (2006.01)

H01Q 21/00 (2006.01)

H01Q 21/06 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/24** (2013.01); **H01Q 21/0006**
(2013.01); **H01Q 21/06** (2013.01)





US011223103B2

(12) **United States Patent**
Gu

(10) **Patent No.:** **US 11,223,103 B2**
(45) **Date of Patent:** **Jan. 11, 2022**

(54) **ANTENNA DEVICE AND MIMO ANTENNA ARRAYS FOR ELECTRONIC DEVICE**

(71) Applicant: **Huanhuan Gu**, Waterloo (CA)

(72) Inventor: **Huanhuan Gu**, Waterloo (CA)

(73) Assignee: **Huawei Technologies Co., Ltd.**,
Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 574 days.

(21) Appl. No.: **15/881,343**

(22) Filed: **Jan. 26, 2018**

(65) **Prior Publication Data**

US 2019/0237851 A1 Aug. 1, 2019

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 1/24 (2006.01)
H01Q 5/10 (2015.01)
H01Q 5/35 (2015.01)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 5/10**
(2015.01); **H01Q 5/35** (2015.01); **H01Q**
9/0435 (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 5/10; H01Q 5/35;
H01Q 9/0435; H01Q 21/28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,671,804 B2* 3/2010 Zhang H01Q 5/371
343/700 MS
2012/0299785 A1* 11/2012 Bevelacqua H01Q 5/328
343/702

2013/0099996 A1* 4/2013 Tseng H01Q 9/42
343/876
2013/0300618 A1* 11/2013 Yarga H01Q 1/38
343/720
2015/0188225 A1* 7/2015 Chang H01Q 1/243
343/702
2017/0047950 A1* 2/2017 Chen H01Q 1/243
(Continued)

FOREIGN PATENT DOCUMENTS

CN 103066375 A 4/2013
CN 205104610 U 3/2016
(Continued)

OTHER PUBLICATIONS

Dongtak Kim et al., "MIMO Antenna with Decoupling Network for Headset Applications", 2013 Asia-Pacific Microwave Conference Proceedings, pp. 46-48.


(Continued)

Primary Examiner — David E Lotter

(57) **ABSTRACT**

Radio Frequency (RF) signal antenna devices and MIMO antenna portion arrays including the RF signal antenna devices are described. An antenna device includes a radiator that functions both as a first antenna and as a second antenna, a ground terminal directly connected to the radiator between a first end and a second end of the radiator, a first feed terminal for the first antenna, directly connected to the radiator at a first feed point between the first end of the radiator and the ground terminal; and a second feed terminal for the second antenna, directly connected to the radiator at a second feed point between the second end of the radiator and the ground terminal.

18 Claims, 12 Drawing Sheets





US011223104B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 11,223,104 B2**
(45) **Date of Patent:** ***Jan. 11, 2022**

(54) **ELECTRONIC DEVICE WITH ANTENNA DEVICE**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Young-Ju Lee**, Seoul (KR); **Seung-Tae Ko**, Bucheon-si (KR); **Hyun-Jin Kim**,
Seoul (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **16/417,081**

(22) Filed: **May 20, 2019**

(65) **Prior Publication Data**

US 2019/0273308 A1 Sep. 5, 2019

Related U.S. Application Data

(63) Continuation of application No. 15/401,022, filed on
Jan. 7, 2017, now Pat. No. 10,297,900.

(30) **Foreign Application Priority Data**

Jan. 7, 2016 (KR) 10-2016-0002003

(51) **Int. Cl.**
H01Q 15/02 (2006.01)
H01Q 1/24 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/38**
(2013.01); **H01Q 1/44** (2013.01); **H01Q 15/02**
(2013.01);

(Continued)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 1/38; H01Q 15/02;
H01Q 15/08; H01Q 1/2291

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,598,173 A 1/1997 Lo Forti et al.
9,190,728 B2 11/2015 Cheng et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1519983 A 8/2004
CN 102377021 B 7/2014

(Continued)

OTHER PUBLICATIONS

Foreign Communication from Related Counterpart Application,
European Patent Office, "Supplementary European Search Report,"
Application No. EP 16884026.2, dated Oct. 18, 2018, 10 pages.


(Continued)

Primary Examiner — David E Lotter

(57) **ABSTRACT**

According to various embodiments of the present disclosure, an electronic device may include: an array antenna including a plurality of first radiating conductors that transmit or receive a wireless signal in a first frequency band and are arranged on a circuit board; and a lens unit including at least one lens disposed on a housing of the electronic device to correspond to the first radiating conductors. The lens unit may refract or reflect a wireless signal transmitted/received through each of the first radiating conductors. The electronic device as described above may be variously implemented according to embodiments. For example, a portion of the lens unit may transmit/receive a wireless signal in a frequency band that is different from the frequency band of the wireless signal transmitted/received by the first radiating conductors.

15 Claims, 18 Drawing Sheets





US011223106B2

(12) **United States Patent**
Khripkov et al.

(10) **Patent No.:** **US 11,223,106 B2**

(45) **Date of Patent:** **Jan. 11, 2022**

(54) **ANTENNA SYSTEM FOR A WIRELESS COMMUNICATION DEVICE**

(71) Applicants: **Huawei Technologies Co., Ltd.**,
Shenzhen (CN); **Alexander Khripkov**,
Helsinki (FI)

(72) Inventors: **Alexander Khripkov**, Helsinki (FI);
Joonas Krogerus, Helsinki (FI); **Arun Sowpati**, Helsinki (FI); **Zlatoljub Milosavljevic**, Helsinki (FI)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 28 days.

(21) Appl. No.: **16/753,513**

(22) PCT Filed: **Oct. 5, 2017**

(86) PCT No.: **PCT/EP2017/075385**

§ 371 (c)(1),

(2) Date: **Apr. 3, 2020**

(87) PCT Pub. No.: **WO2019/068331**

PCT Pub. Date: **Apr. 11, 2019**

(65) **Prior Publication Data**

US 2020/0321688 A1 Oct. 8, 2020

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 1/48 (2006.01)

H01Q 5/35 (2015.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 5/35**
(2015.01)

(58) **Field of Classification Search**

None

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,493,272 B2 7/2013 Ollikainen et al.
8,907,853 B2 * 12/2014 Ying H01Q 1/243
343/702
9,236,659 B2 * 1/2016 Vazquez H01Q 9/145
9,350,069 B2 * 5/2016 Pascolini H01Q 1/243
9,413,058 B1 8/2016 Kuo et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 107026326 A 8/2017
EP 3057176 A1 8/2016

(Continued)


Primary Examiner — Tuan A Tran

(74) *Attorney, Agent, or Firm* — Slater Matsil, LLP

(57) **ABSTRACT**

An antenna system for a mobile device includes a first electrically conductive member having a plurality of segments including at least a first corner segment and a central segment that is disposed adjacent to the first corner segment. A dielectric material is disposed in a gap between the first corner segment and the central segment. A second electrically conductive member is disposed within the mobile device. A first end of the second electrically conductive member is connected to the first corner segment. A portion of the second electrically conductive member away from the first end is electrically connected to a first feeding portion. The central segment is connected to a second feeding portion.

20 Claims, 18 Drawing Sheets





US011223115B2

(12) **United States Patent**
Hashiguchi

(10) **Patent No.:** **US 11,223,115 B2**
(45) **Date of Patent:** **Jan. 11, 2022**

(54) **ANTENNA**

(71) Applicant: **JAPAN AVIATION ELECTRONICS
INDUSTRY, LIMITED**, Tokyo (JP)

(72) Inventor: **Osamu Hashiguchi**, Tokyo (JP)

(73) Assignee: **JAPAN AVIATION ELECTRONICS
INDUSTRY, LIMITED**, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 85 days.

(21) Appl. No.: **16/736,909**

(22) Filed: **Jan. 8, 2020**

(65) **Prior Publication Data**

US 2020/0287276 A1 Sep. 10, 2020

(30) **Foreign Application Priority Data**

Mar. 5, 2019 (JP) JP2019-039447

(51) **Int. Cl.**
H01Q 1/36 (2006.01)
H01Q 1/50 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/36** (2013.01); **H01Q 1/50**
(2013.01)

(58) **Field of Classification Search**
USPC 343/906
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,091,731 A 2/1992 Rees
6,950,068 B2 9/2005 Bordi et al.

7,518,567 B2 4/2009 Utagawa et al.
7,525,711 B1 4/2009 Rule et al.
8,587,494 B2 11/2013 Lee et al.
9,018,110 B2 4/2015 Stowell et al.
9,306,288 B2 4/2016 Park et al.
9,484,631 B1 * 11/2016 Naples H01Q 5/371
9,502,761 B2 11/2016 Itoh et al.
9,806,418 B2 10/2017 Lin
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1258833 C 6/2006
CN 101981754 A 2/2011
(Continued)

OTHER PUBLICATIONS

Extended European Search Report (EESR) dated Jun. 12, 2020
issued in European Application No. 20150934.6.

(Continued)


Primary Examiner — Peguy Jean Pierre

(74) *Attorney, Agent, or Firm* — Holtz, Holtz & Volek PC

(57) **ABSTRACT**

A main portion of an antenna has a ring-shape with a split and has a first end portion and a second end portion which form the split. A facing portion has a first facing portion provided on the first end portion and a second facing portion provided on the second end portion. The first facing portion and the second facing portion are arranged apart from each other and face each other. A first feeding terminal, a second feeding terminal and an additional terminal are provided on the main portion and used to be fixed to an object when the antenna is mounted on the object. On the main portion, the first feeding terminal is situated nearer to the first end portion than the second feeding terminal is situated, and the additional terminal is situated nearer to the second end portion than the second feeding terminal is situated.

8 Claims, 8 Drawing Sheets





US011223141B2

(12) **United States Patent**
Liu

(10) **Patent No.:** **US 11,223,141 B2**
(45) **Date of Patent:** **Jan. 11, 2022**

(54) **PLANAR ANTENNA MODULE**

(71) Applicant: **ACCTON TECHNOLOGY CORPORATION**, Hsinchu (TW)

(72) Inventor: **Chang-Cheng Liu**, Hsinchu (TW)

(73) Assignee: **ACCTON TECHNOLOGY CORPORATION**, Hsinchu (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 149 days.

(21) Appl. No.: **16/505,033**

(22) Filed: **Jul. 8, 2019**

(65) **Prior Publication Data**

US 2020/0083615 A1 Mar. 12, 2020

(30) **Foreign Application Priority Data**

Sep. 7, 2018 (CN) 201821468159.6

(51) **Int. Cl.**
H01Q 21/06 (2006.01)
H01Q 1/38 (2006.01)
H01Q 9/04 (2006.01)
H01Q 15/24 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 21/061** (2013.01); **H01Q 1/38** (2013.01); **H01Q 9/0421** (2013.01); **H01Q 9/0435** (2013.01); **H01Q 15/24** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 21/061; H01Q 1/38; H01Q 9/0435; H01Q 15/24; H01Q 9/0421; H01Q 21/065; H01Q 9/045; H01Q 21/24; H01Q 21/006; H01Q 21/0075; H01P 3/08; H01P 3/081

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2004/0075613 A1* 4/2004 Jarmuszewski H01Q 9/26 343/702
2018/0219283 A1* 8/2018 Wilkins H01Q 9/045
2019/0165476 A1* 5/2019 Hong H01Q 19/005

* cited by examiner


Primary Examiner — David E Lotter

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(57) **ABSTRACT**

A planar antenna module includes a plurality of planar antennas, a first transmission line electrically connected to the planar antennas, and at least one gain enhancement structure formed on the first transmission line. Each gain enhancement structure has a plurality of toothed portions spaced apart. With the design of the gain enhancement structure, the gain of the planar antenna module could be enhanced.

15 Claims, 12 Drawing Sheets



(12) **United States Patent**
Shen

(10) **Patent No.:** **US 11,228,099 B2**
(45) **Date of Patent:** **Jan. 18, 2022**

(54) **OMNIDIRECTIONAL ANTENNA AND ELECTRONIC DEVICE**

(71) Applicant: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(72) Inventor: **Yachuan Shen**, Shenzhen (CN)

(73) Assignee: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 16 days.

(21) Appl. No.: **16/702,487**

(22) Filed: **Dec. 3, 2019**

(65) **Prior Publication Data**

US 2020/0212550 A1 Jul. 2, 2020

(30) **Foreign Application Priority Data**

Dec. 28, 2018 (CN) 201822240807.9

(51) **Int. Cl.**
H01Q 1/38 (2006.01)
H01Q 9/40 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/38** (2013.01); **H01Q 9/40**
(2013.01)

(58) **Field of Classification Search**
CPC .. H01Q 1/38; H01Q 9/40; H01Q 1/40; H01Q 1/42; H01Q 5/378; H01Q 1/2291
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2004/0017315 A1* 1/2004 Fang H01Q 5/371
343/700 MS
2016/0365624 A1* 12/2016 Maley H01Q 21/0006

FOREIGN PATENT DOCUMENTS

CN 102142620 A1 8/2011
CN 104953288 A1 9/2015

OTHER PUBLICATIONS

PCT search report dated Jan. 23, 2020 by SIPO in related PCT Patent Application No. PCT/CN2019/113308(9 Pages).

* cited by examiner

Primary Examiner — David E Lotter


(74) *Attorney, Agent, or Firm* — W&G Law Group

(57) **ABSTRACT**

The present invention provides an omnidirectional antenna and an electronic device. The omnidirectional antenna includes a dielectric substrate, a first metal sheet and a second metal sheet that are printed on a surface of the dielectric substrate, wherein the first metal sheet is rectangular, the second metal sheet is in a strip shape with one wide end and one narrow end, the first metal sheet and the second metal sheet are arranged in a coaxial manner and spaced one another, and the wide end of the second metal sheet is close to the first metal sheet.

14 Claims, 5 Drawing Sheets

100





US011228105B2

(12) **United States Patent**
Yun et al.

(10) **Patent No.:** **US 11,228,105 B2**
(45) **Date of Patent:** **Jan. 18, 2022**

(54) **ELECTRONIC DEVICE COMPRISING ANTENNA**

21/0025; H01Q 21/28; H01Q 1/243;
H01Q 9/0407

See application file for complete search history.

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(56) **References Cited**

(72) Inventors: **Su Min Yun**, Gyeonggi-do (KR);
Myung Hun Jeong, Gyeonggi-do (KR);
Je Hun Jong, Gyeonggi-do (KR); **Jae Hoon Jo**, Gyeonggi-do (KR); **Se Hyun Park**, Gyeonggi-do (KR); **Jae Bong Chun**, Gyeonggi-do (KR)

U.S. PATENT DOCUMENTS

6,046,707 A * 4/2000 Gaughan H01Q 1/243
343/872

7,002,520 B2 2/2006 Bae
(Continued)

FOREIGN PATENT DOCUMENTS

CN 102377021 3/2012
CN 104577317 4/2015

(Continued)

OTHER PUBLICATIONS

Zhen-guo Liu, "Fabry-Perot Resonator Antenna", XP055509473,
Journal of Infrared, Millimeter and Terahertz Waves, Jan. 1, 2010,
13 pages.

(Continued)

Primary Examiner — Dieu Hien T Duong

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm,
P.C.

(73) Assignee: **Samsung Electronics Co., Ltd**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 163 days.

(21) Appl. No.: **16/202,773**

(22) Filed: **Nov. 28, 2018**

(65) **Prior Publication Data**

US 2019/0165473 A1 May 30, 2019

(30) **Foreign Application Priority Data**

Nov. 28, 2017 (KR) 10-2017-0160536

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 5/50 (2015.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 5/50** (2015.01); **H01Q 1/243**
(2013.01); **H01Q 1/42** (2013.01); **H01Q 1/44**
(2013.01);


(Continued)

(58) **Field of Classification Search**
CPC H01Q 5/50; H01Q 21/062; H01Q 1/42;
H01Q 21/065; H01Q 1/44; H01Q

(57) **ABSTRACT**

An electronic device is provided. The electronic device includes a housing including a first plate, a second plate facing the first plate and spaced from the first plate, and a side member surrounding a space between the first plate and the second plate, wherein the second plate includes a non-conductive material, at least one antenna element positioned within the space and positioned on a substrate parallel to the second plate, wherein the at least one antenna element is spaced from the second plate by a gap h, and a wireless communication circuit electrically connected to the antenna element and configured to transmit and/or receive a signal

(Continued)



(12) **United States Patent**
Liu et al.

(10) **Patent No.:** **US 11,228,111 B2**
(45) **Date of Patent:** **Jan. 18, 2022**

(54) **COMPACT DIPOLE ANTENNA DESIGN**

(56) **References Cited**

(71) Applicant: **International Business Machines Corporation**, Armonk, NY (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Duixian Liu**, Scarsdale, NY (US);
Arun Paidimarri, White Plains, NY (US);
Bodhisatwa Sadhu, Peekskill, NY (US);
Alberto Valdes Garcia, Chappaqua, NY (US)

6,373,447 B1	4/2002	Rostoker et al.	
6,424,311 B1	7/2002	Tsai et al.	
6,573,874 B1 *	6/2003	Saito	H01Q 3/247
			343/733
7,541,999 B2 *	6/2009	Matsushita	H01P 1/161
			343/770
8,193,873 B2 *	6/2012	Kato	H01Q 7/00
			333/24 R
10,135,138 B2	11/2018	Puente Baliarda et al.	
2005/0001777 A1	1/2005	Suganthan et al.	
2009/0262041 A1 *	10/2009	Ikemoto	H01Q 1/40
			343/860

(73) Assignee: **International Business Machines Corporation**, Armonk, NY (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 19 days.

(Continued)

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **16/381,528**

EP	2940794 A1	11/2015
WO	2015/062030 A1	5/2015

(22) Filed: **Apr. 11, 2019**

OTHER PUBLICATIONS

(65) **Prior Publication Data**

US 2020/0328522 A1 Oct. 15, 2020

Yang, J., et al., "Design of Miniaturized Dual-Band Microstrip Antenna for WLAN Application", Sensors 2016, <https://www.mdpi.com/1424-8220/16/7/983/pdf>, Accessed Apr. 9, 2019, pp. 1-15.

(Continued)

(51) **Int. Cl.**

H01Q 9/28	(2006.01)
H01Q 1/36	(2006.01)
H01Q 9/40	(2006.01)
H01Q 9/04	(2006.01)

Primary Examiner — Wei (Victor) Y Chan

(74) Attorney, Agent, or Firm — Scully, Scott, Murphy & Presser, P.C.; Daniel P. Morris

(52) **U.S. Cl.**

CPC **H01Q 9/285** (2013.01); **H01Q 1/36** (2013.01); **H01Q 9/0407** (2013.01); **H01Q 9/40** (2013.01)

(57)

ABSTRACT

An antenna that can be embedded in a computer system or device is described. In an example, the antenna includes a feed operable to transmit and receive power. The antenna includes a first arm being extended from the feed towards a first direction to form a first partial loop. The antenna further includes a second arm being extended from the feed towards a second direction to form a second partial loop. The second direction is different from the first direction.

(58) **Field of Classification Search**

CPC H01Q 9/285; H01Q 1/36; H01Q 9/0407; H01Q 9/40
USPC 343/703, 745, 843
See application file for complete search history.

6 Claims, 6 Drawing Sheets

