



US011283151B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 11,283,151 B2**
(45) **Date of Patent:** **Mar. 22, 2022**

(54) **ANTENNA SYSTEM FOR TRANSMITTING AND RECEIVING MM-WAVE SIGNAL**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(72) Inventors: **Ji Hoon Kim**, Suwon-si (KR); **Ji Yong Kim**, Suwon-si (KR); **Jong In Lee**, Suwon-si (KR); **Yeon Jeong Kim**, Suwon-si (KR); **Yong Jun An**, Suwon-si (KR); **Hyo Seok Na**, Suwon-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**, Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 267 days.

(21) Appl. No.: **16/202,596**

(22) Filed: **Nov. 28, 2018**

(65) **Prior Publication Data**

US 2019/0165449 A1 May 30, 2019

(30) **Foreign Application Priority Data**

Nov. 28, 2017 (KR) 10-2017-0159884

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 1/22 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/2283** (2013.01); **H01L 23/66** (2013.01); **H01P 5/187** (2013.01); **H01Q 1/24** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC .. **H01Q 1/2283**; **H01Q 9/0407**; **H01Q 9/0414**; **H01Q 21/0093**; **H01Q 1/24**;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,236,070 B2 6/2007 Ajioka et al.
8,164,396 B2 4/2012 Ishikawa et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1595649 A 3/2005
CN 102884731 A 1/2013
(Continued)

OTHER PUBLICATIONS

Notice of Rejection dated Oct. 1, 2019 in counterpart Japanese Patent Application No. 2018-222896.

(Continued)

Primary Examiner — Dieu Hien T Duong


(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye P.C.

(57)

ABSTRACT

Disclosed in an electronic device, which includes a housing that includes a first plate and a second plate facing a direction opposite the first plate, a conductive plate that is disposed in a first plane between the first plate and the second plate, and is parallel to the second plate, a wireless communication circuit that is disposed within the housing and is configured to transmit and/or receive a signal having a frequency ranging from 20 GHz to 100 GHz, a first electrical path having a first end electrically connected with the wireless communication circuit and a second end floated, the first electrical path including a first portion between the first end and the second end, a second electrical path having a third end electrically connected with the conductive plate and a fourth end floated, the second electrical path including a second portion between the third end and the fourth end.

20 Claims, 18 Drawing Sheets





US011283153B2

(12) **United States Patent**
Bonnet

(10) **Patent No.:** **US 11,283,153 B2**

(45) **Date of Patent:** **Mar. 22, 2022**

(54) **ANTENNA FOR MOBILE COMMUNICATION DEVICE**

(71) Applicant: **STMICROELECTRONICS (TOURS) SAS**, Tours (FR)

(72) Inventor: **Benoit Bonnet**, Tours (FR)

(73) Assignee: **STMICROELECTRONICS (TOURS) SAS**, Tours (FR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/530,493**

(22) Filed: **Aug. 2, 2019**

(65) **Prior Publication Data**

US 2019/0356039 A1 Nov. 21, 2019

Related U.S. Application Data

(63) Continuation of application No. 15/691,285, filed on Aug. 30, 2017, now Pat. No. 10,403,963.

(30) **Foreign Application Priority Data**

Jan. 19, 2017 (FR) 1750418

Jan. 19, 2017 (FR) 1750419

(51) **Int. Cl.**

H01Q 9/00 (2006.01)
H01Q 1/24 (2006.01)
H01Q 9/04 (2006.01)
H01Q 5/30 (2015.01)
H01Q 5/328 (2015.01)
H01Q 9/42 (2006.01)
H01Q 1/48 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/242** (2013.01); **H01Q 1/243** (2013.01); **H01Q 5/30** (2015.01); **H01Q 5/328** (2015.01); **H01Q 9/0421** (2013.01); **H01Q 9/42** (2013.01); **H01Q 1/48** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/242; H01Q 5/328; H01Q 1/243; H01Q 9/42; H01Q 9/0421; H01Q 5/30; H01Q 1/48; H01Q 1/36; H01Q 1/50
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2004/0041734 A1 3/2004 Shiotsu et al.
2009/0128428 A1 5/2009 Ishizuka et al.
2010/0022197 A1* 1/2010 Kato H04B 1/005
455/75

2011/0250928 A1 10/2011 Schlub et al.
2013/0154897 A1 6/2013 Sorensen et al.
2014/0266922 A1 9/2014 Jin et al.
2015/0118984 A1 4/2015 Nagumo et al.
2015/0249916 A1 9/2015 Schlub et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 103339796 A 10/2013
CN 105449364 A 3/2016

(Continued)

Primary Examiner — Dieu Hien T Duong


(74) *Attorney, Agent, or Firm* — Slater Matsil, LLP

(57)

ABSTRACT

The invention relates to an antenna comprising: an elongate conducting band; an antenna socket; a connection to earth; at least one first capacitive element of adjustable capacitance; and at least one first inductive element in series with the first capacitive element.

20 Claims, 2 Drawing Sheets



(12) **United States Patent**
Wen et al.

(10) **Patent No.:** **US 11,283,154 B2**
(45) **Date of Patent:** **Mar. 22, 2022**

(54) **COMMUNICATIONS TERMINAL**

(71) Applicant: **Huawei Device Co., Ltd.**, Guangdong (CN)

(72) Inventors: **Dingliang Wen**, London (GB); **Yang Hao**, London (GB); **Hanyang Wang**, Reading (GB); **Hai Zhou**, Reading (GB); **Shuhui Sun**, Shenzhen (CN)

(73) Assignee: **Huawei Device Co., Ltd.**, Dongguan (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 523 days.

(21) Appl. No.: **16/304,970**

(22) PCT Filed: **May 28, 2016**

(86) PCT No.: **PCT/CN2016/083776**

§ 371 (c)(1),
(2) Date: **Nov. 27, 2018**

(87) PCT Pub. No.: **WO2017/205998**

PCT Pub. Date: **Dec. 7, 2017**

(65) **Prior Publication Data**

US 2019/0319339 A1 Oct. 17, 2019

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
G04G 21/04 (2013.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **G04G 21/04** (2013.01); **G04R 60/06** (2013.01); **H01Q 1/273** (2013.01); **H01Q 1/36** (2013.01); **H01Q 13/103** (2013.01)

(58) **Field of Classification Search**

None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,847,832 B2 * 9/2014 Parsche H01Q 7/00 343/743
10,304,271 B2 * 5/2019 Padgett H04W 4/80
(Continued)

FOREIGN PATENT DOCUMENTS

CN 101957590 A 1/2011
CN 202474229 U 10/2012
(Continued)

OTHER PUBLICATIONS

Machine Translation and Abstract of Chinese Publication No. CN105186135, Dec. 23, 2015, 11 pages.

(Continued)


Primary Examiner — Trinh V Dinh

(74) *Attorney, Agent, or Firm* — Conley Rose, P.C.

(57) **ABSTRACT**

A communications terminal includes an antenna Which includes a circuit hoard, a radiator, two feeds, and two coupling structures. The radiator is disposed around an outer edge of the circuit board, and a ring-shape slot is formed between the outer edge of the circuit board and the radiator. A first feed is electrically coupled to a first coupling structure, the first coupling structure is coupled to the radiator along one direction, and a current in a first polarization direction is formed on the circuit board by using the radiator and the ring-shape slot. A second feed is electrically coupled to a second coupling structure, the second coupling structure is coupled to the radiator along another direction, and a current in a second polarization direction is formed on the circuit board by using the radiator and the ring-shape slot. A specific included angle is formed between the above two directions.

20 Claims, 10 Drawing Sheets





US011283156B2

(12) **United States Patent**
Jeon et al.

(10) **Patent No.:** **US 11,283,156 B2**
(45) **Date of Patent:** **Mar. 22, 2022**

(54) **ANTENNA AND ELECTRONIC DEVICE INCLUDING CONDUCTIVE MEMBER ADJACENT TO THE ANTENNA**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(72) Inventors: **Seunggil Jeon**, Gyeonggi-do (KR);
Namwoo Kim, Gyeonggi-do (KR);
Seongbeom Hong, Gyeonggi-do (KR);
Kyunghoon Moon, Gyeonggi-do (KR);
Yunbum Lee, Gyeonggi-do (KR)

8,610,629 B2	12/2013	Pascolini et al.	
2007/0046465 A1	3/2007	Sakama et al.	
2010/0117916 A1	5/2010	Gustafsson et al.	
2012/0050123 A1*	3/2012	Wang	H01Q 13/10 343/767
2013/0210372 A1	8/2013	Park et al.	
2016/0197396 A1*	7/2016	Choi	H01Q 1/48 343/702

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Samsung Electronics Co., Ltd**

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

KR	1020100015387	2/2010
KR	1020180031120	3/2018

(Continued)

OTHER PUBLICATIONS

(21) Appl. No.: **16/788,925**

(22) Filed: **Feb. 12, 2020**

(65) **Prior Publication Data**

US 2020/0259243 A1 Aug. 13, 2020

(30) **Foreign Application Priority Data**

Feb. 12, 2019 (KR) 10-2019-0015885

(51) **Int. Cl.**
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/24; H01Q 1/243; H01Q 5/307;
H01Q 9/0407; H01Q 1/2283; H01Q
1/2291; H01Q 1/38; H01Q 21/29; H01Q
21/293

See application file for complete search history.

International Search Report dated Apr. 9, 2020 issued in counterpart application No. PCT/KR2019/018452, 3 pages.


Primary Examiner — Thai Pham

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm, P.C.

(57) **ABSTRACT**

Disclosed is an electronic device including a housing including a first plate facing a first direction, a second plate facing a second direction opposite to the first direction, and a lateral member surrounding a space between the first plate and the second plate, a first antenna structure disposed to be substantially parallel with the second plate in the space, and including a substrate disposed in the space, and at least one antenna element disposed on the substrate to face at least the second plate, a conductive member disposed in the space and spaced apart from the at least one antenna element by a predetermined interval when the second plate is viewed from above.

10 Claims, 13 Drawing Sheets





US011283158B2

(12) **United States Patent**
Chen et al.

(10) **Patent No.:** **US 11,283,158 B2**
(45) **Date of Patent:** **Mar. 22, 2022**

(54) **MOBILE DEVICE AND ANTENNA MODULE THEREOF**

(56) **References Cited**

(71) Applicant: **WISTRON NEWEB CORPORATION**, Hsinchu (TW)
(72) Inventors: **Chung-Hsuan Chen**, Hsinchu (TW);
Chen-Ming Li, Hsinchu (TW)
(73) Assignee: **WISTRON NEWEB CORPORATION**, Hsinchu (TW)

U.S. PATENT DOCUMENTS

4,063,246 A * 12/1977 Greiser H01Q 9/0407
343/700 MS
9,054,422 B2 6/2015 Tu et al.
10,826,147 B2 * 11/2020 Sikina H01P 11/003
2010/0060535 A1 * 3/2010 Tiezzi H01Q 5/40
343/770

(Continued)

FOREIGN PATENT DOCUMENTS

TW 201424125 A 6/2014
TW 201427177 A 7/2014

(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 40 days.

(21) Appl. No.: **17/013,949**

(22) Filed: **Sep. 8, 2020**

(65) **Prior Publication Data**

US 2021/0367326 A1 Nov. 25, 2021

Primary Examiner — Graham P Smith

Assistant Examiner — Jae K Kim

(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(30) **Foreign Application Priority Data**

May 21, 2020 (TW) 109116968

(57) **ABSTRACT**

A mobile device and an antenna module thereof are provided. The antenna module includes a substrate, a first antenna and a second antenna. The first antenna and the second antenna are disposed on the substrate. The substrate includes a substrate body, a first ground layer and a second ground layer. The first ground layer includes a first slot, the second ground layer includes a second slot, and a vertical projection of the first slot onto substrate body at least partially overlaps with a vertical projection of the second slot onto substrate body. The first slot and the second slot are located between the first antenna and the second antenna, and the first antenna is located closer to the first slot and the second slot than the second antenna.

(51) **Int. Cl.**

H01Q 1/24 (2006.01)
H01Q 1/38 (2006.01)
H01Q 1/48 (2006.01)
H01Q 21/28 (2006.01)
H01Q 9/04 (2006.01)

(52) **U.S. Cl.**


CPC **H01Q 1/243** (2013.01); **H01Q 1/38** (2013.01); **H01Q 1/48** (2013.01); **H01Q 9/0421** (2013.01); **H01Q 21/28** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 21/28; H01Q 1/38; H01Q 1/48; H01Q 1/243; H01Q 9/0421

See application file for complete search history.

20 Claims, 15 Drawing Sheets





US011283174B2

(12) **United States Patent**
Cho et al.

(10) **Patent No.:** **US 11,283,174 B2**
(45) **Date of Patent:** **Mar. 22, 2022**

(54) **ANTENNA**

(56) **References Cited**

(71) Applicant: **SAMSUNG**
ELECTRO-MECHANICS CO., LTD.,
Suwon-si (KR)

U.S. PATENT DOCUMENTS

(72) Inventors: **Sangik Cho**, Suwon-si (KR); **Ju Ho Kim**, Suwon-si (KR)

9,496,596 B2	11/2016	Chirila	
2016/0020165 A1	1/2016	Kamgaing et al.	
2016/0056544 A1 *	2/2016	Garcia	H01Q 21/28 343/725
2016/0079672 A1 *	3/2016	Cerreno	H01Q 21/065 343/848
2018/0053983 A1 *	2/2018	Mukai	H01P 3/08
2018/0090816 A1 *	3/2018	Mow	H01Q 1/22
2018/0159213 A1 *	6/2018	Haziza	H01Q 21/065

(73) Assignee: **SAMSUNG**
ELECTRO-MECHANICS CO., LTD.

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(Continued)

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **16/905,324**

KR 10-2016-0130290 A 11/2016

(22) Filed: **Jun. 18, 2020**

Primary Examiner — Jason Crawford

(65) **Prior Publication Data**

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

US 2021/0320416 A1 Oct. 14, 2021

(30) **Foreign Application Priority Data**

Apr. 14, 2020 (KR) 10-2020-0045140

(57) **ABSTRACT**

(51) **Int. Cl.**

H01Q 9/04 (2006.01)

H01Q 1/12 (2006.01)

H01Q 21/06 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 9/0407** (2013.01); **H01Q 1/12** (2013.01); **H01Q 21/065** (2013.01)


(58) **Field of Classification Search**

CPC H01Q 9/04; H01Q 9/0407; H01Q 9/0414; H01Q 9/045; H01Q 9/0457; H01Q 9/0485; H01Q 5/10; H01Q 5/378; H01Q 5/385; H01Q 1/12; H01Q 1/422; H01Q 21/06; H01Q 21/061; H01Q 21/065

See application file for complete search history.

An antenna includes a first dielectric layer having a first surface and a second surface opposing the first surface; a second dielectric layer having a third surface, and a fourth surface opposing the third surface; a third dielectric layer having a fifth surface and a sixth surface opposing the fifth surface; a first adhesive layer disposed between the second surface and the third surface; a second adhesive layer disposed between the fourth surface and the fifth surface; a patch pattern disposed on the second surface and embedded in the first adhesive layer; a first coupling pattern disposed on the fourth surface and embedded in the second adhesive layer, and a second coupling pattern disposed on the sixth surface. The patch pattern, the first coupling pattern, and the second coupling pattern at least partially overlap one another on a plane.

19 Claims, 8 Drawing Sheets





(10) **Patent No.:** US 11,283,175 B2
(45) **Date of Patent:** Mar. 22, 2022

(52) U.S. Cl.

CPC *H01Q 9/045* (2013.01); *H01Q 1/48*
(2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/38; H01Q 1/48; H01Q 9/045;
H01Q 15/006; H01Q 15/0026; H01Q
21/065
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,597,324 B2 7/2003 Eriksson
9,270,030 B2* 2/2016 Alexopoulos H01Q 19/10
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 28 days.

FOREIGN PATENT DOCUMENTS

JP	2009-44522	A	2/2009
KR	10-2019-0089955	A	7/2019
WO	WO 2018/119153	A1	6/2018

Primary Examiner — Tung X Le

(74) *Attorney, Agent, or Firm* — NSIP Law

(57) **ABSTRACT**

(21) Appl. No.: 16/822,143

(22) Filed: **Mar. 18, 2020**

(65) **Prior Publication Data**

US 2021/0151889 A1 May 20, 2021


(30) **Foreign Application Priority Data**

Nov. 20, 2019 (KR) 10-2019-0149282

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01O 1/48 (2006.01)

An antenna apparatus includes a ground plane; first and second patch antenna patterns disposed above and spaced apart from a first surface of the ground plane and from each other; a second feed via to provide a second feed path of the second patch antenna pattern, and disposed adjacent to an edge of the second patch antenna pattern; a first feed via to provide a first feed path of the first patch antenna pattern, and disposed adjacent to an edge of the first patch antenna pattern that is opposite to the second patch antenna pattern; a first coupling pattern disposed between the first patch antenna pattern and the second patch antenna pattern along the first direction; a ground via; and a second coupling pattern disposed between the second patch antenna pattern and the first coupling pattern along the first direction.

24 Claims, 15 Drawing Sheets





US011283180B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 11,283,180 B2**
(45) **Date of Patent:** **Mar. 22, 2022**

(54) **ELECTRONIC DEVICE HAVING 5G ANTENNA**

(71) Applicant: **LG ELECTRONICS INC.**, Seoul (KR)

(72) Inventors: **Dongjin Kim**, Seoul (KR); **Cheolwan Park**, Seoul (KR); **Youngbae Kwon**, Seoul (KR); **Byungwoon Jung**, Seoul (KR); **Jihun Ha**, Seoul (KR)

(73) Assignee: **LG ELECTRONICS INC.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 19 days.

(21) Appl. No.: **16/918,630**

(22) Filed: **Jul. 1, 2020**

(65) **Prior Publication Data**

US 2021/0280981 A1 Sep. 9, 2021

(30) **Foreign Application Priority Data**

Mar. 9, 2020 (WO) PCT/KR2020/003262

(51) **Int. Cl.**

H01Q 13/10 (2006.01)
H01Q 1/24 (2006.01)
H01Q 3/36 (2006.01)
H01Q 21/28 (2006.01)
H01Q 3/26 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 13/106** (2013.01); **H01Q 1/245** (2013.01); **H01Q 3/2617** (2013.01); **H01Q 3/36** (2013.01); **H01Q 21/28** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/245; H01Q 3/2617; H01Q 3/36; H01Q 13/106; H01Q 21/28

See application file for complete search history.

(56) **References Cited**

FOREIGN PATENT DOCUMENTS

CN	107394350	11/2017
KR	20190133961	12/2019
KR	20200008647	1/2020
KR	20200022161	3/2020
KR	20200023032	3/2020
WO	WO-2020040499 A1 *	2/2020 H01Q 1/42

OTHER PUBLICATIONS

PCT International Application No. PCT/KR2020/003262, International Search Report dated Dec. 1, 2020, 12 pages.

* cited by examiner


Primary Examiner — Hoang V Nguyen

(74) *Attorney, Agent, or Firm* — Lee, Hong, Degerman, Kang & Waimey PC

(57) **ABSTRACT**

An electronic device having a fifth-generation (5G) antenna according to an embodiment is provided. The electronic device includes a cover glass through which electromagnetic waves are transmitted, a metal frame having a metal rim formed on side surfaces of the electronic device, an antenna module configured to transmit or receive beamformed signals through a plurality of antenna elements, and a frame mold made of a dielectric and disposed between the metal frame and the antenna module, wherein a frame slot is formed in a lower portion of the metal frame so that the signals transmitted or received in the antenna module is radiated through the frame slot.

15 Claims, 38 Drawing Sheets





US011283181B2

(12) **United States Patent**
Wu et al.

(10) **Patent No.:** **US 11,283,181 B2**

(45) **Date of Patent:** **Mar. 22, 2022**

(54) **ANTENNA MODULE**

(56) **References Cited**

(71) Applicant: **PEGATRON CORPORATION**, Taipei (TW)

U.S. PATENT DOCUMENTS

(72) Inventors: **Chien-Yi Wu**, Taipei (TW); **Chao-Hsu Wu**, Taipei (TW); **Ching-Hsiang Ko**, Taipei (TW); **Cheng-Hsiung Wu**, Taipei (TW); **Shih-Keng Huang**, Taipei (TW); **Yi-Ru Yang**, Taipei (TW); **Sheng-Chin Hsu**, Taipei (TW)

8,854,267 B2 *	10/2014	Kim		H01Q 5/378
				343/702
9,190,713 B2 *	11/2015	Eom		H01Q 1/243
9,343,802 B2 *	5/2016	Su		H01Q 1/243
10,186,755 B2 *	1/2019	Xiong		H01Q 5/50
10,700,409 B2 *	6/2020	Huang		H01Q 1/2266
10,720,695 B2 *	7/2020	Yu		H01Q 21/28
10,931,008 B2 *	2/2021	Qiu		H01Q 1/243
10,944,151 B2 *	3/2021	Hsu		H01Q 5/378

(73) Assignee: **PEGATRON CORPORATION**, Taipei (TW)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

TW	201113665	4/2011
TW	1652853	3/2019
TW	201941490	10/2019

* cited by examiner

(21) Appl. No.: **17/035,435**

Primary Examiner — Tho G Phan

(22) Filed: **Sep. 28, 2020**

(74) *Attorney, Agent, or Firm* — J.C. Patents

(65) **Prior Publication Data**

US 2021/0159602 A1 May 27, 2021

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Nov. 25, 2019 (TW) 108142812

An antenna module includes a metal frame and an antenna structure. The metal frame includes an opening and a first edge and a second edge located at two opposite sides of the opening. The antenna structure is disposed at the opening and includes a first radiator, a second radiator, a first conductor, and a second conductor. The first radiator includes first and second sections. The first section is near the first edge and includes a feeding end, and the second section extends from the first section to the second edge. The second radiator is located between the first section and the first edge and includes a ground end. A first slit is formed between the second radiator and the first section. The first conductor is connected between the second radiator and the metal frame. The second conductor is connected between the second radiator and the metal frame.

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 13/10 (2006.01)

H01Q 13/16 (2006.01)

(52) **U.S. Cl.**


CPC **H01Q 13/16** (2013.01); **H01Q 13/103** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 13/103; H01Q 13/10; H01Q 13/16; H01Q 5/36; H01Q 5/364; H01Q 1/24; H01Q 1/38; H01Q 5/10

See application file for complete search history.

10 Claims, 9 Drawing Sheets





US011283191B2

(12) **United States Patent**
Onaka et al.

(10) **Patent No.:** **US 11,283,191 B2**
(45) **Date of Patent:** **Mar. 22, 2022**

(54) **ANTENNA ARRAY AND ANTENNA MODULE**

(56) **References Cited**

(71) Applicant: **Murata Manufacturing Co., Ltd.**,
Kyoto (JP)

U.S. PATENT DOCUMENTS

(72) Inventors: **Kengo Onaka**, Kyoto (JP); **Tadashi Sugahara**, Kyoto (JP); **Yoshiki Yamada**, Kyoto (JP); **Hirotsugu Mori**, Kyoto (JP)

7,079,079 B2 * 7/2006 Jo H01Q 1/243
343/700 MS
2007/0285336 A1 12/2007 Kamgaing
(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **MURATA MANUFACTURING CO., LTD.**, Kyoto (JP)

CN 106848583 A 6/2017
CN 107437655 A 12/2017
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 5 days.

OTHER PUBLICATIONS

(21) Appl. No.: **16/912,803**

Notice of Reasons for Rejection for JP Application No. 2019-562791 dated Mar. 23, 2021.

(22) Filed: **Jun. 26, 2020**

(Continued)

(65) **Prior Publication Data**

US 2020/0328531 A1 Oct. 15, 2020

Primary Examiner — Hasan Islam

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

Related U.S. Application Data

(63) Continuation of application No. PCT/JP2018/039630, filed on Oct. 25, 2018.

Foreign Application Priority Data

Dec. 28, 2017 (JP) JP2017-252770

(51) **Int. Cl.**

H01Q 21/06 (2006.01)

H01Q 1/48 (2006.01)

H01Q 1/52 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 21/065** (2013.01); **H01Q 1/48** (2013.01); **H01Q 1/52** (2013.01)

(58) **Field of Classification Search**


CPC H01Q 1/38–1/52; H01Q 21/065
See application file for complete search history.

(57)

ABSTRACT

In an antenna array of the present disclosure, in a plan view from a direction that is normal to an isolation element, the isolation element is formed between a first antenna element and a second antenna element. A first distance between the first antenna element and a first ground electrode is different from a second distance between the isolation element and the first ground electrode. A third distance between the second antenna element and the first ground electrode is different from the second distance. In a plan view from a direction that is normal to the first antenna element, the isolation element is spaced apart from the first antenna element. In a plan view from a direction that is normal to the second antenna element, the isolation element is spaced apart from the second antenna element.

15 Claims, 14 Drawing Sheets





US011283193B2

(12) **United States Patent**
Ying et al.

(10) **Patent No.:** **US 11,283,193 B2**
(45) **Date of Patent:** **Mar. 22, 2022**

(54) **SUBSTRATE INTEGRATED WAVEGUIDE ANTENNA**

(71) Applicant: **SONY MOBILE COMMUNICATIONS INC.**, Tokyo (JP)

(72) Inventors: **Zhinong Ying**, Lund (SE); **Kun Zhao**, Stockholm (SE)

(73) Assignee: **Sony Group Corporation**, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/960,806**

(22) PCT Filed: **Mar. 8, 2018**

(86) PCT No.: **PCT/IB2018/051518**
§ 371 (c)(1),
(2) Date: **Jul. 8, 2020**

(87) PCT Pub. No.: **WO2019/171148**
PCT Pub. Date: **Sep. 12, 2019**

(65) **Prior Publication Data**
US 2020/0403324 A1 Dec. 24, 2020

(51) **Int. Cl.**
H01Q 1/38 (2006.01)
H01Q 21/24 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 21/24** (2013.01); **H01Q 1/2283** (2013.01); **H01Q 9/0407** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 21/24; H01Q 1/2283; H01Q 9/0407
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,623,112 A 11/1971 Rupp
2016/0380359 A1 12/2016 Cooper et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 107 689 490 A 2/2018
JP 2021503227 A 2/2021
KR 2007 0116558 A 10/2017

OTHER PUBLICATIONS

International Search Report and Written Opinion from corresponding International Application No. PCT/IB2018/051518, dated Oct. 23, 2018, 14 pages.

(Continued)


Primary Examiner — Peguy Jean Pierre

(74) *Attorney, Agent, or Firm* — Tucker Ellis LLP

(57) **ABSTRACT**

A SIW-antenna includes a SIW-structure extending along a horizontal plane for guiding electromagnetic waves along a longitudinal direction from a first feed to a radiation aperture, and a parallel plate resonator arranged at the radiation aperture and having a first flat portion extending in a first plane parallel with the horizontal plane and a second flat portion extending in a second plane parallel with the horizontal plane. The first and second planes are separate from each other. The first flat portion has an additional antenna structure connected to a second feed. The second flat portion has a plurality of flat tabs extending in the longitudinal direction. The SIW-structure is configured to radiate electromagnetic waves polarized in a first direction. The additional antenna structure is configured to radiate electromagnetic waves polarized in a second direction orthogonal to the first direction.

19 Claims, 3 Drawing Sheets





US011283195B2

(12) **United States Patent**
Jang et al.

(10) **Patent No.:** **US 11,283,195 B2**
(45) **Date of Patent:** **Mar. 22, 2022**

(54) **FAST ROLLOFF ANTENNA ARRAY FACE
WITH HETEROGENEOUS ANTENNA
ARRANGEMENT**

(71) Applicant: **JOHN MEZZALINGUA
ASSOCIATES, LLC**, Liverpool, NY
(US)

(72) Inventors: **Taehee Jang**, Fayetteville, NY (US);
Niranjan Sundararajan, Liverpool,
NY (US); **Jordan Ragos**, Syracuse, NY
(US)

(73) Assignee: **JOHN MEZZALINGUA
ASSOCIATES, LLC**, Liverpool, NY
(US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/962,892**

(22) PCT Filed: **Jan. 24, 2019**

(86) PCT No.: **PCT/US2019/014899**

§ 371 (c)(1),

(2) Date: **Jul. 17, 2020**

(87) PCT Pub. No.: **WO2019/147769**

PCT Pub. Date: **Aug. 1, 2019**

(65) **Prior Publication Data**

US 2021/0050675 A1 Feb. 18, 2021

Related U.S. Application Data

(60) Provisional application No. 62/621,314, filed on Jan.
24, 2018.

(51) **Int. Cl.**
H01Q 21/26 (2006.01)
H01Q 5/42 (2015.01)
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 21/26** (2013.01); **H01Q 1/246**
(2013.01); **H01Q 5/42** (2015.01)

(58) **Field of Classification Search**
CPC H01Q 21/26; H01Q 5/42; H01Q 1/246
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,979,078 B2 * 5/2018 Koskiniemi H01Q 1/42
2007/0290938 A1 * 12/2007 Loyet H01Q 5/42
343/795

(Continued)

FOREIGN PATENT DOCUMENTS

CN 104600439 A 5/2015
CN 205231255 U 5/2016
CN 107611605 A 1/2018

OTHER PUBLICATIONS

International Search Report and Written Opinion dated Aug. 9,
2019, from International Application No. PCT/US2019/014899, 10
pages.


Primary Examiner — Lam T Mai

(74) *Attorney, Agent, or Firm* — Meunier Carlin &
Curfman LLC

(57) **ABSTRACT**

A multiband antenna has a plurality of first, unit cells and second unit cells. Each first unit cell has two high band radiator clusters and two low band radiators disposed approximately in the center of each of the high band radiator clusters. Each second unit cell has two high band radiator clusters and one low band radiator that is disposed between the two high band radiator clusters. The first unit cell is designed for a superior low band gain pattern, and the second unit cell is designed for a superior high band gain pattern. By selectively arranging the first and second unit cells in a specific heterogeneous pattern, the characteristics of the two unit cells may advantageously and constructively

(Continued)





(12) **United States Patent**
Kwon et al.

(10) **Patent No.:** **US 11,284,538 B2**
(45) **Date of Patent:** **Mar. 22, 2022**

(54) **ELECTRONIC DEVICE INCLUDING COMPOSITE HEAT DISSIPATION MEMBER AND METHOD OF MANUFACTURING THE SAME**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Ohhyuck Kwon**, Suwon-si (KR); **Min Park**, Suwon-si (KR); **Jaeyoung Huh**, Suwon-si (KR); **Daesuk Kang**, Suwon-si (KR); **Ji Eom**, Suwon-si (KR); **Ewidon Jeong**, Suwon-si (KR); **Sungchul Park**, Suwon-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/988,980**

(22) Filed: **Aug. 10, 2020**

(65) **Prior Publication Data**
US 2021/0059076 A1 Feb. 25, 2021

(30) **Foreign Application Priority Data**
Aug. 19, 2019 (KR) 10-2019-0100901

(51) **Int. Cl.**
H05K 7/20 (2006.01)
G06F 1/20 (2006.01)
H01Q 1/02 (2006.01)

(52) **U.S. Cl.**
CPC **H05K 7/20445** (2013.01); **G06F 1/203** (2013.01); **H01Q 1/02** (2013.01)

(58) **Field of Classification Search**

CPC H05K 7/20445; H05K 7/2039; H05K 1/0203; H05K 7/205; H05K 2201/10098; H05K 7/20; G06F 1/203; H01Q 1/02; H01L 2924/1421; B29L 2031/3456
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,099,254 A * 3/1992 Tsukii H01Q 1/002
343/853
5,940,031 A * 8/1999 Turlington G01S 7/034
342/372
6,876,323 B2 * 4/2005 Feldle H01Q 21/0025
342/157
8,164,541 B2 * 4/2012 Van Der Poel H01Q 21/065
343/893
9,735,826 B2 * 8/2017 Sohn H04B 1/3888
9,812,768 B2 * 11/2017 Youm H01Q 1/243
10,141,625 B1 11/2018 Ryu et al.
10,290,923 B2 * 5/2019 Choi H01Q 1/24
(Continued)


FOREIGN PATENT DOCUMENTS

KR 10-2016-0009496 A 1/2016
Primary Examiner — Michael A Matey

(57) **ABSTRACT**

A composite heat dissipation member and an electronic device comprising the composite heat dissipation member. The composite heat dissipation member may include a first heat dissipation sheet disposed to be overlapped with an antenna module, and a second heat dissipation sheet disposed adjacent to the first heat dissipation sheet without an overlap with the first heat dissipation sheet, thermally connected to the first heat dissipation sheet, and having a higher thermal conductivity than the first heat dissipation sheet.

18 Claims, 12 Drawing Sheets



(12) **United States Patent**
Park et al.

(10) **Patent No.:** **US 11,289,790 B2**
(45) **Date of Patent:** **Mar. 29, 2022**

(54) **ELECTRONIC DEVICE INCLUDING ANTENNA MODULE HAVING HEAT TRANSFER MEMBER EXTENDING THEREFROM**

(58) **Field of Classification Search**

None

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

9,609,787 B2 3/2017 Rhee
10,056,922 B1 8/2018 Tsvelykh et al.
(Continued)

FOREIGN PATENT DOCUMENTS

KR 10-1137581 B1 4/2012
KR 10-2017-0097541 A 8/2017
(Continued)

OTHER PUBLICATIONS

International Search Report dated Jan. 15, 2021, issued in International Application No. PCT/KR2020/012637.

Primary Examiner — David E Lotter

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(57)

ABSTRACT

An electronic device is provided. The electronic device includes a housing, an antenna module disposed along an inner wall of the housing, and a heat dissipation member disposed inside the housing. The antenna module may include a first circuit board including a plurality of layers, wherein the plurality of layers include a plurality of conductive layers and a plurality of non-conductive layers, and the conductive layer and the non-conductive layer are alternately stacked, at least one integrated circuit mounted on the first circuit board, an antenna array disposed on any one of the plurality of layers and electrically coupled with the at least one integrated circuit, and a heat transfer member including a conductive member extending from any one conductive layer among the plurality of conductive layers and a non-conductive member surrounding, at least in part, the conductive member.

20 Claims, 16 Drawing Sheets

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Jungmin Park**, Suwon-si (KR);
Chonghwa Seo, Suwon-si (KR); **Dongil Son**, Suwon-si (KR); **Jongwon Lee**,
Suwon-si (KR); **Sangwon Ha**, Suwon-si
(KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 6 days.

(21) Appl. No.: **17/025,096**

(22) Filed: **Sep. 18, 2020**

(65) **Prior Publication Data**

US 2021/0091450 A1 Mar. 25, 2021

(30) **Foreign Application Priority Data**

Sep. 19, 2019 (KR) 10-2019-0115535

(51) **Int. Cl.**

H01Q 1/02 (2006.01)


H01Q 21/00 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/02** (2013.01); **H01Q 1/2283**
(2013.01); **H01Q 1/38** (2013.01); **H01Q 21/00**
(2013.01);

(Continued)





US011289797B2

(12) **United States Patent**
Wang et al.

(10) **Patent No.:** **US 11,289,797 B2**

(45) **Date of Patent:** **Mar. 29, 2022**

(54) **ELECTRONIC DEVICE**

USPC 343/770
See application file for complete search history.

(71) Applicant: **Lenovo (Beijing) Co., Ltd.**, Beijing
(CN)

(56) **References Cited**

(72) Inventors: **Wei Wang**, Beijing (CN); **Jian Ren**,
Beijing (CN); **Zhiyuan Duan**, Beijing
(CN); **Shuangjie Wu**, Beijing (CN)

U.S. PATENT DOCUMENTS

(73) Assignee: **LENOVO (BEIJING) CO., LTD.**,
Beijing (CN)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 77 days.

2013/0088397	A1	4/2013	Mo et al.	
2014/0218250	A1*	8/2014	Kim	H01Q 13/106 343/767
2016/0049734	A1*	2/2016	Kim	H01Q 21/28 343/702
2017/0331807	A1*	11/2017	Mont-Reynaud	H04W 12/06
2018/0069293	A1*	3/2018	Hu	H01Q 1/243
2018/0138578	A1*	5/2018	Chiang	H01Q 9/42
2019/0013569	A1*	1/2019	Han	H01Q 1/50
2019/0097314	A1*	3/2019	Rajagopalan	H01Q 1/521
2020/0073445	A1*	3/2020	Kuna	H01Q 1/2258

(21) Appl. No.: **16/581,731**

(22) Filed: **Sep. 24, 2019**

FOREIGN PATENT DOCUMENTS

(65) **Prior Publication Data**

US 2020/0106165 A1 Apr. 2, 2020

CN	204538197	U	8/2015
CN	105609969	A	5/2016
CN	105655701	A	6/2016
CN	205595453	U	9/2016
CN	106876897	A	6/2017
CN	106972256	A	7/2017
CN	207233948	U	4/2018
CN	108288749	A	7/2018

(30) **Foreign Application Priority Data**

Sep. 30, 2018 (CN) 201811162945.8

* cited by examiner

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 21/06 (2006.01)

H01Q 5/50 (2015.01)

H01Q 13/10 (2006.01)

Primary Examiner — Hai V Tran

(74) *Attorney, Agent, or Firm* — Anova Law Group,
PLLC

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/24**
(2013.01); **H01Q 5/50** (2015.01); **H01Q 13/10**
(2013.01); **H01Q 21/06** (2013.01); **H01Q**
21/064 (2013.01)


(57) **ABSTRACT**

The present disclosure provides an electronic device including: a metal housing having four antenna slots, which correspond to four antennas that enable the electronic device to support a fifth generation mobile communication network. The present disclosure can realize antennas that enable an electronic device having a metal back housing to support a fifth generation mobile communication network.

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 13/10; H01Q 5/50;
H01Q 21/064; H01Q 1/24; H01Q 21/06;
H01Q 5/40; H01Q 1/2258; H01Q 1/242;
H01Q 1/44

14 Claims, 6 Drawing Sheets





US011289809B2

(12) **United States Patent**
Adela et al.

(10) **Patent No.:** **US 11,289,809 B2**
(45) **Date of Patent:** **Mar. 29, 2022**

(54) **DUAL-BAND DIRECTIONAL ANTENNA, WIRELESS DEVICE, AND WIRELESS COMMUNICATION SYSTEM**

(71) Applicant: **THE ANTENNA COMPANY INTERNATIONAL N.V.**, Willemstad (CW)

(72) Inventors: **Bedilu Befekadu Adela**, Eindhoven (NL); **Daniel Alexandru Cringus**, Veldhoven (NL); **Diego Caratelli**, Eersel (NL)

(73) Assignee: **THE ANTENNA COMPANY INTERNATIONAL N.V.**, Willemstad (CW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 49 days.

(21) Appl. No.: **16/831,002**

(22) Filed: **Mar. 26, 2020**

(65) **Prior Publication Data**

US 2020/0313295 A1 Oct. 1, 2020

(30) **Foreign Application Priority Data**

Mar. 27, 2019 (NL) 2022823

(51) **Int. Cl.**

H01Q 5/30 (2015.01)

H01Q 21/24 (2006.01)

H01Q 1/24 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/30** (2015.01); **H01Q 1/246** (2013.01); **H01Q 21/24** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 5/30; H01Q 1/246; H01Q 21/0043; H01Q 21/064; H01Q 21/24; H01Q 13/08; H01Q 13/085; H01Q 13/10; H01Q 19/13

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,069,589 A * 5/2000 Lewis, Jr H01Q 1/288 343/700 MS

6,806,831 B2 * 10/2004 Johansson H01Q 9/0414 343/700 MS

7,227,506 B1 * 6/2007 Lewis, Jr. H01Q 1/288 343/700 MS

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion dated Jun. 1, 2019 issued in corresponding Netherlands Application No. NL2022823.


Primary Examiner — Jason Crawford

(74) *Attorney, Agent, or Firm* — Nath, Goldberg & Meyer; Joshua B. Goldberg

(57) **ABSTRACT**

A dual-band directional antenna for customer-premise equipment (CPE) applications is provided. The dual-band directional antenna includes at least one conductive radiating element, a probing structure connected to the radiating element, a conductive ground plane, and at least one mounting element for mounting the at least one radiating element on the ground plane at a distance therefrom. The antenna is configured to operate in two different frequency bands. The radiating element partially encloses at least one first cut-out portion and partially encloses at least one second cut-out portion, where the at least one first cut-out portion and the at least one second cut-out portion are positioned at opposite sides of a first slot of the radiating element.

19 Claims, 15 Drawing Sheets



(12) **United States Patent**
Lyu

(10) **Patent No.:** **US 11,289,810 B2**
(45) **Date of Patent:** **Mar. 29, 2022**

(54) **MULTI-BAND ANTENNA**

(71) Applicants: **Inventec (Pudong) Technology Corporation**, Shanghai (CN);
INVENTEC CORPORATION, Taipei (TW)

(72) Inventor: **Chao-An Lyu**, Taipei (TW)

(73) Assignees: **Inventec (Pudong) Technology Corporation**, Shanghai (CN);
INVENTEC CORPORATION, Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 224 days.

(21) Appl. No.: **16/711,454**

(22) Filed: **Dec. 12, 2019**

(65) **Prior Publication Data**

US 2021/0151885 A1 May 20, 2021

(30) **Foreign Application Priority Data**

Nov. 15, 2019 (CN) 201911120474.9

(51) **Int. Cl.**
H01Q 5/307 (2015.01)
H01Q 1/48 (2006.01)
H01Q 9/42 (2006.01)
H01Q 5/10 (2015.01)
H01Q 9/04 (2006.01)
H01Q 5/385 (2015.01)

(52) **U.S. Cl.**
CPC **H01Q 5/307** (2015.01); **H01Q 1/48** (2013.01); **H01Q 5/10** (2015.01); **H01Q 9/42** (2013.01); **H01Q 5/385** (2015.01); **H01Q 9/0457** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 5/371; H01Q 5/378; H01Q 9/0457;
H01Q 5/40; H01Q 5/385; H01Q 5/328
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2005/0156795 A1* 7/2005 Yeh H01Q 11/04
343/702
2012/0274538 A1* 11/2012 Tsou H01Q 5/371
343/876
2013/0257674 A1* 10/2013 Li H01Q 5/378
343/853
2019/0296446 A1* 9/2019 Tseng H01Q 5/371

FOREIGN PATENT DOCUMENTS

CN 102709672 B 12/2014
TW 201036250 A 10/2010
TW 1488358 B 6/2015
TW 1508373 B 11/2015

* cited by examiner

Primary Examiner — Ricardo I Magallanes


(74) *Attorney, Agent, or Firm* — CKC & Partners Co., LLC

(57) **ABSTRACT**

A multi-band antenna includes a grounding conductor, a first radiator, and a second radiator. The grounding conductor has a grounding function. The first radiator has a first radiating portion, a second radiating portion, and a feeding portion configured to connect to a signal source. The second radiator includes a third radiating portion, a fourth radiating portion, and a first grounding portion. A length of the third radiating portion or a length of the fourth radiating portion is longer than lengths of first radiating portion and the second radiating portion combined, and the third radiating portion or the fourth radiating portion is radiationally coupled with the first radiating portion and the second radiating portion.

7 Claims, 2 Drawing Sheets

100



(12) **United States Patent**
Wu et al.

(10) **Patent No.:** **US 11,289,811 B2**
(45) **Date of Patent:** **Mar. 29, 2022**

(54) **CLOSED-LOOP ANTENNA WITH MULTIPLE GROUNDING POINTS**

(71) Applicant: **MediaTek Inc.**, Hsinchu (TW)

(72) Inventors: **Tsung-Ju Wu**, Hsinchu (TW);
Ting-Wei Kang, Hsinchu (TW);
Chung-Yu Hung, Hsinchu (TW)

(73) Assignee: **MediaTek Inc.**

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 277 days.

(21) Appl. No.: **16/110,506**

(22) Filed: **Aug. 23, 2018**

(65) **Prior Publication Data**

US 2019/0067815 A1 Feb. 28, 2019

Related U.S. Application Data

(60) Provisional application No. 62/549,480, filed on Aug. 24, 2017.

(51) **Int. Cl.**

H01Q 5/35 (2015.01)
H01Q 1/48 (2006.01)
H01Q 1/50 (2006.01)
H01Q 5/50 (2015.01)
H01Q 7/00 (2006.01)
H01Q 13/10 (2006.01)
H01Q 5/328 (2015.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 5/35** (2015.01); **H01Q 1/243** (2013.01); **H01Q 1/48** (2013.01); **H01Q 1/50** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC H01Q 5/35; H01Q 13/103; H01Q 5/328; H01Q 1/243; H01Q 5/371; H01Q 7/00;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,623,029 B2 * 4/2020 Seo H01Q 1/48
2012/0231750 A1 9/2012 Jin et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 104466393 A 3/2015
CN 107210517 A 9/2017
(Continued)

OTHER PUBLICATIONS

Taiwan Intellectual Property Office, Office Action for Taiwan Patent Application No. 107129597, dated Nov. 7, 2019.

(Continued)

Primary Examiner — Dimary S Lopez Cruz

Assistant Examiner — Michael M Bouizza


(74) *Attorney, Agent, or Firm* — Han IP PLLC; Andy M. Han

(57) **ABSTRACT**


Various examples and schemes pertaining to a closed-loop antenna with multiple grounding points are described. An apparatus includes an electromagnetic (EM) wave interface device capable of radiating and sensing EM waves. The EM wave interface device includes a feeding port, a first grounding port coupled to an electric ground, and a second grounding port coupled to the electric ground. A first electrically-conductive path connected between the feeding port and the first grounding port forms a closed-loop antenna. A second electrically-conductive path connected between the feeding port and the second grounding port forms a non-radiative closed-loop path. A length of the first electrically-conductive path is greater than a length of the second electrically-conductive path.

20 Claims, 18 Drawing Sheets

300



(A)



(B)



US011289812B2

(12) **United States Patent**
Wan et al.

(10) **Patent No.:** **US 11,289,812 B2**

(45) **Date of Patent:** **Mar. 29, 2022**

(54) **SINGLE ANTENNA SYSTEM**

(71) Applicant: **ASUSTeK COMPUTER INC.**, Taipei (TW)

(72) Inventors: **Che-Chi Wan**, Taipei (TW); **Saou-Wen Su**, Taipei (TW); **Cheng-Tse Lee**, Taipei (TW)

(73) Assignee: **ASUSTEK COMPUTER INC.**, Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/075,790**

(22) Filed: **Oct. 21, 2020**

(65) **Prior Publication Data**

US 2021/0126365 A1 Apr. 29, 2021

(30) **Foreign Application Priority Data**

Oct. 29, 2019 (TW) 108139136

(51) **Int. Cl.**

H01Q 1/38 (2006.01)

H01Q 5/35 (2015.01)

H01Q 1/22 (2006.01)

H01Q 9/04 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/35** (2015.01); **H01Q 1/2283** (2013.01); **H01Q 1/38** (2013.01); **H01Q 9/0407** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 5/35; H01Q 1/2283; H01Q 1/38; H01Q 9/0407

USPC 343/702
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,425,498 B2	8/2016	Lee et al.	
2011/0050528 A1	3/2011	Montgomery	
2015/0002348 A1*	1/2015	Wong	H01Q 1/48
			343/724
2021/0167491 A1*	6/2021	Chang	H01Q 5/371

FOREIGN PATENT DOCUMENTS

CN	104979636 B	10/2015
CN	207426139 U	5/2018

* cited by examiner


Primary Examiner — Peguy Jean Pierre

(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

The disclosure provides a single antenna system comprising a ground element, a feeding metal part, at least one shorting metal part, a radiating metal part, a decoupling circuit, a first feed source, and a second feed source. The single antenna system with an integrated decoupled circuit not only effectively achieves size reduction, but achieve high antenna isolation. Moreover, the single antenna system is applied for narrow-bezel notebooks and small-size antenna systems in future.

10 Claims, 6 Drawing Sheets





US011289820B2

(12) **United States Patent**
Nikishov et al.

(10) **Patent No.:** **US 11,289,820 B2**
(45) **Date of Patent:** **Mar. 29, 2022**

(54) **HIGH-ISOLATION ANTENNA SYSTEM**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(72) Inventors: **Artem Yurievich Nikishov**, Kolomna (RU); **Gennadiy Aleksandrovich Evtuyshkin**, Moscow (RU); **Elena Aleksandrovna Shepeleva**, Kostroma (RU); **Anton Sergeevich Lukyanov**, Moscow (RU); **Byung Kwan Kim**, Suwon-si (KR); **Jong-Sok Kim**, Hwaseong-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**, Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 168 days.

(21) Appl. No.: **16/703,647**

(22) Filed: **Dec. 4, 2019**

(65) **Prior Publication Data**

US 2020/0185834 A1 Jun. 11, 2020

(30) **Foreign Application Priority Data**

Dec. 10, 2018 (RU) RU2018143560
Sep. 10, 2019 (KR) 10-2019-0111979

(51) **Int. Cl.**
H01Q 19/17 (2006.01)
H01Q 1/52 (2006.01)
H01Q 21/24 (2006.01)
H01Q 21/28 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 19/17** (2013.01); **H01Q 1/521** (2013.01); **H01Q 21/24** (2013.01); **H01Q 21/28** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 19/17; H01Q 1/521; H01Q 21/24; H01Q 21/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,629,939 B2	12/2009	Deng et al.	
8,816,921 B2	8/2014	Ayatollahi	
9,537,210 B2	6/2017	Tatomirescu et al.	
9,692,122 B2	6/2017	Desclos et al.	
9,806,411 B2	10/2017	Hwang et al.	
2011/0241950 A1	10/2011	Milosavljevic et al.	
2013/0335280 A1	12/2013	Chen, III et al.	
2014/0118191 A1*	5/2014	Smith	H01Q 19/30 342/372
2017/0062952 A1	3/2017	Sundararajan et al.	

FOREIGN PATENT DOCUMENTS

KR	10-1727488 B1	4/2017
WO	WO 2015/176762 A1	11/2015
WO	WO 2017/127736 A1	7/2017
WO	WO 2018/077408 A1	5/2018

* cited by examiner


Primary Examiner — Graham P Smith

(74) *Attorney, Agent, or Firm* — NSIP Law

(57) **ABSTRACT**

An antenna system includes a first antenna including first radiating components and first planar re-radiating components, a second antenna including second radiating components and second planar re-radiating components, and reflective components positioned between the first planar re-radiating components and the second planar re-radiating components.

22 Claims, 17 Drawing Sheets





US011289822B2

(12) **United States Patent**
Goto et al.

(10) **Patent No.:** **US 11,289,822 B2**
(45) **Date of Patent:** **Mar. 29, 2022**

(54) **ANTENNA DEVICE**

(56) **References Cited**

(71) Applicant: **Mitsubishi Electric Corporation**,
Tokyo (JP)

U.S. PATENT DOCUMENTS

(72) Inventors: **Jun Goto**, Tokyo (JP); **Takashi Maruyama**, Tokyo (JP); **Toru Fukasawa**, Tokyo (JP)

4,914,445 A	4/1990	Shoemaker	
6,856,277 B2	2/2005	Katayama et al.	
10,224,644 B1 *	3/2019	Park	H01Q 21/065
10,498,023 B2 *	12/2019	Lin	H01Q 21/0075
2014/0218259 A1 *	8/2014	Lee	H01Q 21/065 343/852

(73) Assignee: **MITSUBISHI ELECTRIC CORPORATION**, Tokyo (JP)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 2 days.

CN	107508039 A	12/2017
JP	11-145719 A	5/1999
JP	11-251833 A	9/1999
JP	2003-174318 A	6/2003
JP	2008-236740 A	10/2008
JP	2010-193052 A	9/2010
JP	2017-73637 A	4/2017

(21) Appl. No.: **16/933,295**

(22) Filed: **Jul. 20, 2020**

OTHER PUBLICATIONS

(65) **Prior Publication Data**

US 2020/0350694 A1 Nov. 5, 2020

International Search Report issued in PCT/JP2018/002325 (PCT/ISA/210), dated Mar. 13, 2018.

European Office Action for European Application No. 18 902 178.5, dated Jul. 13, 2021.

Extended European Search for European Application No. 18902178.5, dated Nov. 20, 2020.

Related U.S. Application Data

(63) Continuation of application No. PCT/JP2018/002325, filed on Jan. 25, 2018.

* cited by examiner

Primary Examiner — Hasan Islam

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(51) **Int. Cl.**

H01Q 21/06 (2006.01)

H01Q 21/00 (2006.01)

H01Q 1/00 (2006.01)

H01Q 9/04 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 21/0075** (2013.01); **H01Q 1/002** (2013.01); **H01Q 9/0407** (2013.01)

(58) **Field of Classification Search**


CPC H01Q 21/065; H01Q 1/38; H01Q 21/0075

See application file for complete search history.

(57) **ABSTRACT**

In radiation elements, recessed portions for adjusting the power of an electromagnetic wave that passes through the radiation elements are formed as power adjustment portions at coupling portions, respectively, which are on the opposite side of a feeding unit out of sets of two coupling portions to a feed line.

5 Claims, 6 Drawing Sheets





US011289823B2

(12) **United States Patent**
Chen et al.

(10) **Patent No.:** **US 11,289,823 B2**
(45) **Date of Patent:** **Mar. 29, 2022**

(54) **ANTENNA AND ELECTRONIC DEVICE
USING SAME**

(71) Applicant: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(72) Inventors: **Si Chen**, Shenzhen (CN); **Jing Wu**,
Shenzhen (CN)

(73) Assignee: **AAC Technologies Pte. Ltd.**,
Singapore (SG)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/995,836**

(22) Filed: **Aug. 18, 2020**

(65) **Prior Publication Data**

US 2020/0412014 A1 Dec. 31, 2020

Related U.S. Application Data

(63) Continuation of application No.
PCT/CN2019/093994, filed on Jun. 29, 2019.

(51) **Int. Cl.**
H01Q 21/06 (2006.01)
H01Q 1/48 (2006.01)
H01Q 21/00 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 21/061** (2013.01); **H01Q 1/48**
(2013.01); **H01Q 21/0006** (2013.01); **H01Q**
21/0075 (2013.01); **H01Q 21/0081** (2013.01);
H01Q 21/065 (2013.01)

(58) **Field of Classification Search**

CPC .. H01Q 21/061; H01Q 19/005; H01Q 21/065;
H01Q 21/0075; H01Q 21/0081

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2016/0365638 A1* 12/2016 Luk H01Q 9/285
2020/0295461 A1* 9/2020 Luk H01Q 15/0093

OTHER PUBLICATIONS

Li et al. "A Low-Profile Substrate Integrated Magneto-Electric
Dipole Antenna Based on Folded Magnetic Wall for UWB Appli-
cation", 2018 IEEE/MTT-S International Microwave Symposium—
IMS (pp. 1545-1548), Jun. 2018. (Year: 2018).*

* cited by examiner


Primary Examiner — Ricardo I Magallanes

(74) *Attorney, Agent, or Firm* — W&G Law Group

(57) **ABSTRACT**

The invention relates to an antenna and an electronic device.
The antenna has a radiation part, a grounding sheet arranged
separated from the radiation part and a number of ground
connection parts. The radiation part has four radiators form-
ing a first gap and a second gap. Each radiator is electrically
connected to the grounding sheet through a ground connec-
tion part. The ground connection part includes at least an
attaching sheet and a number of metal through holes. Each
side of opposite two sides of each attaching sheet is elec-
trically connected to at least one of the metal through holes.
The electronic device includes the antenna. According to the
technical scheme, the antenna has the advantage of low
profile.

12 Claims, 5 Drawing Sheets





US011296394B2

(12) **United States Patent**
Wu et al.

(10) **Patent No.:** **US 11,296,394 B2**

(45) **Date of Patent:** **Apr. 5, 2022**

(54) **FLEXIBLE ANTENNA BELTS**

(71) Applicant: **HEWLETT-PACKARD
DEVELOPMENT COMPANY, L.P.**,
Spring, TX (US)

(72) Inventors: **Kuan-Ting Wu**, Taipei (TW);
Wei-Chung Chen, Taipei (TW); **Shih
Huang Wu**, Spring, TX (US)

(73) Assignee: **Hewlett-Packard Development
Company, L.P.**, Spring, TX (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/760,998**

(22) PCT Filed: **Dec. 8, 2017**

(86) PCT No.: **PCT/US2017/065330**

§ 371 (c)(1),

(2) Date: **May 1, 2020**

(87) PCT Pub. No.: **WO2019/112608**

PCT Pub. Date: **Jun. 13, 2019**

(65) **Prior Publication Data**

US 2020/0313274 A1 Oct. 1, 2020

(51) **Int. Cl.**

H01Q 1/08 (2006.01)

H01Q 1/42 (2006.01)

H01Q 1/22 (2006.01)

G06F 1/16 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/085** (2013.01); **G06F 1/1652**
(2013.01); **H01Q 1/42** (2013.01); **H01Q**
1/2266 (2013.01)

(58) **Field of Classification Search**

CPC **H01Q 1/085**; **H01Q 1/12**; **H01Q 1/125**;
H01Q 1/1264; **H01Q 1/20**; **H01Q 1/22**;
H01Q 1/2258; **H01Q 1/2266**; **H01Q 1/42**;
G06F 1/1652

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,414,643 B2 * 7/2002 Cheng **G06F 1/1616**
343/702

7,847,753 B2 12/2010 Ishibashi et al.

9,155,183 B2 10/2015 Voronin et al.

9,450,292 B2 * 9/2016 Irci **H01Q 1/38**

9,660,344 B2 5/2017 Pan et al.

9,964,995 B1 * 5/2018 Morrison **G06F 1/1622**

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1416222 5/2003

CN 106453701 2/2017

(Continued)

OTHER PUBLICATIONS

Peter, T. "A Novel Tranpatent TSA for Laptop and UWB Appica-
tions", Mar. 27-30, 2012.


Primary Examiner — Jason Crawford

(74) *Attorney, Agent, or Firm* — Brooks, Cameron &
Huebsch PLLC

(57) **ABSTRACT**

Examples described herein relate to flexible antenna belts.
For instance, a system may comprise a flexible antenna belt,
where the flexible antenna belt is to transition between a
closed position and an open position, and a flexible display
coupled to the flexible antenna belt.

15 Claims, 8 Drawing Sheets





US011296400B2

(12) **United States Patent**
Yamagajo et al.

(10) **Patent No.:** **US 11,296,400 B2**

(45) **Date of Patent:** **Apr. 5, 2022**

(54) **ANTENNA DEVICE**

(71) Applicant: **FUJITSU LIMITED**, Kawasaki (JP)

(72) Inventors: **Takashi Yamagajo**, Yokosuka (JP);
Yohei Koga, Kawasaki (JP); **Manabu Yoshikawa**, Yokohama (JP); **Tabito Tonooka**, Kawasaki (JP); **Hirotake Sumi**, Kawasaki (JP)

(73) Assignee: **FUJITSU LIMITED**, Kawasaki (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 217 days.

(21) Appl. No.: **16/374,255**

(22) Filed: **Apr. 3, 2019**

(65) **Prior Publication Data**

US 2019/0341675 A1 Nov. 7, 2019

(30) **Foreign Application Priority Data**

May 7, 2018 (JP) JP2018-089427

(51) **Int. Cl.**

H01Q 1/48 (2006.01)

H01Q 7/00 (2006.01)

H01Q 5/10 (2015.01)

H01Q 9/42 (2006.01)

H01Q 1/24 (2006.01)

H01Q 1/38 (2006.01)

H01Q 13/08 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/38** (2013.01); **H01Q 1/48** (2013.01); **H01Q 5/10** (2015.01); **H01Q 7/00** (2013.01); **H01Q 9/42** (2013.01); **H01Q 13/08** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 9/42; H01Q 1/48; H01Q 1/243; H01Q 9/265; H01Q 1/521

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2008/0211725 A1* 9/2008 Ollikainen H01Q 1/243 343/749

2014/0085158 A1* 3/2014 Wong H01Q 1/48 343/841

2016/0197403 A1* 7/2016 Choi H01Q 1/38 343/700 MS

2019/0081394 A1* 3/2019 Edwards H04M 1/02

2019/0198975 A1* 6/2019 Chen H01Q 1/48

FOREIGN PATENT DOCUMENTS

JP 2004-056665 A 2/2004

JP 2010-087752 A 4/2010

JP 2016-225846 A 12/2016

* cited by examiner


Primary Examiner — Ricardo I Magallanes

(74) *Attorney, Agent, or Firm* — ArentFox Schiff LLP

(57) **ABSTRACT**

An antenna device includes a ground plane that includes an edge and a surface, a protruding metallic member that includes a first connecting part and a second connecting part coupled to the ground plane, protrudes from the edge, and constructs a first loop including the edge, and a T-shaped antenna element that extends from a feeding point to a first end and a second end along the edge, the feeding point being disposed in the vicinity of the surface between the first connecting part and the second connecting part of the first loop, wherein a length of the first loop corresponds to an electric length of one wavelength in a first frequency, and corresponds to an electric length of two wavelengths in a second frequency that is a second order harmonic of the first frequency.

3 Claims, 34 Drawing Sheets





US011296401B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 11,296,401 B2**

(45) **Date of Patent:** **Apr. 5, 2022**

(54) **FILM ANTENNA AND DISPLAY DEVICE INCLUDING THE SAME**

(71) Applicants: **DONGWOO FINE-CHEM CO., LTD.**, Jeollabuk-do (KR); **KREEMO INC.**, Seoul (KR)

(72) Inventors: **Jong Min Kim**, Gyeonggi-do (KR); **Yun Seok Oh**, Gyeonggi-do (KR); **Yoon Ho Huh**, Seoul (KR); **Won Bin Hong**, Seoul (KR)

(73) Assignees: **DONGWOO FINE-CHEM CO., LTD.**, Jeollabuk-Do (KR); **KREEMO INC.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/860,836**

(22) Filed: **Apr. 28, 2020**

(65) **Prior Publication Data**

US 2020/0259245 A1 Aug. 13, 2020

Related U.S. Application Data

(63) Continuation of application No. PCT/KR2018/013341, filed on Nov. 6, 2018.

(30) **Foreign Application Priority Data**

Nov. 6, 2017 (KR) 10-2017-0146872

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 1/38 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/38** (2013.01); **H01Q 1/44** (2013.01); **H01Q 9/0407** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 1/38; H01Q 1/44; H01Q 9/0407; H01Q 21/08; H01Q 21/24; H01Q 21/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,777,682 B2 * 8/2010 Yagi H01Q 13/10 343/725
7,928,920 B2 * 4/2011 Yagi H01Q 9/285 343/793

(Continued)

FOREIGN PATENT DOCUMENTS

CN 102918712 A 2/2013
CN 104681993 A 6/2015

(Continued)

OTHER PUBLICATIONS

International Search Report for PCT/KR2018/013341 dated Mar. 7, 2019.

(Continued)


Primary Examiner — Seung H Lee

(74) *Attorney, Agent, or Firm* — The PL Law Group, PLLC

(57) **ABSTRACT**

A film antenna according to an embodiment of the present invention includes a dielectric layer, and a vertical radiation pattern and a horizontal radiation pattern on an upper surface of the dielectric layer. The vertical radiation pattern and the horizontal radiation pattern are arranged together on the same plane. Multi-axis radiation properties may be implemented in the same film by the vertical radiation pattern and the horizontal radiation pattern.

17 Claims, 7 Drawing Sheets





US011296412B1

(12) **United States Patent**
He et al.

(10) **Patent No.:** **US 11,296,412 B1**
(45) **Date of Patent:** **Apr. 5, 2022**

(54) **5G BROADBAND ANTENNA**

(56) **References Cited**

(71) Applicant: **Airgain Incorporated**, San Diego, CA (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Ziming He**, Irvine, CA (US); **Alven Jan Delos Santos Eusantos**, San Diego, CA (US)

D418,142 S	12/1999	Thill	
6,087,990 A	7/2000	Thill et al.	
6,624,793 B1 *	9/2003	Su	H01Q 9/28 343/793
6,850,191 B1	2/2005	Thill et al.	
7,042,415 B2 *	5/2006	Cheng	H01Q 9/28 343/793

(73) Assignee: **Airgain, Inc.**, San Diego, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 217 days.

7,061,437 B2	6/2006	Lin et al.	
7,148,849 B2	12/2006	Lin	
7,215,296 B2	5/2007	Abramov et al.	
D546,821 S	7/2007	Oliver	
D549,696 S	8/2007	Oshima et al.	
7,333,067 B2	2/2008	Hung et al.	
7,336,959 B2	2/2008	Khitrik et al.	
D573,589 S	7/2008	Montgomery et al.	
7,405,704 B1	8/2008	Lin et al.	
7,477,195 B2	1/2009	Vance	
D592,195 S	5/2009	Wu et al.	
7,570,215 B2	8/2009	Abramov et al.	
D599,334 S	9/2009	Chiang	
D606,053 S	12/2009	Wu et al.	
D607,442 S	1/2010	Su et al.	
D608,769 S	1/2010	Bufe	

(22) Filed: **Apr. 9, 2019**

Related U.S. Application Data

(63) Continuation-in-part of application No. 16/258,611, filed on Jan. 27, 2019, now Pat. No. 10,868,354.

(60) Provisional application No. 62/793,871, filed on Jan. 17, 2019.

(51) **Int. Cl.**
H01Q 5/28 (2015.01)
H01Q 21/00 (2006.01)
H01Q 5/50 (2015.01)
H01Q 5/371 (2015.01)

(52) **U.S. Cl.**
CPC **H01Q 5/28** (2015.01); **H01Q 5/371** (2015.01); **H01Q 5/50** (2015.01); **H01Q 21/0043** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 5/371; H01Q 5/15; H01Q 5/30; H01Q 5/357; H01Q 5/364
See application file for complete search history.

Primary Examiner — Dameon E Levi


Assistant Examiner — Jennifer F Hu

(74) *Attorney, Agent, or Firm* — Clause Eight; Michael Catania

(57) **ABSTRACT**

A 5G broadband antenna is disclosed herein. The 5G broadband antenna comprises a first antenna element and a second antenna element. Each of the first antenna element and the second antenna element has a main branch with a slot therein. The antenna apparatus covers a first frequency band of 617-960 MegaHertz, a second frequency band of 1.4-1.6 GigaHertz (GHz), a third frequency band of 1.71-2.7 GHz, a fourth frequency band of 3.3 to 4.2 GHz, and a fifth frequency band of 4.3 to 6.0 GHz.

11 Claims, 13 Drawing Sheets



(12) **United States Patent**
Tai et al.

(10) **Patent No.:** **US 11,296,413 B2**
(45) **Date of Patent:** **Apr. 5, 2022**

(54) **ANTENNA STRUCTURE**

(56) **References Cited**

(71) Applicant: **WISTRON NEWEB CORPORATION**, Hsinchu (TW)

U.S. PATENT DOCUMENTS

(72) Inventors: **Chih-Feng Tai**, Hsinchu (TW);
Tzu-Chi Lu, Hsinchu (TW)

8,779,986 B2 * 7/2014 Fan H01Q 9/42
343/700 MS
9,252,490 B2 2/2016 Wei
10,069,199 B2 9/2018 Chen et al.
2012/0001815 A1 * 1/2012 Wong H01Q 9/0414
343/749
2013/0207861 A1 * 8/2013 Huang H01Q 13/10
343/767

(73) Assignee: **WISTRON NEWEB CORPORATION**, Hsinchu (TW)

(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 95 days.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **17/020,999**

CN 106299679 B 6/2019
TW 200905987 A 2/2009

(22) Filed: **Sep. 15, 2020**

(Continued)

(65) **Prior Publication Data**

US 2021/0313692 A1 Oct. 7, 2021

Primary Examiner — Jason Crawford

(74) Attorney, Agent, or Firm — McClure, Qualey & Rodack, LLP

(30) **Foreign Application Priority Data**

Apr. 1, 2020 (TW) 109111381

(57) **ABSTRACT**


(51) **Int. Cl.**
H01Q 5/371 (2015.01)
H01Q 9/04 (2006.01)

An antenna structure is provided. The antenna structure includes a first radiation element, a second radiation element, and a feeding element. The first radiation element includes a first radiation portion, a second radiation portion, and a feeding portion. The second radiation element includes a third radiation portion, a fourth radiation portion, and a grounding portion. The third radiation portion and the first radiation portion are separate from each other and coupled to each other, the third radiation portion and the second radiation portion are separate from each other and coupled to each other, and the fourth radiation portion and the first radiation portion are separate from each other and coupled to each other. The feeding element is electrically connected with the feeding portion and the grounding portion. A junction between the feeding element and the feeding portion is defined as a feeding point.

(52) **U.S. Cl.**
CPC **H01Q 5/371** (2015.01); **H01Q 9/0407** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 5/30; H01Q 5/307; H01Q 5/321;
H01Q 5/371; H01Q 5/378; H01Q 5/385;
H01Q 5/392; H01Q 5/50; H01Q
1/241–243; H01Q 9/04; H01Q 9/0407
See application file for complete search history.

15 Claims, 9 Drawing Sheets





US011296415B2

(12) **United States Patent**
Fabrega Sanchez et al.

(10) **Patent No.:** **US 11,296,415 B2**
(45) **Date of Patent:** **Apr. 5, 2022**

(54) **MULTI-LAYER PATCH ANTENNA**

(56) **References Cited**

(71) Applicant: **QUALCOMM Incorporated**, San Diego, CA (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Jorge Fabrega Sanchez**, San Diego, CA (US); **Alireza Mohammadian**, San Diego, CA (US); **Mohammad Ali Tassoudji**, San Diego, CA (US); **Assaf Haviv**, Petch-Tikwa (IL)

6,133,882	A	10/2000	Lafleur et al.
6,937,206	B2	8/2005	Puente et al.
8,269,687	B2	9/2012	Lindmark et al.
9,368,860	B2	6/2016	Hossain
9,831,566	B2	11/2017	Delestre et al.
2002/0183013	A1	12/2002	Auckland et al.
2007/0296635	A1	12/2007	Popugaev et al.
2009/0135078	A1	5/2009	Lindmark et al.
2014/0073337	A1	3/2014	Hong et al.
2017/0012359	A1	1/2017	Jung et al.

(Continued)

(73) Assignee: **QUALCOMM Incorporated**, San Diego, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 552 days.

OTHER PUBLICATIONS

(21) Appl. No.: **16/147,232**

International Search Report and Written Opinion—PCT/US2019/050966—ISA/EPO—dated Nov. 27, 2019.

(22) Filed: **Sep. 28, 2018**

(Continued)

(65) **Prior Publication Data**

US 2020/0106183 A1 Apr. 2, 2020

Primary Examiner — Graham P Smith

(74) *Attorney, Agent, or Firm* — Qualcomm Incorporated

(51) **Int. Cl.**

H01Q 1/24	(2006.01)
H01Q 9/04	(2006.01)
H01Q 5/378	(2015.01)
H01Q 21/06	(2006.01)
H04B 1/04	(2006.01)

(57)

ABSTRACT

An antenna system includes: a patch radiator being electrically conductive and configured to radiate energy in a first frequency band and a second frequency band, different from the first frequency band; a parasitic patch radiator overlapping with the patch radiator, the parasitic patch radiator being electrically conductive and being configured to radiate energy in the first frequency band; and at least one parasitic element including a conductor sized and disposed relative to the parasitic patch radiator such that a combination of the parasitic patch radiator and the at least one parasitic element will radiate energy in the second frequency band.

(52) **U.S. Cl.**


CPC **H01Q 9/0414** (2013.01); **H01Q 1/243** (2013.01); **H01Q 5/378** (2015.01); **H01Q 9/0464** (2013.01); **H01Q 21/065** (2013.01); **H04B 1/0458** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/38; H01Q 9/0407; H01Q 19/005; H01Q 9/0414; H01Q 5/385

See application file for complete search history.

30 Claims, 9 Drawing Sheets





US011296416B2

(12) **United States Patent**
Park et al.

(10) **Patent No.:** **US 11,296,416 B2**

(45) **Date of Patent:** **Apr. 5, 2022**

(54) **METAMATERIAL STRUCTURE ANTENNA
AND METAMATERIAL STRUCTURE ARRAY**

(71) Applicants: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR); **Hongik University
Industry-Academia Cooperation
Foundation**, Seoul (KR)

(72) Inventors: **Jae-Seok Park**, Gyeonggi-do (KR);
Jeong-Hae Lee, Seoul (KR); **Jae-Hyun
Park**, Gyeonggi-do (KR); **Kwi-Seob
Um**, Seoul (KR); **Young-Ho Ryu**,
Gyeonggi-do (KR); **Chang-Hyun Lee**,
Incheon (KR); **Sang-Wook Kwon**,
Gyeonggi-do (KR); **Sung-Bum Park**,
Gyeonggi-do (KR); **Jae-Gon Lee**,
Gyeonggi-do (KR); **Sang-Wook Chi**,
Incheon (KR)

(73) Assignees: **Samsung Electronics Co., Ltd.**;
**Hongik University
Industry-Academia Cooperation
Foundation**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 265 days.

(21) Appl. No.: **16/608,621**

(22) PCT Filed: **Apr. 19, 2018**

(86) PCT No.: **PCT/KR2018/004537**

§ 371 (c)(1),

(2) Date: **Oct. 25, 2019**

(87) PCT Pub. No.: **WO2018/199549**

PCT Pub. Date: **Nov. 1, 2018**

(65) **Prior Publication Data**

US 2020/0052405 A1 Feb. 13, 2020

(30) **Foreign Application Priority Data**

Apr. 25, 2017 (KR) 10-2017-0052988

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 1/48 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 9/0428** (2013.01); **H01Q 1/243**
(2013.01); **H01Q 1/245** (2013.01); **H01Q 1/48**
(2013.01); **H01Q 3/36** (2013.01); **H01Q**
15/148 (2013.01)

(58) **Field of Classification Search**
CPC H01Q 9/0428; H01Q 19/005; H01Q
15/0086; H01Q 15/148; G02F 2202/30
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2012/0075692 A1* 3/2012 Baik G02F 1/21
359/344

2013/0176188 A1 7/2013 Motta Cruz
(Continued)

FOREIGN PATENT DOCUMENTS

CN 106165196 A * 11/2016 H01Q 19/005
EP 1038332 B1 * 4/2008 H01Q 5/378

(Continued)

OTHER PUBLICATIONS

PCT/ISA/210 Search Report issued on PCT/KR2018/004537, pp. 5.
PCT/ISA/237 Written Opinion issued on PCT/KR2018/004537, pp.
5.


Primary Examiner — Ricardo I Magallanes

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm,
P.C.

(57) **ABSTRACT**

In various embodiments, a metamaterial structure antenna
may comprise: a feed line for feeding a signal; a ground
plane comprising a cross-shaped aperture forming circular
polarization on the basis of a magnetic field induced by the

(Continued)





US011296418B2

(12) **United States Patent**
Zhang et al.

(10) **Patent No.:** **US 11,296,418 B2**

(45) **Date of Patent:** **Apr. 5, 2022**

(54) **LOW-PROFILE DUAL-POLARIZATION
FILTERING MAGNETO-ELECTRIC DIPOLE
ANTENNA**

(71) Applicant: **SOUTH CHINA UNIVERSITY OF
TECHNOLOGY**, Guangdong (CN)

(72) Inventors: **Xiuyin Zhang**, Guangzhou (CN);
Shengjie Yang, Guangzhou (CN);
Zhijie Zhang, Guangzhou (CN);
Yongmei Pan, Guangzhou (CN);
Yunfei Cao, Guangzhou (CN); **Yao
Zhang**, Guangzhou (CN)

(73) Assignee: **SOUTH CHINA UNIVERSITY OF
TECHNOLOGY**, Guangdong (CN)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 46 days.

(21) Appl. No.: **17/046,315**

(22) PCT Filed: **Oct. 25, 2019**

(86) PCT No.: **PCT/CN2019/113146**

§ 371 (c)(1),

(2) Date: **Oct. 9, 2020**

(87) PCT Pub. No.: **WO2020/177341**

PCT Pub. Date: **Sep. 10, 2020**

(65) **Prior Publication Data**

US 2021/0151890 A1 May 20, 2021

(30) **Foreign Application Priority Data**

Mar. 1, 2019 (CN) 201910153863.5

(51) **Int. Cl.**

H01Q 9/16 (2006.01)

H01Q 1/38 (2006.01)

H01Q 1/50 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 9/16** (2013.01); **H01Q 1/38**
(2013.01); **H01Q 1/50** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 9/16; H01Q 1/38; H01Q 1/50
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2019/0020110 A1* 1/2019 Paulotto H01Q 19/005

FOREIGN PATENT DOCUMENTS

CN 110233341 10/2016
CN 201711344181 6/2018

(Continued)


Primary Examiner — Andrea Lindgren Baltzell

(74) *Attorney, Agent, or Firm* — JMB Davis Ben-David

(57) **ABSTRACT**

The invention discloses a dual-polarized filtering magneto-electric dipole antenna, which comprises an upper dielectric substrate and a lower dielectric substrate. The upper surface of the upper dielectric substrate is printed with a radiator structure, and the lower dielectric substrate is printed with a slot coupling feed network; the radiator structure comprises four parasitic patches loaded with symmetrical slots. The parasitic patches are loaded with short-circuit probes, and the slot coupling feed network comprises two orthogonal sets of Y-shaped feeders and cross-shaped slots, and the cross-shaped slots are printed on a metal floor. The new parasitic slot structures on the radiator structure increases the bandwidth while introducing a high roll-off band edge filtering effect, and combined with the slot coupling feed network with filtering function to achieve good band-pass filtering characteristics and hardly introduce additional insertion loss.

5 Claims, 4 Drawing Sheets



(12) **United States Patent**
Van Wonerghem et al.

(10) **Patent No.:** **US 11,296,422 B2**
(45) **Date of Patent:** **Apr. 5, 2022**

(54) **MILLIMETER-WAVE ASSEMBLY**

USPC 343/893
See application file for complete search history.

(71) Applicant: **Huawei Technologies Co., Ltd.**,
Shenzhen (CN)

(56) **References Cited**

(72) Inventors: **Jari Kristian Van Wonerghem**, Kista (SE); **Alexander Khripkov**, Helsinki (FI); **Dong Liu**, Helsinki (FI); **Janne Ilvonon**, Helsinki (FI); **Jian Ou**, Kista (SE); **Ruiyuan Tian**, Helsinki (FI); **Changnian Xu**, Shenzhen (CN); **Wei Huang**, Shenzhen (CN); **Zlatoljub Milosavljevic**, Helsinki (FI)

U.S. PATENT DOCUMENTS

5,907,817 A 5/1999 Mendolia
2002/0158722 A1* 10/2002 Maruhashi H01P 5/187
333/246
2005/0200533 A1 9/2005 Brown et al.
2010/0240327 A1* 9/2010 Lambrecht H01Q 1/243
455/95

(Continued)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

CN 101809814 A 8/2010
CN 103457015 A 12/2013

(Continued)

(21) Appl. No.: **17/237,845**

Primary Examiner — Hai V Tran

(22) Filed: **Apr. 22, 2021**

(74) *Attorney, Agent, or Firm* — Conley Rose, P.C.

(65) **Prior Publication Data**

US 2021/0249783 A1 Aug. 12, 2021

Related U.S. Application Data

(63) Continuation of application No. PCT/EP2019/055249, filed on Mar. 4, 2019.

(51) **Int. Cl.**

H01Q 21/00 (2006.01)
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 21/0025** (2013.01); **H01Q 1/24** (2013.01); **H01Q 21/00** (2013.01)



(58) **Field of Classification Search**

CPC H01Q 21/0025; H01Q 1/24; H01Q 21/28; H01Q 21/00; H01Q 1/243

(57) **ABSTRACT**

A millimeter-wave (mmWave) assembly (1) comprising a first mmWave module (2), a second mmWave module (3), and a connector (4) configured to releasably interconnect the first mmWave module (2) and the second mmWave module (3). The connector (4) comprises a first connector element (5) associated with the first mmWave module (2). The first mmWave module (2) comprises a first substrate (7) and an mmWave radio frequency integrated circuit (RFIC) (8), and the second mmWave module (3) comprises a second substrate (9) and an mmWave antenna array (10). The connector (4) is configured to transmit at least one signal between the mmWave RFIC (8) and the mmWave antenna array (10) when the first mmWave module (2) and the second mmWave module (3) are interconnected.

20 Claims, 4 Drawing Sheets



(12) **United States Patent**
Avser et al.

(10) **Patent No.:** **US 11,303,022 B2**
(45) **Date of Patent:** **Apr. 12, 2022**

(54) **ELECTRONIC DEVICES HAVING
ENCLOSURE-COUPLED MULTI-BAND
ANTENNA STRUCTURES**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)
(72) Inventors: **Bilgehan Avser**, Mountain View, CA (US); **Xu Han**, Santa Clara, CA (US); **Salih Yarga**, Sunnyvale, CA (US); **Jingni Zhong**, Campbell, CA (US); **Hao Xu**, Cupertino, CA (US); **Mattia Pascolini**, San Francisco, CA (US)

7,212,161 B2 5/2007 Chen et al.
8,050,291 B1 * 11/2011 Prasad H04B 1/7163
370/467
9,105,966 B1 8/2015 Dou et al.
9,350,069 B2 * 5/2016 Pascolini H01Q 1/243
9,711,841 B2 * 7/2017 Yong H01Q 5/335
9,972,891 B2 5/2018 Ayala Vazquez et al.
10,263,334 B2 4/2019 Hu et al.
10,305,197 B2 5/2019 Henry et al.
10,411,327 B2 9/2019 Kim et al.
(Continued)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 19 days.

FOREIGN PATENT DOCUMENTS

EP 3041084 B1 4/2019

Primary Examiner — Ernest G Tacsik

Assistant Examiner — Max Mathew

(74) *Attorney, Agent, or Firm* — Treyz Law Group, P.C.; Michael H. Lyons; Tianyi He

(21) Appl. No.: **16/553,045**

(22) Filed: **Aug. 27, 2019**

(65) **Prior Publication Data**

US 2021/0066799 A1 Mar. 4, 2021

(51) **Int. Cl.**

H01Q 5/25 (2015.01)
H01Q 1/48 (2006.01)
H01Q 23/00 (2006.01)
H04B 1/38 (2015.01)

(52) **U.S. Cl.**

CPC **H01Q 5/25** (2015.01); **H01Q 1/48** (2013.01); **H01Q 23/00** (2013.01); **H04B 1/38** (2013.01)

(58) **Field of Classification Search**

CPC . H01Q 5/25; H01Q 1/48; H01Q 23/00; H04B 1/38
USPC 455/77, 73; 343/770, 702, 745, 848, 750, 343/729


See application file for complete search history.

(57)

ABSTRACT

An electronic device may be provided with a housing and an antenna having a resonating element. The resonating element may have first and second arms extending from opposing sides of a feed. The first arm and a portion of the housing may radiate in a cellular ultra-high band. The first arm may have a fundamental mode that radiates in a first ultra-wideband (UWB) communications band at 6.5 GHz. The second arm may have a fundamental mode that radiates in a 5.0 GHz wireless local area network band. The first and second arms may have a harmonic mode that radiates in a second UWB communications band at 8.0 GHz. The antenna may convey radio-frequency signals in each of these communications bands without the need for adjusting components in the antenna to switch between the UWB communications bands.

20 Claims, 9 Drawing Sheets



(12) **United States Patent**
Teng

(10) **Patent No.:** **US 11,303,024 B2**
(45) **Date of Patent:** **Apr. 12, 2022**

(54) **ANTENNA STRUCTURE**

(71) Applicants: **Inventec (Pudong) Technology Corporation**, Shanghai (CN);
INVENTEC CORPORATION, Taipei (TW)

(72) Inventor: **Pei-Ling Teng**, Taipei (TW)

(73) Assignees: **Inventec (Pudong) Technology Corporation**, Shanghai (CN);
INVENTEC CORPORATION, Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/013,678**

(22) Filed: **Sep. 7, 2020**

(65) **Prior Publication Data**

US 2022/0069469 A1 Mar. 3, 2022

(30) **Foreign Application Priority Data**

Aug. 25, 2020 (CN) 202010860781.7

(51) **Int. Cl.**

H01Q 1/36 (2006.01)

H01Q 5/15 (2015.01)

H01Q 5/30 (2015.01)

H01Q 5/371 (2015.01)

H01Q 9/04 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/371** (2015.01); **H01Q 9/0421** (2013.01); **H01Q 9/0442** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 5/371; H01Q 9/0421; H01Q 9/0442
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2011/0037672 A1* 2/2011 Tseng H01Q 9/0421
343/767
2012/0306709 A1* 12/2012 Wu H01Q 5/371
343/767
2013/0201062 A1* 8/2013 Lin H01Q 1/243
343/702
2013/0234903 A1* 9/2013 Kwak H01Q 1/243
343/750
2015/0061951 A1* 3/2015 Wong H01Q 5/371
343/749

FOREIGN PATENT DOCUMENTS

TW M367432 U 10/2009
TW I327389 B 7/2010

* cited by examiner

Primary Examiner — Hai V Tran

Assistant Examiner — Michael M Bouizza


(74) *Attorney, Agent, or Firm* — CKC & Partners Co., LLC

(57) **ABSTRACT**

An antenna structure includes a h-shaped radiator and a first radiator. The h-shaped radiator has a first segment, a second segment opposite to the first segment, a first end and a second end which are located at the first segment, a third end located at the second segment, a short-circuit point at the first segment, and a feeding point at the second segment, in which the first segment is longer than the second segment. The first radiator is connected to the second segment.

13 Claims, 9 Drawing Sheets

100





US011303025B2

(12) **United States Patent**
Zhao et al.

(10) **Patent No.:** **US 11,303,025 B2**
(45) **Date of Patent:** **Apr. 12, 2022**

(54) **5G DUAL-POLARIZED ANTENNA MODULE AND TERMINAL DEVICE**

(71) Applicant: **SHENZHEN SUNWAY COMMUNICATION CO., LTD.**,
Guangdong (CN)

(72) Inventors: **Yue Zhao**, Shenzhen (CN); **Anping Zhao**, Shenzhen (CN)

(73) Assignee: **SHENZHEN SUNWAY COMMUNICATION CO., LTD.**,
Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 128 days.

(21) Appl. No.: **16/769,428**

(22) PCT Filed: **Apr. 7, 2020**

(86) PCT No.: **PCT/CN2020/083464**

§ 371 (c)(1),

(2) Date: **Jun. 3, 2020**

(87) PCT Pub. No.: **WO2021/139014**

PCT Pub. Date: **Jul. 15, 2021**

(65) **Prior Publication Data**

US 2022/0006192 A1 Jan. 6, 2022

(30) **Foreign Application Priority Data**

Jan. 10, 2020 (CN) 202010024407.3

(51) **Int. Cl.**

H01Q 5/378 (2015.01)

H01Q 1/24 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 5/378** (2015.01); **H01Q 1/242**
(2013.01); **H01Q 1/38** (2013.01); **H01Q 1/48**
(2013.01);

(Continued)

(58) **Field of Classification Search**

CPC H01Q 19/13; H01Q 21/28; H01Q 1/243

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2019/0027838 A1* 1/2019 Paulotto H01Q 21/28

2021/0242568 A1* 8/2021 Zhang H01Q 9/30

FOREIGN PATENT DOCUMENTS

CN 207517869 U 6/2018

CN 108288757 A 7/2018

(Continued)

OTHER PUBLICATIONS

Chen, S. et al., "LTCC Based Dual-Polarized Magneto-Electric Dipole Antenna for 5G Millimeter Wave Application," 13th European Conference on Antennas and Propagation (EuCAP 2019), 4 pages.

(Continued)



Primary Examiner — Ricardo I Magallanes

(74) *Attorney, Agent, or Firm* — Oliff PLC

(57) **ABSTRACT**

A 5G dual-polarized antenna module and a terminal device are disclosed. The 5G dual-polarized antenna module comprises a substrate, a first metal ground and at least one antenna unit group are disposed in the substrate, the first metal ground partitions the substrate into a first region and a second region, the antenna unit group includes a first antenna unit and a second antenna unit which are located in the first region, and the first antenna unit comprises a dipole element and a parasitic element matched with the dipole element; the second antenna unit comprises a T-shaped probe, which is partially located between the dipole element and the parasitic element; and a first ground layer conductive with the first metal ground is disposed on the bottom surface

(Continued)



(12) **United States Patent**
Wu et al.

(10) **Patent No.:** US 11,303,035 B2
(45) **Date of Patent:** Apr. 12, 2022

(54) **ANTENNA APPARATUS AND ELECTRONIC DEVICE**

(71) Applicant: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Guangdong (CN)

(72) Inventors: **Qing Wu**, Guangdong (CN); **Haijun Tang**, Guangdong (CN); **Huanhong Liu**, Guangdong (CN); **Guolin Liu**, Guangdong (CN)

(73) Assignee: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Dongguan (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: 17/230,794

(22) Filed: Apr. 14, 2021

(65) **Prior Publication Data**

US 2021/0273341 A1 Sep. 2, 2021

Related U.S. Application Data

(63) Continuation of application No. 16/173,574, filed on Oct. 29, 2018, now Pat. No. 11,011,850.

(30) **Foreign Application Priority Data**

Dec. 29, 2017 (CN) 201711499678.9
Dec. 29, 2017 (CN) 201721928944.0

(51) **Int. Cl.**
H01Q 13/18 (2006.01)
H01Q 1/24 (2006.01)
(Continued)

(52) **U.S. Cl.**

CPC **H01Q 13/18** (2013.01); **H01Q 1/243** (2013.01); **H01Q 1/44** (2013.01); **H01Q 1/48** (2013.01); **H01Q 5/357** (2015.01)

(58) **Field of Classification Search**

None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,038,245 B2 7/2018 Choi et al.
10,305,453 B2 * 5/2019 Edwards H03J 1/0083
(Continued)

OTHER PUBLICATIONS

OA1 with English Translation issued in corresponding CN application No. 201711499678.9 dated Jul. 29, 2019.

(Continued)


Primary Examiner — Ab Salam Alkassim, Jr.

(74) *Attorney, Agent, or Firm* — Young Basile Hanlon & MacFarlane, P.C.

(57) **ABSTRACT**

An antenna apparatus and an electronic device are provided. The antenna apparatus includes an excitation source, a conductive member, an antenna radiator comprising a radiator body and a power feeding portion, a first extension portion and a support member, the radiator body comprises a first end and a second end opposite to the first end, and the power feeding portion is disposed at the first end; the first extension portion disposed adjacent to the second end of the antenna radiator, the support member disposed at an end of the first extension portion away from the second end of the antenna radiator, an excitation signal generated by the excitation source transmitted to the support member through the conductive member, the power feeding portion, the first end, the radiator body, the second end, and the first extension portion in sequence.

16 Claims, 4 Drawing Sheets





US011303038B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 11,303,038 B2**
(45) **Date of Patent:** **Apr. 12, 2022**

(54) **ANTENNA APPARATUS**

(71) Applicant: **Samsung Electro-Mechanics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Won Cheol Lee**, Suwon-si (KR); **Jeong Ki Ryoo**, Suwon-si (KR); **Nam Ki Kim**, Suwon-si (KR); **Myeong Woo Han**, Suwon-si (KR); **Sang Hyun Kim**, Suwon-si (KR)

(73) Assignee: **Samsung Electro-Mechanics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 65 days.

(21) Appl. No.: **16/738,375**

(22) Filed: **Jan. 9, 2020**

(65) **Prior Publication Data**

US 2021/0044028 A1 Feb. 11, 2021

(30) **Foreign Application Priority Data**

Aug. 8, 2019 (KR) 10-2019-0096690

(51) **Int. Cl.**

H01Q 1/38 (2006.01)

H01Q 21/06 (2006.01)

H01Q 9/04 (2006.01)

H01Q 5/42 (2015.01)

H01Q 21/24 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 21/061** (2013.01); **H01Q 5/42** (2015.01); **H01Q 9/045** (2013.01); **H01Q 21/24** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 21/061; H01Q 9/045; H01Q 5/42;
H01Q 21/24

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,405,564 B2	3/2013	Kindt et al.	
9,368,873 B2	6/2016	Myszne et al.	
2015/0333407 A1 *	11/2015	Yamagajo	H01Q 5/40 343/905
2018/0159203 A1 *	6/2018	Baks	H01Q 1/2283
2019/0020110 A1 *	1/2019	Paulotto	H01Q 19/005
2019/0020121 A1 *	1/2019	Paulotto	H01Q 21/065
2020/0106158 A1 *	4/2020	Gomez Angulo	G06F 1/1698

FOREIGN PATENT DOCUMENTS

JP	6379303 B2	8/2018
KR	10-1164618 B1	7/2012
KR	10-1798628 B1	11/2017
WO	WO 2016/137757 A1	9/2016

* cited by examiner

Primary Examiner — Dieu Hien T Duong


(74) *Attorney, Agent, or Firm* — NSIP Law

(57)

ABSTRACT

An antenna apparatus includes a ground plane, a plurality of first patch antenna patterns arranged on a level higher than the ground plane and each configured to transmit and/or receive a first radio frequency signal of a first frequency, a plurality of second patch antenna patterns arranged on a level higher than the ground plane and each having a size smaller than a size of each of the first patch antenna patterns, wherein the plurality of second patch antenna patterns include at least one feed patch antenna pattern configured to transmit and/or receive a second radio frequency signal of a second frequency different from the first frequency, and at least one dummy patch antenna pattern which is not fed any of the first and second radio frequency signals.

21 Claims, 27 Drawing Sheets



(12) **United States Patent**
Lin et al.

(10) **Patent No.:** **US 11,303,042 B2**
(45) **Date of Patent:** **Apr. 12, 2022**

(54) **COMMUNICATION DEVICE**

(56) **References Cited**

(71) Applicant: **HTC Corporation**, Taoyuan (TW)

U.S. PATENT DOCUMENTS

(72) Inventors: **Cheng-Hung Lin**, Taoyuan (TW);
Szu-Po Wang, Taoyuan (TW);
Chun-Chieh Wang, Taoyuan (TW);
Yu-Yu Chen, Taoyuan (TW); **Shih-Hua Wu**, Taoyuan (TW); **Dun-Yuan Cheng**, Taoyuan (TW)

2012/0009884 A1 1/2012 Rao et al.
2012/0182190 A1* 7/2012 Yui H01Q 1/04
343/702
2018/0151947 A1 5/2018 Apostolos et al.
2018/0205146 A1 7/2018 Huang

FOREIGN PATENT DOCUMENTS

(73) Assignee: **HTC CORPORATION**, Taoyuan (TW)

CN 109256613 A 1/2019
EP 3 742 548 A1 11/2020
TW 201807881 A 3/2018
WO WO 2018/168139 A1 9/2018

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 164 days.

OTHER PUBLICATIONS

(21) Appl. No.: **16/860,833**

European Search Report dated Oct. 15, 2020 in corresponding European Application No. 20175988.

(22) Filed: **Apr. 28, 2020**

European Office Action for European Application No. 20175988.3, dated Aug. 4, 2021.

(65) **Prior Publication Data**

European Notice of Allowance for European Application No. 20175988.3, dated Dec. 14, 2021.

US 2020/0373680 A1 Nov. 26, 2020

* cited by examiner

Related U.S. Application Data

(60) Provisional application No. 62/851,674, filed on May 23, 2019.

Primary Examiner — Graham P Smith

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(51) **Int. Cl.**

H01Q 21/24 (2006.01)
H01Q 3/26 (2006.01)
H01Q 21/28 (2006.01)
H04B 7/06 (2006.01)
H04B 7/10 (2017.01)

(52) **U.S. Cl.**

CPC **H01Q 21/245** (2013.01); **H01Q 3/26** (2013.01); **H01Q 21/28** (2013.01); **H04B 7/063** (2013.01); **H04B 7/10** (2013.01)


(58) **Field of Classification Search**

CPC H01Q 21/245; H01Q 3/26; H01Q 21/28
See application file for complete search history.

(57) **ABSTRACT**

A communication device includes a display device, a first antenna element, a second antenna element, a third antenna element, and a fourth antenna element. The display device is surrounded by the first antenna element, the second antenna element, the third antenna element, and the fourth antenna element. Any adjacent two of the first antenna element, the second antenna element, the third antenna element, and the fourth antenna element have different polarization directions.

19 Claims, 6 Drawing Sheets





US011303163B2

(12) **United States Patent**
Jang

(10) **Patent No.:** **US 11,303,163 B2**

(45) **Date of Patent:** **Apr. 12, 2022**

(54) **WIRELESS POWER RECEIVING MODULE
AND PORTABLE ELECTRONIC DEVICE
COMPRISING SAME**

(71) Applicant: **AMONSENSE CO., LTD.**, Cheonan-si
(KR)

(72) Inventor: **Kil Jae Jang**, Seongnam-si (KR)

(73) Assignee: **AMONSENSE CO., LTD.**, Cheonan-si
(KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/980,050**

(22) PCT Filed: **Mar. 13, 2019**

(86) PCT No.: **PCT/KR2019/002883**

§ 371 (c)(1),

(2) Date: **Sep. 11, 2020**

(87) PCT Pub. No.: **WO2019/177357**

PCT Pub. Date: **Sep. 19, 2019**

(65) **Prior Publication Data**

US 2021/0021161 A1 Jan. 21, 2021

(30) **Foreign Application Priority Data**

Mar. 14, 2018 (KR) 10-2018-0029827

Aug. 10, 2018 (KR) 10-2018-0093780

(51) **Int. Cl.**

H02J 50/70 (2016.01)

H02J 50/10 (2016.01)

H01F 27/255 (2006.01)

H01F 27/28 (2006.01)

H02J 7/02 (2016.01)

H04M 1/02 (2006.01)

(52) **U.S. Cl.**

CPC **H02J 50/70** (2016.02); **H01F 27/255**
(2013.01); **H01F 27/2804** (2013.01); **H01F**
27/2885 (2013.01); **H02J 7/02** (2013.01);
H02J 50/10 (2016.02); **H04M 1/0202**
(2013.01)

(58) **Field of Classification Search**

CPC **H02J 50/70**; **H02J 50/10**; **H01F 27/255**;
H01F 27/2804; **H01F 27/2885**

USPC 307/104

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,643,505 B2 * 5/2017 Ichikawa B60L 53/124
9,673,509 B2 6/2017 Park et al.
10,897,153 B2 * 1/2021 Vijayan H02J 50/12
(Continued)

FOREIGN PATENT DOCUMENTS

JP 2013169138 A 8/2013
KR 20130015244 A 2/2012
(Continued)

Primary Examiner — Alfonso Perez Borroto

(74) *Attorney, Agent, or Firm* — Rothwell, Figg, Ernst &
Manbeck, P.C.

(57) **ABSTRACT**

A wireless power receiving module is provided. A wireless power receiving module according to one embodiment of the present invention comprises: a wireless power receiving antenna in which a conductive member having a rectangular cross section is formed in a loop shape; and a shielding sheet disposed on one surface of the antenna for shielding a magnetic field, wherein one surface of the antenna is directly attached to the shielding sheet.

17 Claims, 12 Drawing Sheets

