



US011563275B2

(12) **United States Patent**
Wei

(10) **Patent No.:** **US 11,563,275 B2**
(45) **Date of Patent:** **Jan. 24, 2023**

(54) **ANTENNA STRUCTURE**

(71) Applicant: **Wistron NeWeb Corp.**, Hsinchu (TW)

(72) Inventor: **Shih-Chiang Wei**, Hsinchu (TW)

(73) Assignee: **WISTRON NEWEB CORP.**, Hsinchu (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 171 days.

(21) Appl. No.: **17/010,219**

(22) Filed: **Sep. 2, 2020**

(65) **Prior Publication Data**
US 2021/0249776 A1 Aug. 12, 2021

(30) **Foreign Application Priority Data**
Feb. 6, 2020 (TW) 109103648

(51) **Int. Cl.**
H01Q 13/10 (2006.01)
H01Q 1/48 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 13/106** (2013.01); **H01Q 1/48** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 5/364; H01Q 5/357; H01Q 13/106;
H01Q 5/328; H01Q 5/335; H01Q 5/392
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2010/0103062 A1* 4/2010 Chang H01Q 13/10
343/767
2012/0268328 A1* 10/2012 Kim H01Q 1/48
343/702

2015/0123874 A1* 5/2015 Chan H01Q 5/30
343/905
2015/0207219 A1* 7/2015 Oh H01Q 1/50
343/702
2016/0211570 A1* 7/2016 Jin H01Q 5/314
2017/0054196 A1* 2/2017 Hu H01Q 1/243
2017/0207542 A1* 7/2017 Tseng H01Q 13/10
2020/0168993 A1 5/2020 Wei
2020/0328520 A1* 10/2020 Deng H01Q 9/0457
2021/0376452 A1* 12/2021 Wu H01Q 5/40

FOREIGN PATENT DOCUMENTS

TW I682582 B 1/2020

* cited by examiner

Primary Examiner — Ricardo I Magallanes


(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

An antenna structure includes a metal mechanism element, a dielectric substrate, a feeding radiation element, a coupling radiation element, a ground plane, a first shorting element, a second shorting element, and a circuit element. The metal mechanism element has a slot. The dielectric substrate has a first surface and a second surface which are opposite to each other. The feeding radiation element extends across the slot. The coupling radiation element is adjacent to the feeding radiation element. The first shorting element is coupled to a first grounding point on the ground plane. The second shorting element is coupled to the metal mechanism element. The circuit element is coupled between the first shorting element and the second shorting element. The coupling radiation element is disposed on the first surface of the dielectric substrate. The feeding radiation element is disposed on the second surface of the dielectric substrate.

18 Claims, 7 Drawing Sheets

100





US011569561B2

(12) **United States Patent**
Park et al.

(10) **Patent No.:** **US 11,569,561 B2**
(45) **Date of Patent:** **Jan. 31, 2023**

(54) **ANTENNA HAVING SINGLE
NON-CONDUCTIVE PORTION AND
ELECTRONIC DEVICE INCLUDING THE
SAME**

(58) **Field of Classification Search**
CPC H01Q 1/2266; H01Q 1/38; H01Q 5/335;
H01Q 5/35; H01Q 9/30; H01Q 9/42;
(Continued)

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(56) **References Cited**

(72) Inventors: **Sungkoo Park**, Suwon-si (KR);
Hyungjoo Lee, Suwon-si (KR); **Shinho
Yoon**, Suwon-si (KR); **Himchan Yun**,
Suwon-si (KR); **Soonho Hwang**,
Suwon-si (KR); **Jaebong Chun**,
Suwon-si (KR)

U.S. PATENT DOCUMENTS

9,541,962 B2 1/2017 Siddiqui
9,813,532 B2 11/2017 Kim et al.
(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

EP 3 293 816 A1 3/2018
KR 10-2017-0018682 A 2/2017
(Continued)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

International Search Report dated Jan. 22, 2020, issued in Interna-
tional Application No. PCT/KR2019/013163.

(Continued)

(21) Appl. No.: **17/394,909**

(22) Filed: **Aug. 5, 2021**

(65) **Prior Publication Data**

US 2021/0367322 A1 Nov. 25, 2021

Related U.S. Application Data

(62) Division of application No. 16/596,108, filed on Oct.
8, 2019, now Pat. No. 11,114,744.

(30) **Foreign Application Priority Data**

Oct. 16, 2018 (KR) 10-2018-0122922

(51) **Int. Cl.**
H01Q 1/22 (2006.01)
G06F 1/16 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/2266** (2013.01); **G06F 1/1616**
(2013.01); **G06F 1/1626** (2013.01);
(Continued)


Primary Examiner — David E Lotter

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(57) **ABSTRACT**

An electronic device is provided. The electronic device includes a foldable housing including, a hinge structure, a first housing structure including a first surface, a second surface, and a first side member, wherein the first side member encloses at least a portion of a space between the first surface and the second surface and includes a first conductive portion, a first non-conductive portion, and a second conductive portion, and a second housing structure including a third surface, a fourth surface, and a second side member, a printed circuit board, at least one wireless communication circuit including a first electrical path and a second electrical path, a first variable element including a first terminal, a second terminal, and a third terminal, and a second variable element including a fourth terminal, a fifth terminal, and a sixth terminal.

12 Claims, 17 Drawing Sheets





US011569571B2

(12) **United States Patent**
Chang et al.

(10) **Patent No.:** **US 11,569,571 B2**
(45) **Date of Patent:** **Jan. 31, 2023**

(54) **MOBILE DEVICE**

(71) Applicant: **Acer Incorporated**, New Taipei (TW)

(72) Inventors: **Kun-Sheng Chang**, New Taipei (TW);
Ching-Chi Lin, New Taipei (TW)

(73) Assignee: **ACER INCORPORATED**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 130 days.

(21) Appl. No.: **17/200,968**

(22) Filed: **Mar. 15, 2021**

(65) **Prior Publication Data**

US 2022/0123463 A1 Apr. 21, 2022

(30) **Foreign Application Priority Data**

Oct. 20, 2020 (TW) 109136239

(51) **Int. Cl.**

H01Q 1/52 (2006.01)

H01Q 1/24 (2006.01)

H01Q 5/307 (2015.01)

H01Q 9/42 (2006.01)

H01Q 1/22 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/52** (2013.01); **H01Q 1/243** (2013.01); **H01Q 5/307** (2015.01); **H01Q 9/42** (2013.01); **H01Q 1/2258** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/2258; H01Q 9/42; H01Q 1/243; H01Q 5/307; H01Q 1/52

See application file for complete search history.


Primary Examiner — Graham P Smith

(74) *Attorney, Agent, or Firm* — Edell, Shapiro & Finnan, LLC

(57) **ABSTRACT**

An antenna for a mobile device includes a ground element, a substrate disposed over the ground element, a first radiating element having a feedpoint, a second radiating element coupled to the ground element and adjacent the first radiating element, and a connection metal element disposed on the substrate, and a coaxial cable, having central conductor coupled to the feedpoint, a shielding conductor, and an insulating outer layer, wherein the shielding conductor has a bare region, spaced from the feedpoint, that exposes a portion of the shielding conductor, and the portion of the shielding conductor is coupled through the connection metal element to the second radiating element.

20 Claims, 7 Drawing Sheets





US011569581B2

(12) **United States Patent**
Huang et al.

(10) **Patent No.:** **US 11,569,581 B2**
(45) **Date of Patent:** **Jan. 31, 2023**

(54) **TRANSMISSION STRUCTURE WITH
DUAL-FREQUENCY ANTENNA**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Arcadyan Technology Corporation**,
Hsinchu (TW)

7,145,517 B1 * 12/2006 Cheng H01Q 1/2291
343/810

(72) Inventors: **Chih-Yung Huang**, Taichung (TW);
Kuo-Chang Lo, Miaoli County (TW)

7,218,287 B2 * 5/2007 Hung H01Q 1/2266
343/700 MS

7,242,352 B2 7/2007 Hosouri
(Continued)

(73) Assignee: **ARCADYAN TECHNOLOGY
CORPORATION**

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

CN 2741206 Y 11/2005
KR 10-2008-0095597 A 10/2008
(Continued)

OTHER PUBLICATIONS

(21) Appl. No.: **17/465,660**

Communication from European Patent Office for European Appli-
cation No. 21198340.8, dated Feb. 17, 2022, 9 pages.

(22) Filed: **Sep. 2, 2021**

(Continued)

(65) **Prior Publication Data**

US 2022/0094062 A1 Mar. 24, 2022

Primary Examiner — Ab Salam Alkassim, Jr.

(74) *Attorney, Agent, or Firm* — Innovation Counsel LLP

(30) **Foreign Application Priority Data**

Sep. 23, 2020 (TW) 109132891

(57) **ABSTRACT**

A transmission structure with a dual-frequency antenna is provided. The transmission structure includes a substrate, a first radiator and a second radiator. The first radiator has a first electrical connection portion. The first radiator extends from the first electrical connection portion in a first direction and a second direction, wherein the first direction is opposite to the second direction. The second radiator has a second electrical connection portion adjacent to the first electrical connection portion. The second electrical connection portion has a first side and a second side, wherein the first side is closer to the first electrical connection portion than the second side, the second electrical connection portion forms a ground area between the first side and the second side, and the length of the ground area is greater than a first set value.

(51) **Int. Cl.**

H01Q 9/28 (2006.01)

H01Q 1/38 (2006.01)

H01Q 5/371 (2015.01)


(52) **U.S. Cl.**

CPC **H01Q 9/285** (2013.01); **H01Q 1/38**
(2013.01); **H01Q 5/371** (2015.01)

(58) **Field of Classification Search**

CPC H01Q 9/285; H01Q 9/28; H01Q 9/065
See application file for complete search history.

9 Claims, 3 Drawing Sheets





US011569585B2

(12) **United States Patent**
Li et al.

(10) **Patent No.:** **US 11,569,585 B2**
(45) **Date of Patent:** **Jan. 31, 2023**

(54) **HIGHLY INTEGRATED
PATTERN-VARIABLE MULTI-ANTENNA
ARRAY**

FOREIGN PATENT DOCUMENTS

TW	201810802	3/2018
TW	201824647	7/2018

(Continued)

(71) Applicant: **Industrial Technology Research
Institute, Hsinchu (TW)**

OTHER PUBLICATIONS

(72) Inventors: **Wei-Yu Li**, Yilan County (TW); **Wei
Chung**, Hsinchu County (TW); **Kin-Lu
Wong**, Kaohsiung (TW)

(73) Assignee: **Industrial Technology Research
Institute, Hsinchu (TW)**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 273 days.

“Office Action of Taiwan Counterpart Application”, dated Jul. 14,
2021, p. 1-p. 6.

Ta-Chun Pu, et al., “A novel antenna pattern switching mechanism
for WLAN application”, 2011 IEEE International Symposium on
Antennas and Propagation (APSURSI), Jul. 3-8, 2011, pp. 2051-
2054.

Wei-Yu Li et al., “Multiband 4-port MIMO antenna system for
LTE700/2300/2500 operation in the laptop computer”, 2012 Asia
Pacific Microwave Conference Proceedings, Dec. 4-7, 2012, pp.
1163-1165.

(Continued)

(21) Appl. No.: **17/137,362**

(22) Filed: **Dec. 30, 2020**

Primary Examiner — Ricardo I Magallanes

(74) Attorney, Agent, or Firm — JCIPRNET

(65) **Prior Publication Data**

US 2022/0209420 A1 Jun. 30, 2022

(51) **Int. Cl.**

H01Q 21/06 (2006.01)

H01Q 9/42 (2006.01)

H01Q 1/48 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 21/06** (2013.01); **H01Q 1/48**
(2013.01); **H01Q 9/42** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 21/06; H01Q 21/28; H01Q 1/50;
H01Q 21/062; H01Q 21/29; H01Q
5/385-392; H01Q 5/321; H01Q 5/378

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,231,413 A 7/1993 Dubois
5,235,343 A 8/1993 Audren et al.


(Continued)

(57)

ABSTRACT

A highly integrated pattern-variable multi-antenna array, including a ground conductor structure, a first antenna array, a second antenna array, and an array conjoined grounding structure, is provided. A first inverted L-shaped resonant structure has a first feeding point, and the others respectively have a first switch and are electrically connected or coupled to the ground conductor structure. A second inverted L-shaped resonant structure has a second feeding point, and the others respectively have a second switch and are electrically connected or coupled to the ground conductor structure. The first and second antenna arrays respectively generate first and second resonance modes. The second and first resonance modes cover at least one same first communication frequency band. The array conjoined grounding structure electrically connects an adjacent first inverted L-shaped resonant structure, one of the second inverted L-shaped resonant structures, and has an array conjoined capacitive structure electrically connecting the ground conductor structure.

31 Claims, 23 Drawing Sheets





US011569586B2

(12) **United States Patent**
Cho et al.

(10) **Patent No.:** **US 11,569,586 B2**
(45) **Date of Patent:** **Jan. 31, 2023**

(54) **ANTENNA**

(71) Applicant: **SAMSUNG**
ELECTRO-MECHANICS CO., LTD.,
Suwon-si (KR)

(72) Inventors: **Sangik Cho**, Suwon-si (KR); **Ju Ho Kim**, Suwon-si (KR)

(73) Assignee: **SAMSUNG**
ELECTRO-MECHANICS CO., LTD.,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 238 days.

(21) Appl. No.: **16/919,609**

(22) Filed: **Jul. 2, 2020**

(65) **Prior Publication Data**
US 2021/0320426 A1 Oct. 14, 2021

(30) **Foreign Application Priority Data**
Apr. 14, 2020 (KR) 10-2020-0045141

(51) **Int. Cl.**
H01Q 21/06 (2006.01)
H01Q 9/04 (2006.01)
H01Q 1/24 (2006.01)
H01Q 1/38 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 21/065** (2013.01); **H01Q 1/243** (2013.01); **H01Q 1/38** (2013.01); **H01Q 9/0407** (2013.01)

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,044,863 B2 *	10/2011	Ali		H01Q 1/243	343/702
9,496,596 B2	11/2016	Chirila		H01Q 1/48	
11,075,453 B1 *	7/2021	Bulumulla		H01Q 1/48	
2008/0024091 A1 *	1/2008	Yamazaki		H02J 50/12	320/166
2016/0118719 A1 *	4/2016	Shirley		H01Q 9/0407	343/700 MS
2018/0062272 A1 *	3/2018	Haziza		H01Q 21/0087	
2020/0067165 A1 *	2/2020	Rogers		H01Q 13/06	

FOREIGN PATENT DOCUMENTS

KR 10-1174739 B1 8/2012

* cited by examiner


Primary Examiner — Crystal L Hammond

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

(57) **ABSTRACT**

A antenna may include a first dielectric layer having a first surface and a second surface opposing the first surface; a second dielectric layer having a third surface, and a fourth surface opposing the third surface; an adhesive layer disposed between the second surface and the third surface and connecting the first dielectric layer to the second dielectric layer; a patch pattern disposed on the second surface and embedded in the adhesive layer; and a coupling pattern disposed on the fourth surface and having at least a portion overlapping the patch pattern on a plane. Each of the first dielectric layer and the second dielectric layer may include an organic binder and an inorganic filler.

20 Claims, 9 Drawing Sheets





US011570286B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 11,570,286 B2**
(45) **Date of Patent:** **Jan. 31, 2023**

(54) **ANTENNA AND ELECTRONIC DEVICE INCLUDING THE SAME**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Hyung Joo Lee**, Seongnam-si (KR);
Gyu Sub Kim, Seoul (KR); **Dong Yeon Kim**,
Suwon-si (KR); **Chae Up Yoo**,
Seoul (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/323,472**

(22) Filed: **May 18, 2021**

(65) **Prior Publication Data**

US 2021/0274027 A1 Sep. 2, 2021

Related U.S. Application Data

(63) Continuation of application No. 16/589,734, filed on
Oct. 1, 2019, now Pat. No. 11,050,863, which is a
(Continued)

(51) **Int. Cl.**
H04B 1/44 (2006.01)
H04M 1/02 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H04M 1/0202** (2013.01); **H01Q 1/243**
(2013.01); **H01Q 1/48** (2013.01);
(Continued)

(58) **Field of Classification Search**
None

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,424,300 B1 7/2002 Sanford et al.
7,319,432 B2 1/2008 Andersson
(Continued)

FOREIGN PATENT DOCUMENTS

CN 102428605 A 4/2012
CN 103346397 A 10/2013
(Continued)

OTHER PUBLICATIONS

Chinese Office Action dated Aug. 16, 2019, issued in Chinese Patent
Application No. 201910141643.0.

(Continued)


Primary Examiner — Tuan A Tran


(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(57) **ABSTRACT**

An electronic device is provided. The electronic device includes a housing including a first surface, a second surface disposed facing an opposite side of the first surface, and a side surface configured to surround at least a portion of a space between the first surface and the second surface, a first elongated metal member configured to form a first portion of the side surface and including a first end and a second end, at least one communication circuit electrically connected to a first point of the first elongated metal member through a capacitive element, at least one ground member disposed in an interior of the housing, and a first conductive member configured to electrically connect a second point of the first elongated metal member to the ground member. The second point of the first elongated metal member is disposed closer to the second end than to the first point.

20 Claims, 42 Drawing Sheets





(10) **Patent No.:** US 11,574,881 B2
(45) **Date of Patent:** Feb. 7, 2023

- (56)
- References Cited**

- U.S. PATENT DOCUMENTS

- 8,269,671 B2 9/2012 Chen et al.

- 8,779,564 B1 7/2014 Knudsen et al.

(Continued)

FOREIGN PATENT DOCUMENTS

- CN 107093598 A 8/2017

- | | | |
|----|------------|---------|
| EP | 3091571 A2 | 11/2016 |
|----|------------|---------|

- | | | | |
|----|-----------|---|---------|
| TW | 201742310 | A | 12/2016 |
|----|-----------|---|---------|

OTHER PUBLICATIONS

Extended European Search Report dated Oct. 29, 2019 in connection with European Application No. 19184163.4.

(Continued)

Primary Examiner — Victoria K. Hall

(74) *Attorney, Agent, or Firm* — Wolf, Greenfield & Sacks, P.C.

(65) **Prior Publication Data**

US 2021/0327835 A1 Oct. 21, 2021

Related U.S. Application Data

- (62) Division of application No. 16/452,395, filed on Jun. 25, 2019, now Pat. No. 11,081,453.

(Continued)

- (51) **Int. Cl.**
H01L 23/66 (2006.01)
H01L 23/31 (2006.01)

(Continued)

- (52) **U.S. Cl.**
CPC ***H01L 23/66*** (2013.01); ***H01L 23/128***
(2013.01); ***H01L 23/135*** (2013.01);
(Continued)


- (58) **Field of Classification Search**
CPC H01Q 1/2283; H01Q 9/0407; H01Q 9/16;
H01L 2223/667; H01L 23/28-3192;
H01L 23/66

See application file for complete search history.

(57) **ABSTRACT**

A semiconductor package structure is provided. The semiconductor package structure includes a first redistribution layer (RDL) structure formed on a non-active surface of a semiconductor die. A second RDL structure is formed on and electrically coupled to an active surface of the semiconductor die. A ground layer is formed in the first RDL structure. A first molding compound layer is formed on the first RDL structure. A first antenna includes a first antenna element formed in the second RDL structure and a second antenna element formed on the first molding compound layer. Each of the first antenna element and the second antenna element has a first portion overlapping the semiconductor die as viewed from a top-view perspective.

13 Claims, 8 Drawing Sheets





US011575193B2

(12) **United States Patent**
Wang et al.

(10) **Patent No.:** **US 11,575,193 B2**
(45) **Date of Patent:** **Feb. 7, 2023**

(54) **ELECTRONIC DEVICE WITH SLOT ANTENNA**

(71) Applicant: **Huawei Technologies Co., Ltd.**,
Shenzhen (CN)

(72) Inventors: **Yuhui Wang**, Wuhan (CN); **Kemeng Wang**, Wuhan (CN); **Chungwen Yang**, Dongguan (CN); **He Xiang**, Wuhan (CN)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 125 days.

(21) Appl. No.: **17/050,559**

(22) PCT Filed: **Apr. 28, 2018**

(86) PCT No.: **PCT/CN2018/085036**

§ 371 (c)(1),

(2) Date: **Oct. 26, 2020**

(87) PCT Pub. No.: **WO2019/205120**

PCT Pub. Date: **Oct. 31, 2019**

(65) **Prior Publication Data**

US 2021/0242567 A1 Aug. 5, 2021

(51) **Int. Cl.**

H01Q 1/22 (2006.01)

H01Q 1/24 (2006.01)

H01Q 1/48 (2006.01)

H01Q 13/16 (2006.01)

G06F 3/02 (2006.01)

G06F 3/0354 (2013.01)

(52) **U.S. Cl.**

CPC **H01Q 1/2266** (2013.01); **G06F 3/0202** (2013.01); **G06F 3/03547** (2013.01); **H01Q 1/245** (2013.01); **H01Q 1/48** (2013.01); **H01Q 13/16** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/2266; H01Q 1/245; H01Q 1/48; H01Q 13/16; H01Q 13/103; G06F 3/0202; G06F 3/03547

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,450,288 B2 9/2016 Ruan et al.
2003/0122721 A1* 7/2003 Sievenpiper H01Q 13/103 343/768

2005/0146475 A1 7/2005 Bettner et al.
2009/0256757 A1 10/2009 Chiang et al.
2010/0090911 A1 4/2010 Adachi

(Continued)

FOREIGN PATENT DOCUMENTS

CN 202352829 U 7/2012
CN 103840251 A 6/2014

(Continued)

Primary Examiner — Dimary S Lopez Cruz


Assistant Examiner — Michael M Bouizza

(74) *Attorney, Agent, or Firm* — Conley Rose, P.C.

(57) **ABSTRACT**

An electronic device with a slot antenna comprises a surface C, which includes a keyboard area for inputting using a keyboard, a touch area for inputting using a touchpad, and a palm rest. The palm rest is made of a metal material, and a radiating slot is disposed in the palm rest to form the slot antenna.

18 Claims, 5 Drawing Sheets





US011575206B2

(12) **United States Patent**
Hu et al.

(10) **Patent No.:** **US 11,575,206 B2**
(45) **Date of Patent:** **Feb. 7, 2023**

(54) **SELF-FILTERING WIDEBAND MILLIMETER WAVE ANTENNA**

(71) Applicant: **City University of Hong Kong**, Hong Kong (HK)

(72) Inventors: **Haotao Hu**, Hong Kong (HK); **Chi Hou Chan**, Hong Kong (HK)

(73) Assignee: **City University of Hong Kong**, Hong Kong (HK)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/351,281**

(22) Filed: **Jun. 18, 2021**

(65) **Prior Publication Data**
US 2021/0399427 A1 Dec. 23, 2021

Related U.S. Application Data

(60) Provisional application No. 63/041,169, filed on Jun. 19, 2020.

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 21/06 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0457** (2013.01); **H01Q 21/065** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 9/0457; H01Q 21/065; H01Q 13/10; H01Q 19/005; H01Q 5/378
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,486,239 B1 * 2/2009 Channabasappa ... H01Q 9/0414 343/700 MS
9,653,810 B2 * 5/2017 Luk H01Q 9/285
(Continued)

FOREIGN PATENT DOCUMENTS

CN 108258405 A 7/2018
CN 108923126 A 11/2018
(Continued)

OTHER PUBLICATIONS

Younsun Kim et al., "New Radio (NR) and Its Evolution Toward 5G-Advanced", IEEE Wireless Communications, vol. 26, Issue 3, pp. 2-7, Jun. 2019.

(Continued)


Primary Examiner — Jason Crawford

(74) *Attorney, Agent, or Firm* — Idea Intellectual Limited; Margaret A. Burke; Sam T. Yip

(57) **ABSTRACT**

The present invention provides a self-filtering millimeter-wave wideband multilayer planar antenna. The antenna includes a first layer having a slot feed. A second layer includes at least a pair of probes fed by the slot feed from the first layer. A third layer includes at least two substantially planar radiating patches each patch respectively coupled to one of the probes on the second layer. The radiating patches are arranged to radiate a millimeter-wavelength electromagnetic wave when the slot feed receives excitation energy and transmits the energy to the radiating patch through the respective probe. The self-filtering antenna does not require a resonant cavity structure coupled to the radiating patches. Antenna arrays of arbitrary numbers of antenna elements may be constructed from the self-filtering antenna. Such arrays are particularly suitable for 5G mm-wave backhaul communications.

9 Claims, 14 Drawing Sheets





US011581628B2

(12) **United States Patent**
Wu et al.

(10) **Patent No.:** **US 11,581,628 B2**
(45) **Date of Patent:** **Feb. 14, 2023**

(54) **ANTENNA STRUCTURE AND ELECTRONIC DEVICE**

(71) Applicant: **PEGATRON CORPORATION**, Taipei (TW)

(72) Inventors: **Chien-Yi Wu**, Taipei (TW); **Shih-Keng Huang**, Taipei (TW); **Chao-Hsu Wu**, Taipei (TW); **Yi-Ru Yang**, Taipei (TW); **Ching-Hsiang Ko**, Taipei (TW); **Cheng-Hsiung Wu**, Taipei (TW); **Ming-Huang Chen**, Taipei (TW)

(73) Assignee: **PEGATRON CORPORATION**, Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 130 days.

(21) Appl. No.: **17/077,958**

(22) Filed: **Oct. 22, 2020**

(65) **Prior Publication Data**
US 2021/0151858 A1 May 20, 2021

(30) **Foreign Application Priority Data**
Nov. 18, 2019 (TW) 108141751

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 5/371 (2015.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 5/371** (2015.01); **H01Q 9/0457** (2013.01); **H01Q 13/10** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 9/40; H01Q 9/0457; H01Q 1/2266; H01Q 1/48; H01Q 5/371; H01Q 13/10; H01Q 9/42
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,621,455 B2 9/2003 Wang et al.
7,136,024 B2 * 11/2006 Yuanzhu H01Q 13/10
343/700 MS

(Continued)

FOREIGN PATENT DOCUMENTS

CN 103840251 8/2016
TW I356527 1/2012

(Continued)

OTHER PUBLICATIONS

“Search Report of Europe Counterpart Application”, dated Apr. 13, 2021, pp. 1-15.

(Continued)


Primary Examiner — Graham P Smith

(74) *Attorney, Agent, or Firm* — J.C. Patents

(57) **ABSTRACT**

An antenna structure includes a first radiator, a second radiator, an antenna ground, and a conductor. The first radiator for resonating at a high frequency band includes a feeding end. The second radiator is connected to the first radiator and resonates at a low frequency band with a part of the first radiator. The antenna ground is located on one side of the first radiator and the second radiator. The conductor is located between the second radiator and the antenna ground in a first direction and connected to the first radiator and the antenna ground. A slit having at least one bending portion is formed among the second radiator, and the conductor and the antenna ground. An electronic device is further provided.

18 Claims, 17 Drawing Sheets





US011581647B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 11,581,647 B2**
(45) **Date of Patent:** **Feb. 14, 2023**

(54) **ANTENNA STRUCTURE**

(71) Applicant: **Wistron NeWeb Corp.**, Hsinchu (TW)

(72) Inventors: **Yun-Tsan Lee**, Hsinchu (TW);
Chia-Hao Chang, Hsinchu (TW)

(73) Assignee: **WISTRON NEWEB CORP.**, Hsinchu (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 311 days.

(21) Appl. No.: **17/022,391**

(22) Filed: **Sep. 16, 2020**

(65) **Prior Publication Data**

US 2021/0336339 A1 Oct. 28, 2021

(30) **Foreign Application Priority Data**

Apr. 24, 2020 (TW) 109113707

(51) **Int. Cl.**

H01Q 5/371 (2015.01)

H01Q 1/48 (2006.01)

H01Q 1/24 (2006.01)

H01Q 5/364 (2015.01)

H01Q 13/10 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/371** (2015.01); **H01Q 1/48** (2013.01); **H01Q 1/243** (2013.01); **H01Q 5/364** (2015.01); **H01Q 13/10** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 5/371; H01Q 13/106; H01Q 13/16-18; H01Q 13/10; H01Q 5/357; H01Q 5/364; H01Q 5/385

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,343,208 B1 * 1/2002 Ying H01Q 1/36

2013/0063321 A1 * 3/2013 Ruvinsky H01Q 5/371

2014/0118204 A1 5/2014 Gavilan et al. 343/702

2020/0411987 A1 * 12/2020 Lo H01Q 5/385

* cited by examiner



Primary Examiner — Ricardo I Magallanes

(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

An antenna structure includes a ground metal element, a first metal element, and a second metal element. The ground metal element has a slot. A feeding point is positioned at the first metal element. The first metal element and the second metal element are coupled to the ground metal element. The first metal element and the second metal element extend into the interior of the slot. The slot includes a first branch portion, a second branch portion, a third branch portion, and a fourth branch portion. The first metal element is disposed between the second branch portion and the third branch portion of the slot. The second metal element is disposed between the third branch portion and the fourth branch portion of the slot.

20 Claims, 6 Drawing Sheets





US011581659B2

(12) **United States Patent**
Sampo et al.

(10) **Patent No.:** **US 11,581,659 B2**
(45) **Date of Patent:** **Feb. 14, 2023**

(54) **ANTENNA DEVICE**

(71) Applicant: **Yokowo Co., Ltd.**, Tokyo (JP)

(72) Inventors: **Takeshi Sampo**, Tomioka (JP);
Takayuki Sone, Tomioka (JP)

(73) Assignee: **YOKOWO CO., LTD.**, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/163,691**

(22) Filed: **Feb. 1, 2021**

(65) **Prior Publication Data**
US 2021/0234284 A1 Jul. 29, 2021

Related U.S. Application Data
(63) Continuation of application No. PCT/JP2019/029899, filed on Jul. 30, 2019.

(30) **Foreign Application Priority Data**
Jul. 31, 2018 (JP) JP2018-143828

(51) **Int. Cl.**
H01Q 21/24 (2006.01)
H01Q 9/16 (2006.01)
(52) **U.S. Cl.**
CPC **H01Q 21/24** (2013.01); **H01Q 9/16** (2013.01)

(58) **Field of Classification Search**
CPC .. H01Q 9/16; H01Q 9/26; H01Q 9/28; H01Q 9/285; H01Q 21/24; H01Q 21/26;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,293,176 A * 3/1994 Elliot H01Q 21/062 343/807
9,099,777 B1 8/2015 Manry, Jr.
(Continued)

FOREIGN PATENT DOCUMENTS

GB 2316233 A 2/1998
JP 2005-072716 A 3/2005
(Continued)

OTHER PUBLICATIONS

Extended European search report dated Mar. 28, 2022, in corresponding European patent Application No. 19844917.5, 12 pages.
(Continued)


Primary Examiner — Thai Pham

(74) *Attorney, Agent, or Firm* — Xsensus LLP

(57) **ABSTRACT**

An antenna device includes: a pair of first elements that are arranged on a first plane; and a pair of second elements that are arranged on a second plane parallel to the first plane such that a polarized wave direction of the pair of second elements is orthogonal to that of the pair of first elements. Each element of the pair of first elements and the pair of second elements includes a portion that acts as a self-similarity antenna or an antenna that acts based on similar operating principle to the self-similarity antenna. In one embodiment, each element of the pair of first elements and the pair of second elements includes two arms that extend in a direction away from each other from a proximal end portion to which a feed point is connectable.

22 Claims, 46 Drawing Sheets





US011581662B2

(12) **United States Patent**
Yoon et al.

(10) **Patent No.:** **US 11,581,662 B2**
(45) **Date of Patent:** **Feb. 14, 2023**

(54) **ELECTRONIC DEVICE INCLUDING ANTENNA**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(72) Inventors: **Yonghyun Yoon**, Gyeonggi-do (KR);
Mincheol Seo, Gyeonggi-do (KR);
Seho Kim, Gyeonggi-do (KR);
Minkyung Lee, Gyeonggi-do (KR);
Jongheon Lee, Gyeonggi-do (KR);
Sooyoung Jang, Gyeonggi-do (KR);
Hyuntae Jung, Gyeonggi-do (KR);
Kyunggu Kim, Gyeonggi-do (KR);
Jinwoo Jung, Gyeonggi-do (KR)

(73) Assignee: **Samsung Electronics Co., Ltd**

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/986,793**

(22) Filed: **Aug. 6, 2020**

(65) **Prior Publication Data**

US 2021/0044029 A1 Feb. 11, 2021

(30) **Foreign Application Priority Data**

Aug. 7, 2019 (KR) 10-2019-0096134

(51) **Int. Cl.**
H01Q 21/28 (2006.01)
H01Q 5/335 (2015.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 21/28** (2013.01); **H01Q 1/02**
(2013.01); **H01Q 1/243** (2013.01); **H01Q**
5/335 (2015.01)

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 5/30; H01Q 5/335;
H01Q 5/378; H01Q 5/385; H01Q 5/392;
H01Q 9/30

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,141,625 B1 * 11/2018 Ryu H05K 7/2039
10,243,624 B2 3/2019 Kim et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101958454 1/2011
CN 109075450 12/2018

(Continued)

OTHER PUBLICATIONS

International Search Report dated Nov. 13, 2020 issued in counter-part application No. PCT/KR2020/010344, 8 pages.

(Continued)

Primary Examiner — Ricardo I Magallanes

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm, P.C.

(57) **ABSTRACT**

An electronic device includes a housing including a front plate and a rear plate disposed opposite the front plate, and a display disposed in a space between the front plate and the rear plate, and disposed at least partially along the front plate. The electronic device further includes a first antenna structure disposed in the space and configured to transmit or receive a first signal in a first frequency band, wherein the first antenna structure includes at least one first conductive pattern. The electronic device also includes a second antenna structure disposed in the space without being overlapped with the first conductive pattern when viewed from above the rear plate, and configured to transmit or receive a second signal in a second frequency band different from the first frequency band. In addition, the electronic device includes a conductive sheet disposed in the space and on the rear plate. The conductive sheet is physically separated from the first conductive pattern, and at least partially overlapped with the first conductive pattern when viewed from above the rear plate.

18 Claims, 33 Drawing Sheets

