



US011791569B2

(12) **United States Patent**  
**Liu et al.**

(10) **Patent No.:** **US 11,791,569 B2**  
(45) **Date of Patent:** **Oct. 17, 2023**

(54) **ANTENNA AND TERMINAL**

(56)

**References Cited**

(71) Applicant: **Huawei Technologies Co., Ltd.**,  
Shenzhen (CN)

**U.S. PATENT DOCUMENTS**

(72) Inventors: **Jie Liu**, Wuhan (CN); **Jinjin Shao**,  
Wuhan (CN); **Liang Ma**, Wuhan (CN)

6,320,545 B1 11/2001 Nagumo et al.  
7,064,729 B2 6/2006 Olson  
(Continued)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**,  
Shenzhen (CN)

**FOREIGN PATENT DOCUMENTS**

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 430 days.

CA 2310682 A1 12/2000  
CN 2671143 Y 1/2005  
(Continued)

**OTHER PUBLICATIONS**

(21) Appl. No.: **17/209,676**

Valizade, A. et al., "A Novel Design of Reconfigurable Slot Antenna  
with Switchable Band Notch and Multiresonance Functions for  
UWB Applications," IEEE Antennas and Wireless Propagation  
Letters, vol. 11, 2012, 4 pages.

(22) Filed: **Mar. 23, 2021**

(65) **Prior Publication Data**

US 2021/0210872 A1 Jul. 8, 2021

(Continued)

*Primary Examiner* — Joseph J Lauture

(74) *Attorney, Agent, or Firm* — SLATER MATSIL, LLP

**Related U.S. Application Data**

(63) Continuation of application No.  
PCT/CN2018/109201, filed on Sep. 30, 2018.

(51) **Int. Cl.**  
**H01Q 1/24** (2006.01)  
**H01Q 21/28** (2006.01)  
(Continued)

(52) **U.S. Cl.**  
CPC ..... **H01Q 21/28** (2013.01); **H01Q 1/38**  
(2013.01); **H01Q 9/065** (2013.01);  
(Continued)


(58) **Field of Classification Search**  
CPC ..... H01Q 21/28; H01Q 1/38; H01Q 9/065;  
H01Q 21/0006; H01Q 1/3275; H01Q  
1/36; H01Q 1/48

See application file for complete search history.

(57) **ABSTRACT**

An antenna includes a first antenna having a first feeding  
portion and at least one stub, and a second antenna having  
a second feeding portion and at least one stub. The first  
feeding portion is disposed on a first side of a first diagonal  
line of the rectangular region. The at least one stub of the  
first antenna extends from the first feeding portion in a first  
direction. A first angle is between the first direction and a  
long-edge direction of the rectangular region. The second  
feeding portion is disposed on a second side of the first  
diagonal line of the rectangular region. The at least one stub  
of the second antenna extends from the second feeding  
portion in a second direction. A second angle is between the  
second direction and the long-edge direction of the rectan-  
gular region and is different from the first angle.

**20 Claims, 9 Drawing Sheets**





US011799189B2

(12) **United States Patent**  
**So et al.**

(10) **Patent No.:** **US 11,799,189 B2**  
(45) **Date of Patent:** **Oct. 24, 2023**

(54) **ELECTRONIC DEVICES HAVING ANTENNA ASSEMBLIES**

(71) Applicant: **Hewlett-Packard Development Company, L.P.**, Spring, TX (US)

(72) Inventors: **Yu Chen So**, Taipei (TW); **Ju-Hung Chen**, Taipei (TW); **Lien-Chia Chiu**, Taipei (TW); **Hao Ming Chen**, Taipei (TW)

(73) Assignee: **Hewlett-Packard Development Company, L.P.**, Spring, TX (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 90 days.

(21) Appl. No.: **17/047,171**

(22) PCT Filed: **Jul. 19, 2018**

(86) PCT No.: **PCT/US2018/042781**

§ 371 (c)(1),

(2) Date: **Oct. 13, 2020**

(87) PCT Pub. No.: **WO2020/018095**

PCT Pub. Date: **Jan. 23, 2020**

(65) **Prior Publication Data**

US 2021/0167485 A1 Jun. 3, 2021

(51) **Int. Cl.**

**H01Q 1/22** (2006.01)

**G06F 1/16** (2006.01)

**H01Q 1/42** (2006.01)

**H04B 1/034** (2006.01)

(52) **U.S. Cl.**

CPC ..... **H01Q 1/2266** (2013.01); **G06F 1/1698** (2013.01); **H01Q 1/42** (2013.01); **H04B 1/034** (2013.01)

(58) **Field of Classification Search**

CPC ..... H01Q 1/2266; H01Q 1/42; G06F 1/1698; G06F 1/1656; H04B 1/034

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,828,341 A \* 10/1998 Delamater ..... G06F 1/1616 343/702  
6,285,328 B1 \* 9/2001 Masaki ..... H01Q 1/2266 343/702  
6,531,985 B1 \* 3/2003 Jones ..... G06F 1/1616 343/702  
6,654,231 B2 \* 11/2003 Teshima ..... H01Q 1/2266 361/730

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1347280 A 5/2002  
CN 102736692 A 10/2012

(Continued)

*Primary Examiner* — Hai V Tran


*Assistant Examiner* — Bamidele A Jegede

(74) *Attorney, Agent, or Firm* — Knobbe, Martens, Olson & Bear, LLP

(57) **ABSTRACT**

In one example, an electronic device may include a housing having an opening and an antenna assembly disposed in the housing. The antenna assembly may include an antenna mounted to the housing, an antenna module disposed corresponding to the opening, and a cable to connect the antenna to the antenna module via routing the cable through the opening.

**14 Claims, 4 Drawing Sheets**







US011799204B2

(12) **United States Patent**  
**Chang et al.**

(10) **Patent No.:** **US 11,799,204 B2**  
(45) **Date of Patent:** **Oct. 24, 2023**

(54) **CONVERTIBLE NOTEBOOK COMPUTER**

2013/0257660 A1\* 10/2013 Wong ..... H01Q 5/371  
343/702

(71) Applicant: **Acer Incorporated**, New Taipei (TW)

(Continued)

(72) Inventors: **Kun-Sheng Chang**, New Taipei (TW);  
**Ching-Chi Lin**, New Taipei (TW)

**FOREIGN PATENT DOCUMENTS**

(73) Assignee: **ACER INCORPORATED**, New Taipei  
(TW)

TW I646727 B 1/2019  
TW I669593 B 8/2019  
(Continued)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

**OTHER PUBLICATIONS**

Chinese language office action dated Apr. 25, 2022, issued in  
application No. TW 110137146.

(21) Appl. No.: **17/702,477**

(22) Filed: **Mar. 23, 2022**

(65) **Prior Publication Data**

US 2023/0107295 A1 Apr. 6, 2023

*Primary Examiner* — Ab Salam Alkassim, Jr.

*Assistant Examiner* — Anh N Ho

(74) *Attorney, Agent, or Firm* — McClure, Qualey &  
Rodack, LLP

(30) **Foreign Application Priority Data**

Oct. 6, 2021 (TW) ..... 110137146

(51) **Int. Cl.**

**H01Q 5/385** (2015.01)

**H01Q 13/10** (2006.01)

**H01Q 1/22** (2006.01)

(52) **U.S. Cl.**

CPC ..... **H01Q 5/385** (2015.01); **H01Q 1/2266**  
(2013.01); **H01Q 13/10** (2013.01)

(58) **Field of Classification Search**

CPC ..... H01Q 5/385; H01Q 1/2266; H01Q 13/10  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**


9,668,556 B2 6/2017 Senatori  
10,454,156 B1\* 10/2019 Yang ..... H01Q 1/48  
11,095,032 B2\* 8/2021 Tseng ..... H01Q 13/10

(57) **ABSTRACT**

A convertible notebook computer includes a metal mechanism element, a first radiation element, a second radiation element, a third radiation element, a first parasitic element, a second parasitic element, a third parasitic element, and a dielectric substrate. The metal mechanism element has a closed slot. The first radiation element has a feeding point. The second radiation element is coupled to the first radiation element. The third radiation element is coupled to the first radiation element. The first parasitic element is adjacent to the second radiation element. The second parasitic element is adjacent to the third radiation element. The third parasitic element is adjacent to the first radiation element. An antenna structure is formed by the closed slot of the metal mechanism element, the first radiation element, the second radiation element, the third radiation element, the first parasitic element, the second parasitic element, and the third parasitic element.

**15 Claims, 7 Drawing Sheets**

100





US011799505B2

(12) **United States Patent**  
**Svendsen et al.**

(10) **Patent No.:** **US 11,799,505 B2**  
(45) **Date of Patent:** **Oct. 24, 2023**

(54) **ANTENNA BANDWIDTH ENHANCEMENT  
FOR AN ELECTRONIC DEVICE**

(2015.01); **H01Q 9/30** (2013.01); **H01Q 21/28**  
(2013.01); **H04B 1/3888** (2013.01); **H04B**  
**1/401** (2013.01)

(71) Applicant: **INTEL CORPORATION**, Santa Clara,  
CA (US)

(58) **Field of Classification Search**

CPC .... H04B 1/0064; H04B 1/3888; H04B 1/401;  
H01Q 1/243; H01Q 1/38; H01Q 5/321;  
H01Q 5/335; H01Q 5/50; H01Q 9/30;  
H01Q 21/28

(72) Inventors: **Simon Svendsen**, Aalborg (DK); **Ole**  
**Jagielski**, Viborg (DK)

See application file for complete search history.

(73) Assignee: **Intel Corporation**, Santa Clara, CA  
(US)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 273 days.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,337,539 B1 \* 5/2016 Ananthanarayanan .....  
H01Q 5/335  
10,715,187 B2 \* 7/2020 Svendsen ..... H01Q 5/50  
(Continued)

(21) Appl. No.: **16/926,971**

(22) Filed: **Jul. 13, 2020**

(65) **Prior Publication Data**

US 2021/0067180 A1 Mar. 4, 2021

*Primary Examiner* — Hai V Tran

*Assistant Examiner* — Michael M Bouizza

(74) *Attorney, Agent, or Firm* — Banner & Witcoff Ltd.

**Related U.S. Application Data**

(63) Continuation of application No. 15/719,781, filed on  
Sep. 29, 2017, now Pat. No. 10,715,187.

(57) **ABSTRACT**

Techniques are disclosed for configuring a broadband antenna system. An example electronic device includes a first antenna operating at a first frequency range and coupled to a first transceiver via a first signal path comprising a first indirect feed. The electronic device also includes a second antenna operating at a second frequency range and coupled to a second transceiver via a second signal path comprising a second indirect feed, wherein the first frequency range is lower than the first frequency range. The electronic device also includes a third antenna operating at the second frequency range and coupled to a third transceiver via a second signal path comprising a third indirect feed. Additionally, the first antenna is coupled to the first antenna and the second antenna by a capacitive coupling element.

(51) **Int. Cl.**

**H01Q 1/24** (2006.01)

**H01Q 1/38** (2006.01)

**H01Q 21/28** (2006.01)

**H01Q 5/321** (2015.01)

**H01Q 5/335** (2015.01)

**H01Q 5/50** (2015.01)

**H01Q 9/30** (2006.01)

**H04B 1/00** (2006.01)


**H04B 1/401** (2015.01)


**H04B 1/3888** (2015.01)

(52) **U.S. Cl.**

CPC ..... **H04B 1/0064** (2013.01); **H01Q 1/243**  
(2013.01); **H01Q 1/38** (2013.01); **H01Q 5/321**  
(2015.01); **H01Q 5/335** (2015.01); **H01Q 5/50**

**31 Claims, 14 Drawing Sheets**





(10) **Patent No.:** US 11,802,904 B2  
(45) **Date of Patent:** Oct. 31, 2023

- (56)
- References Cited**

U.S. PATENT DOCUMENTS

- |              |      |        |              |              |
|--------------|------|--------|--------------|--------------|
| 11,092,643   | B2 * | 8/2021 | Trotta ..... | G01R 31/2822 |
| 2006/0194553 | A1   | 8/2006 | Ozaki et al. |              |
- (Continued)

- FOREIGN PATENT DOCUMENTS

- |    |             |    |        |
|----|-------------|----|--------|
| JP | 2008518567  | A  | 5/2008 |
| TW | 200928382   | A  | 7/2009 |
| WO | 2014/136159 | A1 | 9/2014 |

- (\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 120 days.

## OTHER PUBLICATIONS

Office Action issued in corresponding Taiwanese Patent Application No. 109139881 dated Sep. 13, 2021 (10 pages).

- (21) Appl. No.: 17/104,913

(Continued)

- (22) Filed: **Nov. 25, 2020**

Primary Examiner — Neel D Shah

- (65) **Prior Publication Data**

(74) *Attorney, Agent, or Firm* — Osha Bergman Watanabe  
& Burton LLP

US 2021/0190855 A1 Jun. 24, 2021

- (30) **Foreign Application Priority Data**

- (57) **ABSTRACT**

Dec. 24, 2019 (JP) ..... 2019-232547


- (51) **Int. Cl.**  
**G01R 31/30** (2006.01)  
**G01R 31/28** (2006.01)  
 (Continued)

- (52) **U.S. Cl.**  
CPC ..... *G01R 31/2863* (2013.01); *G01R 29/10*  
(2013.01); *G01R 31/2822* (2013.01); *G01R*  
*31/2867* (2013.01)

- (58) **Field of Classification Search**  
CPC .... G01R 31/02; G01R 31/28; G01R 31/2863;  
G01R 31/2867; G01R 31/30;  
(Continued)

nected to the test head through the second socket.

**16 Claims, 15 Drawing Sheets**





US011804648B2

(12) **United States Patent**  
**Lee et al.**

(10) **Patent No.:** **US 11,804,648 B2**  
(45) **Date of Patent:** **Oct. 31, 2023**

(54) **BACK COVER WITH AN ANTENNA ELEMENT**

USPC ..... 455/575.7  
See application file for complete search history.

(71) Applicant: **Cheng Uei Precision Industry Co., Ltd.**, New Taipei (TW)

(56)

**References Cited**

(72) Inventors: **James Cheng Lee**, La Habra, CA (US); **Kuo Yang Wu**, New Taipei (TW); **Lin Yean Lin**, New Taipei (TW); **Kuo Wei Chang**, New Taipei (TW); **Yu Chin Huang**, New Taipei (TW)

U.S. PATENT DOCUMENTS

6,323,812 B1 \* 11/2001 Perrotta ..... H01Q 1/243  
343/702  
9,966,651 B2 \* 5/2018 Lin ..... H01Q 9/42  
2011/0304517 A1 \* 12/2011 Fan ..... H01Q 1/243  
427/105  
2012/0038516 A1 \* 2/2012 Hsieh ..... H01Q 9/42  
343/702  
2018/0309194 A1 \* 10/2018 Wang ..... H01Q 1/273  
2020/0036235 A1 \* 1/2020 Lee ..... H01Q 1/245  
2021/0071837 A1 \* 3/2021 Owoc ..... F21V 31/005

\* cited by examiner

(73) Assignee: **Cheng Uei Precision Industry Co., Ltd.**, New Taipei (TW)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 363 days.

(21) Appl. No.: **17/382,088**

*Primary Examiner* — Tan H Trinh

(22) Filed: **Jul. 21, 2021**

(74) *Attorney, Agent, or Firm* — LIN & ASSOCIATES  
INTELLECTUAL PROPERTY, INC.

(65) **Prior Publication Data**

US 2022/0166128 A1 May 26, 2022

(57) **ABSTRACT**

**Related U.S. Application Data**

(60) Provisional application No. 63/116,995, filed on Nov. 23, 2020.

A back cover with an antenna element includes a cover body having a main portion, and an antenna element. A periphery of the main portion protrudes frontward to form a peripheral wall. The cover body is further equipped with a magnetic part. The antenna element is assembled in the cover body. The antenna element has a base portion, a connecting portion, a first extension portion and a second extension portion extended upward from the base portion. The first extension portion is disposed adjacent to one side of the peripheral wall of the cover body. The second extension portion is adjacent to the first extension portion. A length of the first extension portion is longer than a length of the second extension portion. A connecting portion is connected between the first extension portion and a top end of the second extension portion.


(51) **Int. Cl.**  
**H01Q 1/24** (2006.01)  
**H01Q 1/36** (2006.01)  
**H01Q 1/46** (2006.01)  
**H04M 1/02** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **H01Q 1/243** (2013.01); **H01Q 1/36** (2013.01); **H01Q 1/46** (2013.01); **H04M 1/026** (2013.01)

(58) **Field of Classification Search**  
CPC ..... H01Q 1/243; H01Q 1/36; H01Q 1/405;  
H01Q 1/46; H01Q 5/364; H01Q 9/42;  
H04M 1/0202; H04M 1/026

**19 Claims, 2 Drawing Sheets**

100





US011804655B2

(12) **United States Patent**  
**Wu et al.**

(10) **Patent No.:** **US 11,804,655 B2**  
(45) **Date of Patent:** **Oct. 31, 2023**

(54) **WI-FI ANTENNA DEVICE AND WIRELESS COMMUNICATION DEVICE HAVING THE SAME**

(71) Applicant: **LANNER ELECTRONICS INC.,**  
New Taipei (TW)

(72) Inventors: **Jung-Tai Wu, New Taipei (TW);**  
**Yun-Hung Chen, New Taipei (TW)**

(73) Assignee: **LANNER ELECTRONICS INC.,**  
New Taipei (TW)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 66 days.

(21) Appl. No.: **17/730,525**

(22) Filed: **Apr. 27, 2022**

(65) **Prior Publication Data**  
US 2023/0042885 A1 Feb. 9, 2023

(30) **Foreign Application Priority Data**  
Aug. 4, 2021 (TW) ..... 110128769

(51) **Int. Cl.**  
**H01Q 21/20** (2006.01)  
**H01Q 9/04** (2006.01)  
**H01Q 9/30** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **H01Q 9/0414** (2013.01); **H01Q 9/30** (2013.01); **H01Q 21/20** (2013.01)

(58) **Field of Classification Search**  
CPC ..... H01Q 9/0414; H01Q 9/30; H01Q 21/20;  
H01Q 1/02; H01Q 1/42; H01Q 3/08;  
H01Q 5/42; H01Q 9/0421; H01Q 21/205;  
H01Q 1/2291

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2014/0139393 A1 \* 5/2014 Yoon ..... H01Q 9/42  
343/845  
2017/0264016 A1 \* 9/2017 Huang ..... H01Q 7/00  
2018/0342807 A1 \* 11/2018 Watson ..... H01Q 9/0421  
2019/0372203 A1 \* 12/2019 Su ..... H01Q 1/246  
2020/0303807 A1 \* 9/2020 Caratelli ..... H01Q 1/2291  
2021/0226650 A1 \* 7/2021 Zhao ..... H01Q 5/40  
2022/0344836 A1 \* 10/2022 Caratelli ..... H01Q 1/2291

\* cited by examiner


*Primary Examiner* — Hai V Tran

*Assistant Examiner* — Michael M Bouizza

(57) **ABSTRACT**

A Wi-Fi antenna device is disclosed. The Wi-Fi antenna device comprises a ground plane, a plurality of first inverted-F antennas, a plurality of second inverted-F antennas and a plurality of third inverted-F antennas, thereby being capable of transceiving multi-band wireless signals. Particularly, there is an included angle between any two of the first inverted-F antennas. In the same way, any two of the second inverted-F antennas and any two of the third inverted-F antennas are both arranged to have said included angle therebetween. By such an arrangement, an omni radiation pattern can be measured on X-Y plane, X-Z plane and Y-Z plane in case of this novel Wi-Fi antenna device being applied in an environment. Therefore, the Wi-Fi antenna device according to the present invention has a significant potential for replacing the conventional multi-band antenna so as to be applied in a Wi-Fi router.

**16 Claims, 9 Drawing Sheets**







US011804657B2

(12) **United States Patent**  
**Thakur et al.**

(10) **Patent No.:** **US 11,804,657 B2**  
(45) **Date of Patent:** **Oct. 31, 2023**

(54) **CHASSIS FOR AN ELECTRONIC DEVICE, ELECTRONIC DEVICE, ANTENNA MODULE, AND METHOD FOR FABRICATING AN ELECTRONIC DEVICE**

(58) **Field of Classification Search**  
CPC .... H01Q 13/10; H01Q 1/2266; H01Q 1/2291;  
H01Q 1/526; H01Q 5/371  
See application file for complete search history.

(71) Applicant: **Intel Corporation**, Santa Clara, CA (US)

(56) **References Cited**

(72) Inventors: **Jayprakash Thakur**, Bangalore (IN);  
**Maruti Tamrakar**, Chennai (IN);  
**Sagar Gupta**, Ghaziabad (IN); **Harry G. Skinner**, Beaverton, OR (US);  
**Prakash Kurma Raju**, Bangalore (IN)

U.S. PATENT DOCUMENTS

|              |      |         |               |                        |
|--------------|------|---------|---------------|------------------------|
| 2004/0257283 | A1   | 12/2004 | Asano et al.  |                        |
| 2014/0184450 | A1 * | 7/2014  | Koo           | H01Q 1/2266<br>343/702 |
| 2014/0268583 | A1 * | 9/2014  | Ding          | H05K 9/0016<br>361/728 |
| 2016/0205766 | A1 * | 7/2016  | Blum          | H05K 1/181<br>174/254  |
| 2017/0309993 | A1   | 10/2017 | Tu et al.     |                        |
| 2017/0346164 | A1 * | 11/2017 | Kim           | H04M 1/0266            |
| 2018/0375189 | A1   | 12/2018 | Hawaka et al. |                        |
| 2020/0099138 | A1 * | 3/2020  | Garrido Lopez | H01Q 9/0407            |
| 2020/0136268 | A1 * | 4/2020  | Saeidi        | H01Q 1/243             |

(73) Assignee: **Intel Corporation**, Santa Clara, CA (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 95 days.

FOREIGN PATENT DOCUMENTS

|    |            |      |         |             |
|----|------------|------|---------|-------------|
| EP | 2911033    | A1 * | 8/2015  | G06F 1/1656 |
| WO | 2013155015 | A1   | 10/2013 |             |

\* cited by examiner

*Primary Examiner* — Hoang V Nguyen

(74) *Attorney, Agent, or Firm* — 2SPL Patent Attorneys  
PartG mbB

(21) Appl. No.: **17/448,746**

(22) Filed: **Sep. 24, 2021**

(65) **Prior Publication Data**

US 2022/0200154 A1 Jun. 23, 2022

(30) **Foreign Application Priority Data**

Dec. 23, 2020 (EP) ..... 20216793


(51) **Int. Cl.**  
**H01Q 13/10** (2006.01)  
**H05K 1/02** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **H01Q 13/10** (2013.01); **H05K 1/0237**  
(2013.01); **H05K 1/0277** (2013.01)

(57) **ABSTRACT**

A chassis for an electronic device is provided. The chassis comprises a chassis part made of conducting material. At least one slot antenna is formed in the chassis part made of conducting material.

**18 Claims, 22 Drawing Sheets**





US011804661B2

(12) **United States Patent**  
**Kaushal et al.**

(10) **Patent No.:** **US 11,804,661 B2**  
(45) **Date of Patent:** **Oct. 31, 2023**

(54) **ARRAY ANTENNA**

(56) **References Cited**

(71) Applicant: **FUJIKURA LTD.**, Tokyo (JP)

U.S. PATENT DOCUMENTS

(72) Inventors: **Shailendra Kaushal**, Sakura (JP); **Ning Guan**, Sakura (JP); **Asahi Kan**, Sakura (JP)

11,646,501 B2 \* 5/2023 Wu ..... H01Q 21/065  
343/702  
2016/0301129 A1 \* 10/2016 Ying ..... H01Q 1/523  
(Continued)

(73) Assignee: **FUJIKURA LTD.**, Tokyo (JP)

FOREIGN PATENT DOCUMENTS

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 271 days.

JP 3440298 B2 8/2003  
JP 2017-73736 A 4/2017  
(Continued)

(21) Appl. No.: **17/430,004**

OTHER PUBLICATIONS

(22) PCT Filed: **Mar. 18, 2020**

International Search Report dated Jun. 9, 2020, issued in counterpart application No. PCT/JP2020/011931, w/English translation (5 pages).  
(Continued)

(86) PCT No.: **PCT/JP2020/011931**

§ 371 (c)(1),  
(2) Date: **Aug. 11, 2021**

(87) PCT Pub. No.: **WO2020/255503**

PCT Pub. Date: **Dec. 24, 2020**

*Primary Examiner* — Peguy Jean Pierre

(74) *Attorney, Agent, or Firm* — WHDA, LLP

(65) **Prior Publication Data**

US 2022/0149539 A1 May 12, 2022

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Jun. 18, 2019 (JP) ..... 2019-112683

(51) **Int. Cl.**  
**H01Q 1/38** (2006.01)  
**H01Q 21/00** (2006.01)  
(Continued)


(52) **U.S. Cl.**  
CPC ..... **H01Q 21/0075** (2013.01); **H01Q 1/38**  
(2013.01); **H01Q 13/08** (2013.01); **H01Q**  
**21/06** (2013.01)


(58) **Field of Classification Search**  
CPC ..... H01Q 1/38; H01Q 21/0075; H01Q 21/06;  
H01Q 13/08

(Continued)

Wiring and a wiring path of a feed line for feeding power to a radiation element is simplified. An array antenna includes a first conductive pattern layer, first dielectric layer, conductive ground layer, second dielectric layer, second conductive pattern layer, third dielectric layer, and radiation element pattern layer that are layered in this order. The radiation element pattern layer includes radiation element pairs arranged in a two-dimensional array pattern. Each of the radiation element pairs includes a first radiation element and a second radiation element arranged side by side with an interval therebetween. The second conductive pattern layer includes branch feed lines arranged in a two-dimensional array pattern to correspond to the radiation element pairs, respectively. The first conductive pattern layer includes feed lines corresponding to the branch feed lines, respectively.

**5 Claims, 21 Drawing Sheets**





(10) **Patent No.:** US 11,804,869 B2  
(45) **Date of Patent:** \*Oct. 31, 2023

(58) **Field of Classification Search**

CPC ..... H04B 1/48; H01L 23/66; H01L 29/513;  
H01L 29/516; H01L 29/6684; H01L  
29/78391; H01L 29/7851; H01L 29/785;  
H01L 29/51; H01Q 1/50; H03K 17/687  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2011/0068399 A1 \* 3/2011 Bryant ..... H01L 27/1211  
257/E29.264

2011/0316062 A1 12/2011 Kondo

(Continued)

Primary Examiner — Yuwen Pan  
Assistant Examiner — Fatuma G Sherif  
(74) Attorney, Agent, or Firm — Duane Morris LLP

(57) **ABSTRACT**

Disclosed is a RF switch module and methods to fabricate and operate such RF switch to alternatively couple an antenna to either a transmitter transmission line or a receiver transmission line to realize lower distortion of a signal at high frequencies with improved insertion loss and without affecting isolation. In one embodiment, a Radio Frequency (RF) switch module, includes, a switch circuit for switching between transmitting first signals from a transmitter unit to an antenna and transmitting second signals from the antenna to the receiver unit, wherein the switch circuit comprises a plurality of field effect transistors (FETs), wherein each of the plurality of FETs comprises stacked gate dielectrics and at least three metal contacts to a conductive gate, wherein the stacked gate dielectrics comprises at least one first dielectric layer, wherein the first dielectric layer comprises a negative-capacitance material.

**20 Claims, 17 Drawing Sheets**

[illegible]



US011811144B2

(12) **United States Patent**  
**Chen et al.**

(10) **Patent No.:** **US 11,811,144 B2**  
(45) **Date of Patent:** **Nov. 7, 2023**

(54) **ANTENNA DEVICE**

(71) Applicant: **CommScope Technologies LLC**,  
Hickory, NC (US)

(72) Inventors: **Changfu Chen**, Suzhou (CN); **Xiaotuo Wang**, Suzhou (CN); **Xun Zhang**,  
Suzhou (CN)

(73) Assignee: **CommScope Technologies LLC**,  
Hickory, NC (US)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 127 days.

(21) Appl. No.: **17/348,890**

(22) Filed: **Jun. 16, 2021**

(65) **Prior Publication Data**  
US 2021/0399438 A1 Dec. 23, 2021

(30) **Foreign Application Priority Data**  
Jun. 18, 2020 (CN) ..... 202010559668.5

(51) **Int. Cl.**  
**H01Q 15/14** (2006.01)  
**H01Q 21/24** (2006.01)  
**H01Q 1/52** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **H01Q 21/24** (2013.01); **H01Q 1/52**  
(2013.01); **H01Q 15/14** (2013.01)

(58) **Field of Classification Search**  
CPC ..... H01Q 21/24; H01Q 1/52; H01Q 15/14  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2014/0313095 A1 \* 10/2014 Pu ..... H01Q 1/246  
343/836  
2018/0248256 A1 8/2018 Xiao et al.  
2020/0227812 A1 \* 7/2020 Sun ..... H01Q 21/061

FOREIGN PATENT DOCUMENTS

CN 108400428 A \* 8/2018  
CN 108400428 A 8/2018  
EP 2784876 A1 10/2014

OTHER PUBLICATIONS

"Extended European Search Report for European Application No.  
21179745.1, dated Nov. 12, 2021, 16 pages".

\* cited by examiner


*Primary Examiner* — Dieu Hien T Duong

(74) *Attorney, Agent, or Firm* — Myers Bigel, P.A.

(57) **ABSTRACT**

The present disclosure relates to an antenna device comprising: a first antenna comprising a first reflecting member configured to reflect at least a portion of a signal radiated by the antenna device; a second antenna comprising a second reflecting member configured to reflect at least a portion of the signal radiated by the antenna device, there is a spacing between the first reflecting member and the second reflecting member; and a coupling capacitor comprising a first polar plate and a second polar plate, the first polar plate is disposed on a side, close to the spacing, of a first reflecting surface of the first reflecting member, and the second polar plate is disposed on a side, close to the spacing, of a second reflecting surface of the second reflecting member.

**20 Claims, 7 Drawing Sheets**





US011811149B2

(12) **United States Patent**  
**Lin et al.**

(10) **Patent No.:** **US 11,811,149 B2**  
(45) **Date of Patent:** **Nov. 7, 2023**

(54) **MULTI-BAND ANTENNA**

(71) Applicant: **Cheng Uei Precision Industry Co., LTD.**, New Taipei (TW)

(72) Inventors: **Ming-Ju Lin**, New Taipei (TW);  
**Chih-Chung Wang**, New Taipei (TW);  
**Lan-Yung Hsiao**, New Taipei (TW);  
**Shao-Kai Sun**, New Taipei (TW)

(73) Assignee: **CHENG UEI PRECISION INDUSTRY CO., LTD.**, New Taipei (TW)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 86 days.

(21) Appl. No.: **17/725,382**

(22) Filed: **Apr. 20, 2022**

(65) **Prior Publication Data**

US 2022/0376393 A1 Nov. 24, 2022

(30) **Foreign Application Priority Data**

May 20, 2021 (CN) ..... 202121081400.1

(51) **Int. Cl.**  
**H01Q 5/371** (2015.01)  
**H01Q 9/04** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **H01Q 5/371** (2015.01); **H01Q 9/045** (2013.01); **H01Q 9/0421** (2013.01)

(58) **Field of Classification Search**

CPC ..... H01Q 5/371; H01Q 9/0421; H01Q 9/045;  
H01Q 1/48  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2011/0012789 A1\* 1/2011 Yang ..... H01Q 5/371  
343/700 MS  
2015/0061939 A1\* 3/2015 Chou ..... H01Q 1/243  
343/700 MS

\* cited by examiner

*Primary Examiner* — Dieu Hien T Duong


(74) *Attorney, Agent, or Firm* — Cheng-Ju Chiang

(57) **ABSTRACT**

A multi-band antenna includes a lower grounding portion, a feed-in portion, a feeding point, an upper grounding portion, a first extending portion, a second extending portion, a third extending portion, a fourth extending portion, a fifth extending portion, a first branch, a second branch, a third branch and a loop portion. The feed-in portion, the first extending portion, the second extending portion, the third extending portion, the fourth extending portion and the first branch form a first radiation portion. The feed-in portion, the first extending portion, the second extending portion, the third extending portion, the fifth extending portion and the second branch form a second radiation portion. The feed-in portion, the first extending portion, the second extending portion and the third branch form a third radiation portion.

**20 Claims, 7 Drawing Sheets**

100  
~





US011811153B2

(12) **United States Patent**  
**Yamauchi**

(10) **Patent No.:** **US 11,811,153 B2**  
(45) **Date of Patent:** **Nov. 7, 2023**

(54) **WIRELESS MODULE**

(71) Applicant: **LAPIS Technology Co., Ltd.**,  
Yokohama (JP)

(72) Inventor: **Shigeki Yamauchi**, Yokohama (JP)

(73) Assignee: **LAPIS TECHNOLOGY CO., LTD.**,  
Yokohama (JP)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 22 days.

(21) Appl. No.: **17/545,745**

(22) Filed: **Dec. 8, 2021**

(65) **Prior Publication Data**

US 2022/0181782 A1 Jun. 9, 2022

(30) **Foreign Application Priority Data**

Dec. 8, 2020 (JP) ..... 2020-203361

(51) **Int. Cl.**

**H01Q 1/22** (2006.01)

**H01Q 1/24** (2006.01)

**H01Q 9/04** (2006.01)

(52) **U.S. Cl.**

CPC ..... **H01Q 9/0421** (2013.01); **H01Q 1/2283**  
(2013.01); **H01Q 1/243** (2013.01)

(58) **Field of Classification Search**

CPC ..... H01Q 1/24; H01Q 1/243; H01Q 1/22;  
H01Q 1/2283; H01Q 9/04; H01Q 9/0421;  
H01Q 7/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,728,785 B2 \* 6/2010 Ozden ..... H01Q 9/0421  
343/866  
2012/0105303 A1 \* 5/2012 Kusanagi ..... H01Q 9/0421  
343/905  
2013/0207861 A1 \* 8/2013 Huang ..... H01Q 1/2266  
343/700 MS  
2015/0207229 A1 \* 7/2015 Chiang ..... H01Q 1/50  
343/866  
2019/0089047 A1 \* 3/2019 Hara ..... H01Q 21/22

FOREIGN PATENT DOCUMENTS

JP 2002-158529 A 5/2002

\* cited by examiner


*Primary Examiner* — Thai Pham

(74) *Attorney, Agent, or Firm* — Rabin & Berdo, P.C.

(57) **ABSTRACT**

A wireless module has a multilayer substrate, an element installation section formed in one region in a substrate plane of the multilayer substrate, and an antenna. The antenna includes a conductor unit formed in another region in the substrate plane of the multilayer substrate. The conductor unit has a first end and a second end that extend along an outer periphery of the other region and that are separated from each other in a direction of the extension, and is formed in a loop as seen from a direction perpendicular to a substrate surface of the multilayer substrate. A feed unit connected to the first end of the conductor unit receives input of an AC signal of a prescribed frequency. A short-circuit line has a first end connected to a ground and a second end connected to the conductor unit through the feed unit.

**7 Claims, 6 Drawing Sheets**





US011815964B2

(12) **United States Patent**  
**Kim et al.**

(10) **Patent No.:** **US 11,815,964 B2**  
(45) **Date of Patent:** **Nov. 14, 2023**

(54) **ANTENNA STRUCTURE AND DISPLAY  
DEVICE COMPRISING SAME**

(71) Applicant: **DONGWOO FINE-CHEM CO.,  
LTD.**, Jeollabuk-do (KR)

(72) Inventors: **Jong Min Kim**, Gyeonggi-do (KR);  
**Han Sub Ryu**, Gyeongsangbuk-do  
(KR); **Dong Pil Park**, Incheon (KR)

(73) Assignee: **DONGWOO FINE-CHEM CO.,  
LTD.**, Jeollabuk-Do (KR)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 547 days.

(21) Appl. No.: **17/154,266**

(22) Filed: **Jan. 21, 2021**

(65) **Prior Publication Data**

US 2021/0141426 A1 May 13, 2021

**Related U.S. Application Data**

(63) Continuation of application No.  
PCT/KR2019/009004, filed on Jul. 22, 2019.

(30) **Foreign Application Priority Data**

Jul. 23, 2018 (KR) ..... 10-2018-0085540

(51) **Int. Cl.**

**G06F 1/16** (2006.01)

**G06F 1/18** (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC ..... **G06F 1/1698** (2013.01); **G06F 1/1626**  
(2013.01); **G06F 1/189** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC ..... G06F 1/1698; G06F 1/189; G06F 1/1626;  
H01Q 1/38; H01Q 1/364; H01Q 9/045;  
H01Q 1/22; H01Q 9/0485; H01Q 1/46  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2017/0250460 A1\* 8/2017 Shin ..... H04M 1/0277  
2017/0302771 A1\* 10/2017 Kim ..... H01Q 9/42

**FOREIGN PATENT DOCUMENTS**

CN 102782937 A 11/2012  
CN 103729676 A 4/2014

(Continued)

**OTHER PUBLICATIONS**

International Search Report for PCT/KR2019/009004 dated Oct.  
29, 2019.


*Primary Examiner* — Khai M Nguyen

(74) *Attorney, Agent, or Firm* — The PL Law Group,  
PLLC

(57) **ABSTRACT**

An antenna structure of an embodiment of the present invention includes a film antenna including a dielectric layer and an antenna electrode layer formed on an upper surface of the dielectric layer, and a flexible circuit board including a power supply wiring electrically connected to the antenna electrode layer. A bonding region is defined by a region in which the antenna electrode layer and the power supply wiring are overlapped with each other in a planar direction, and the bonding region has a length of 1.5 mm or less. Signal efficiency and radiation reliability may be improved by adjusting a length of the bonding region.

**18 Claims, 4 Drawing Sheets**





US011817628B2

(12) **United States Patent**  
**Lee et al.**

(10) **Patent No.:** **US 11,817,628 B2**  
(45) **Date of Patent:** **Nov. 14, 2023**

(54) **DUAL POLARIZED ANTENNA USING SHIFT SERIES FEED**

(71) Applicant: **KMW INC.**, Hwaseong-si (KR)

(72) Inventors: **Su Won Lee**, Yongin-si (KR); **Yong Won Seo**, Daejeon (KR); **Oh Seog Choi**, Hwaseong-si (KR); **Young Chan Moon**, Suwon-si (KR)

(73) Assignee: **KMW INC.**, Hwaseong-si (KR)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 73 days.

(21) Appl. No.: **17/528,147**

(22) Filed: **Nov. 16, 2021**

(65) **Prior Publication Data**

US 2022/0077593 A1 Mar. 10, 2022

**Related U.S. Application Data**

(63) Continuation of application No. PCT/KR2020/005558, filed on Apr. 28, 2020.

(30) **Foreign Application Priority Data**

May 16, 2019 (KR) ..... 10-2019-0057260  
Jul. 16, 2019 (KR) ..... 10-2019-0085446

(51) **Int. Cl.**  
**H01Q 21/06** (2006.01)  
**H01Q 25/00** (2006.01)  
**H01Q 21/26** (2006.01)  
**H01Q 9/04** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **H01Q 21/062** (2013.01); **H01Q 9/0435** (2013.01); **H01Q 9/0457** (2013.01); **H01Q 21/26** (2013.01); **H01Q 25/001** (2013.01)

(58) **Field of Classification Search**

CPC .... H01Q 21/062; H01Q 21/26; H01Q 25/001;  
H01Q 9/0457; H01Q 9/0435  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

9,972,918 B2 \* 5/2018 Lin ..... H01Q 9/045  
10,622,706 B2 \* 4/2020 Moon ..... H01Q 5/42  
10,714,837 B1 \* 7/2020 Rumsey ..... H01Q 21/064  
(Continued)

**FOREIGN PATENT DOCUMENTS**

CN 109904613 A \* 6/2019  
KR 10-2013-0134793 A 12/2013  
(Continued)

**OTHER PUBLICATIONS**

International Search Report dated Aug. 6, 2020 for International Application No. PCT/KR2020/005558 and its English translation.  
(Continued)


*Primary Examiner* — Vibol Tan

(74) *Attorney, Agent, or Firm* — INSIGHT LAW GROUP, PLLC; Seung Lee

(57) **ABSTRACT**

The present disclosure provides a dual-polarized antenna, which is advantageous for a reduction in size by significantly reducing the complexity of a structure while satisfying a Cross Polarization ratio (CPR) characteristic and an isolation characteristic, that is, advantages of a dual feed, by enabling a dual feed using a shift series feed even without another structure in one antenna structure.

**10 Claims, 11 Drawing Sheets**







US011817629B2

(12) **United States Patent**  
**Zhu et al.**

(10) **Patent No.:** **US 11,817,629 B2**  
(45) **Date of Patent:** **Nov. 14, 2023**

(54) **DECOUPLED DIPOLE CONFIGURATION  
FOR ENABLING ENHANCED PACKING  
DENSITY FOR MULTIBAND ANTENNAS**

(71) Applicant: **JOHN MEZZALINGUA  
ASSOCIATES, LLC**, Liverpool, NY  
(US)

(72) Inventors: **Jiaqiang Zhu**, Baldwinsville, NY (US);  
**Wengang Chen**, Liverpool, NY (US);  
**Niranjan Sundararajan**, Baldwinsville,  
NY (US)

(73) Assignee: **John Mezzalingua Associates, LLC**,  
Liverpool, NY (US)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/552,674**

(22) Filed: **Dec. 16, 2021**

(65) **Prior Publication Data**

US 2022/0200164 A1 Jun. 23, 2022

**Related U.S. Application Data**

(60) Provisional application No. 63/128,550, filed on Dec.  
21, 2020.

(51) **Int. Cl.**  
**H01Q 21/06** (2006.01)  
**H01Q 21/26** (2006.01)  
**H01Q 5/378** (2015.01)

(52) **U.S. Cl.**  
CPC ..... **H01Q 21/062** (2013.01); **H01Q 5/378**  
(2015.01); **H01Q 21/06** (2013.01); **H01Q**  
**21/26** (2013.01)

(58) **Field of Classification Search**  
CPC ..... H01Q 21/062; H01Q 21/26; H01Q 5/378;  
H01Q 21/06  
USPC ..... 343/797  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|                |         |                   |           |
|----------------|---------|-------------------|-----------|
| 9,570,804 B2   | 2/2017  | Shang et al.      |           |
| 9,698,486 B2   | 7/2017  | Shooshtari et al. |           |
| 9,711,871 B2   | 7/2017  | Jones             |           |
| 9,819,084 B2 * | 11/2017 | Zimmerman         | H01Q 5/42 |
| 9,831,548 B2   | 11/2017 | Timofeev et al.   |           |
| 10,439,285 B2  | 10/2019 | Isik et al.       |           |
| 10,547,110 B1  | 1/2020  | Isik et al.       |           |
| 10,601,120 B2  | 3/2020  | Bisiules et al.   |           |
| 10,644,401 B2  | 5/2020  | Shang et al.      |           |

(Continued)

**FOREIGN PATENT DOCUMENTS**

|    |               |        |
|----|---------------|--------|
| CN | 208753520 U   | 4/2019 |
| WO | 2014100938 A1 | 7/2014 |

(Continued)

**OTHER PUBLICATIONS**

International Search Report and Written Opinion issued for Appli-  
cation No. PCTUS2021063693, dated Apr. 12, 2022.


*Primary Examiner* — Hai V Tran

(74) *Attorney, Agent, or Firm* — Meunier Carlin &  
Curfman LLC

(57) **ABSTRACT**

Disclosed is a decoupling dipole structure that renders a  
midband dipole effectively transparent to a nearby lowband  
dipole. This not only improves the beam quality in the  
lowband without sacrificing beam quality in the midband, it  
also enables different lowband dipoles to be employed to  
customize the lowband performance of the multiband  
antenna without requiring a redesign of the midband dipoles  
or of the array face.

**11 Claims, 6 Drawing Sheets**





US011817630B2

(12) **United States Patent**  
**Hu et al.**

(10) **Patent No.:** **US 11,817,630 B2**  
(45) **Date of Patent:** **Nov. 14, 2023**

(54) **SUBSTRATE INTEGRATED  
WAVEGUIDE-FED FABRY-PEROT CAVITY  
FILTERING WIDEBAND MILLIMETER  
WAVE ANTENNA**

FOREIGN PATENT DOCUMENTS

CN 102394365 A 3/2012  
CN 202275943 U 6/2012  
(Continued)

(71) Applicant: **City University of Hong Kong**, Hong Kong (HK)

OTHER PUBLICATIONS

(72) Inventors: **Haotao Hu**, Hong Kong (HK); **Chi Hou Chan**, Hong Kong (HK)

Gao et al, Low-Profile Circularly Polarized Fabry-Perot Resonator Antenna Array with Substrate Integrated Waveguide Feed Network, 2017, IEEE 5th International Symposium on Electromagnetic Compatibility (EMC-Beijing), pp. 1-3 (Year: 2017).\*

(73) Assignee: **City University of Hong Kong**, Hong Kong (HK)

(Continued)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 59 days.

*Primary Examiner* — Ab Salam Alkassim, Jr.

*Assistant Examiner* — Anh N Ho

(21) Appl. No.: **17/477,578**

(74) *Attorney, Agent, or Firm* — Idea Intellectual Limited; Margaret A. Burke; Sam T. Yip

(22) Filed: **Sep. 17, 2021**

(65) **Prior Publication Data**

US 2023/0092871 A1 Mar. 23, 2023

(57) **ABSTRACT**

(51) **Int. Cl.**  
**H01Q 19/185** (2006.01)  
**H01Q 21/06** (2006.01)  
(Continued)

The present invention provides wideband millimeter-wave SIW-fed FPC filtering antenna comprising a partially reflecting surface (PRS) and a filtering source configured to radiate a millimeter-wavelength electromagnetic wave. The filtering source comprises a conductive reflecting plane configured to work with the PRS to form a Fabry-Perot cavity; radiating elements including a pair of shorted radiating patches electrically connected to a ground plane through a pair of probes; and a substrate integrated waveguide (SIW) feeding structure coupled to the pair of radiating patches through a coupling aperture. The SIW-fed FPC filtering antenna has the advantages of wider bandwidth, higher directivity/gain, reduced structural complexity, compact size and appropriate feeding type for millimeter-wave applications.

(52) **U.S. Cl.**  
CPC ..... **H01Q 21/065** (2013.01); **H01P 1/2088** (2013.01); **H01Q 15/006** (2013.01); **H01Q 19/185** (2013.01)


(58) **Field of Classification Search**  
CPC .. H01Q 21/065; H01Q 15/006; H01Q 19/185; H01Q 1/38; H01Q 9/0407; H01P 1/2088  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,949,387 A 9/1999 Wu et al.  
8,284,001 B2 10/2012 Bourtoutian  
(Continued)

**9 Claims, 24 Drawing Sheets**  
**(6 of 24 Drawing Sheet(s) Filed in Color)**





US011817631B2

(12) **United States Patent**  
**Fleancu et al.**

(10) **Patent No.:** **US 11,817,631 B2**  
(45) **Date of Patent:** **Nov. 14, 2023**

(54) **ANTENNA ARRANGEMENT FOR MOBILE RADIO SYSTEMS WITH AT LEAST ONE DUAL-POLARISED TURNSTILE ANTENNA**

(71) Applicant: **Telefonaktiebolaget LM Ericsson (publ)**, Stockholm (SE)

(72) Inventors: **Dan Fleancu**, Griesstätt (DE); **Andreas Vollmer**, Rosenheim (DE); **Wolfgang Heyde**, Tunttenhausen (DE)

(73) Assignee: **Telefonaktiebolaget LM Ericsson (publ)**, Stockholm (SE)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 183 days.

(21) Appl. No.: **17/593,658**

(22) PCT Filed: **Mar. 20, 2020**

(86) PCT No.: **PCT/EP2020/057760**

§ 371 (c)(1),

(2) Date: **Sep. 22, 2021**

(87) PCT Pub. No.: **WO2020/193401**

PCT Pub. Date: **Oct. 1, 2020**

(65) **Prior Publication Data**

US 2022/0200168 A1 Jun. 23, 2022

(30) **Foreign Application Priority Data**

Mar. 22, 2019 (DE) ..... 102019107476.2  
Apr. 4, 2019 (DE) ..... 102019108901.8

(51) **Int. Cl.**  
**H01Q 9/28** (2006.01)  
**H01Q 21/26** (2006.01)  
**H01Q 5/42** (2015.01)

(52) **U.S. Cl.**  
CPC ..... **H01Q 21/26** (2013.01); **H01Q 5/42** (2015.01); **H01Q 9/28** (2013.01)

(58) **Field of Classification Search**

CPC ..... H01Q 21/26; H01Q 21/00; H01Q 21/20;  
H01Q 5/42; H01Q 9/28; H01Q 9/285  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,184,163 A 1/1980 Woodward  
4,414,550 A \* 11/1983 Tresselt ..... H01Q 21/20  
342/373

(Continued)

FOREIGN PATENT DOCUMENTS

DE 19627015 A1 1/1998  
DE 19722742 A1 12/1998

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion for International Patent Application No. PCT/EP2020/057760, dated Jun. 25, 2020, 16 pages.

Primary Examiner — Tho G Phan

(74) Attorney, Agent, or Firm — Withrow & Terranova, PLLC

(57) **ABSTRACT**

An antenna arrangement comprises a dual-polarised turnstile antenna, which comprises a first and a second dipole antenna element, which are aligned perpendicular to one another. The first and second dipole antenna elements each comprises two dipole halves. The dipole halves of both dipole antenna elements comprise a dipole section and a coupling section, which are galvanically connected to each other and to a first end of a ground connection medium or a signal connection medium. The coupling sections each extend along the closest dipole section of the adjacent other first and/or second dipole antenna element, wherein a spacing gap is formed between a coupling side of the respective coupling section of the first and/or second dipole antenna

(Continued)

