



US011986238B2

(12) **United States Patent**
Chi et al.

(10) **Patent No.:** **US 11,986,238 B2**

(45) **Date of Patent:** **May 21, 2024**

(54) **NON-PUNCTURING MICROWAVE
ABLATION ANTENNA AND APPLICATION
THEREOF**

(58) **Field of Classification Search**

CPC A61B 18/1815; A61B 2018/183; A61B
17/3496; A61B 2017/00862;

(Continued)

(71) Applicant: **MIMA-PRO (NAN TONG)
SCIENTIFIC INC.**, Nantong (CN)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2007/0203480 A1 * 8/2007 Mody A61B 18/1815
606/33

2016/0095657 A1 * 4/2016 Brannan A61B 18/1815
606/33

(Continued)

FOREIGN PATENT DOCUMENTS

CN 103340684 A 10/2013
CN 203493740 U 3/2014

(Continued)

(21) Appl. No.: **17/044,145**

(22) PCT Filed: **Mar. 12, 2019**

(86) PCT No.: **PCT/CN2019/077763**

§ 371 (c)(1),

(2) Date: **Sep. 30, 2020**

Primary Examiner — Sean W Collins

(74) *Attorney, Agent, or Firm* — Bayramoglu Law Offices
LLC

(87) PCT Pub. No.: **WO2019/223400**

PCT Pub. Date: **Nov. 28, 2019**

(65) **Prior Publication Data**

US 2021/0113267 A1 Apr. 22, 2021

(30) **Foreign Application Priority Data**

May 25, 2018 (CN) 201810516456.1

(51) **Int. Cl.**

A61B 18/18 (2006.01)

A61B 17/00 (2006.01)

(Continued)

(52) **U.S. Cl.**


CPC **A61B 18/1815** (2013.01); **A61B**
2017/00862 (2013.01); **A61B 2017/3456**
(2013.01);


(Continued)

(57) **ABSTRACT**

A non-puncturing microwave ablation antenna, including an irradiator located at a front end of the antenna and an irradiator cover sleeved on the irradiator, where a front end of the irradiator cover is blunt. Because the front end of the irradiator cover is designed to be blunt, the special non-puncturing appearance of the irradiator cover enables the antenna to freely penetrate inside the lung tissue without puncturing blood vessels and bronchi in the lungs. In addition, blood vessels of tumor existing in the Ground-Glass Opacity (GGO) would not be damaged by the blunt head and bleed, thereby reducing a rate of surgery failure caused by that a lesion cannot be identified because of bleeding inside the lung, and in addition, avoiding a possibility that tumor cells spread through a puncturing passage or bleeding blood vessels.

16 Claims, 1 Drawing Sheet





(10) **Patent No.:** US 11,996,610 B2
(45) **Date of Patent:** May 28, 2024

- CPC H01Q 1/24; H01Q 1/241; H01Q 1/36;
H01Q 9/04; H01Q 9/0457; H01Q 9/0421;
H01P 3/08; H01P 3/081; G02F 1/13
See application file for complete search history.

- (56)
- References Cited**

- U.S. PATENT DOCUMENTS

- 2009/0015499 A1* 1/2009 Kuroda H01Q 15/14
343/700 MS

- | | | | |
|--------------|----|---------|-------------|
| 2018/0294557 | A1 | 10/2018 | Lu et al. |
| 2019/0146248 | A1 | 5/2019 | Wang et al. |

- (Continued)

- FOREIGN PATENT DOCUMENTS

- | | | | |
|----|-----------|---|---------|
| CN | 110048224 | A | 7/2019 |
| CN | 110365422 | A | 10/2019 |

- Primary Examiner* — Thai Pham

- (74) *Attorney, Agent, or Firm* — HOUTTEMAN LAW LLC

- PCT Pub. Date:
- May 19, 2022**

- (65) **Prior Publication Data**

- US 2022/0352623 A1 Nov. 3, 2022



- (51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01P 3/08 (2006.01)
H01O 1/36 (2006.01)

- (52) **U.S. Cl.**
CPC *H01Q 1/36* (2013.01); *H01P 3/081*
(2013.01)

- (57) **ABSTRACT**

The present disclosure provides an antenna and a manufacturing method thereof, and belongs to the field of communication technology. The antenna provided by an embodiment of the present disclosure includes: a first substrate and a second substrate opposite to each other, a dielectric layer provided therebetween, and a feed unit on a side of the second substrate away from the first substrate. The first substrate includes: a first base substrate; and a radiation unit on a side of the first base substrate close to the second substrate. The second substrate includes: a second base substrate; and a reference electrode layer on a side of the second base substrate away from the feed unit, the reference electrode layer has an opening, an orthographic projection of the opening on the second base substrate is at least partially overlapped with an orthographic projection of the radiation unit on the second base substrate.

19 Claims, 6 Drawing Sheets





US011996625B2

(12) **United States Patent**
You et al.

(10) **Patent No.:** **US 11,996,625 B2**
(45) **Date of Patent:** **May 28, 2024**

(54) **MULTI-ANTENNA SYSTEM AND
ELECTRONIC DEVICE**

(52) **U.S. Cl.**
CPC **H01Q 3/24** (2013.01); **H01Q 5/314**
(2015.01); **H01Q 9/42** (2013.01);
(Continued)

(71) Applicant: **HUAWEI TECHNOLOGIES CO.,
LTD.**, Shenzhen (CN)

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 1/48; H01Q 9/42;
H01Q 5/328; H01Q 21/28; H01Q 5/35;
(Continued)

(72) Inventors: **Jiaqing You**, Shanghai (CN); **Hanyang
Wang**, Reading (GB); **Xianbin Zhu**,
Shanghai (CN); **Yan Wang**, Shenzhen
(CN); **Laiwei Shen**, Shanghai (CN);
Liang Xue, Shanghai (CN); **Qiuliang
Xu**, Shenzhen (CN)

(56) **References Cited**

(73) Assignee: **HUAWEI TECHNOLOGIES CO.,
LTD.**, Shenzhen (CN)

U.S. PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 131 days.

8,750,798 B2 * 6/2014 Rao H01Q 1/243
343/702
9,413,058 B1 * 8/2016 Kuo H01Q 5/335
(Continued)

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **17/641,198**

CN 105305101 A 2/2016
CN 107124212 A 9/2017
(Continued)

(22) PCT Filed: **Sep. 18, 2020**

(86) PCT No.: **PCT/CN2020/116291**

§ 371 (c)(1),

(2) Date: **Mar. 8, 2022**

Primary Examiner — Linh V Nguyen

(74) *Attorney, Agent, or Firm* — Maier & Maier, PLLC

(87) PCT Pub. No.: **WO2021/052483**

PCT Pub. Date: **Mar. 25, 2021**

(65) **Prior Publication Data**

US 2022/0344807 A1 Oct. 27, 2022

(30) **Foreign Application Priority Data**

Sep. 18, 2019 (CN) 201910883759.1


(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 3/24 (2006.01)

(Continued)

(57) **ABSTRACT**

A multi-antenna system and an electronic device comprising the same. An intelligent multi-antenna solution in which antennas are laid out at the top, the side, and the bottom of an electronic device is used, so that three antenna groups including a top antenna group, a middle antenna group, and a bottom antenna group are respectively formed, and antenna performance in a plurality of scenarios such as a free-space scenario, a portrait-mode holding scenario, and a landscape-mode holding scenario is considered, to improve antenna radiation efficiency.

10 Claims, 37 Drawing Sheets





US011996630B2

(12) **United States Patent**
Zhao et al.

(10) **Patent No.:** **US 11,996,630 B2**
(45) **Date of Patent:** **May 28, 2024**

(54) **ANTENNA STRUCTURE**

(56)

References Cited

(71) Applicant: **Quanta Computer Inc.**, Taoyuan (TW)

U.S. PATENT DOCUMENTS

(72) Inventors: **Yu-Chen Zhao**, Taoyuan (TW);
Chung-Ting Hung, Taoyuan (TW);
Chin-Lung Tsai, Taoyuan (TW);
Ying-Cong Deng, Taoyuan (TW);
Kuan-Hsien Lee, Taoyuan (TW);
Yi-Chih Lo, Taoyuan (TW);
Kai-Hsiang Chang, Taoyuan (TW);
Chun-I Cheng, Taoyuan (TW);
Yan-Cheng Huang, Taoyuan (TW)

7,911,405 B2 * 3/2011 Pascolini H01Q 9/42
343/741
9,293,826 B2 * 3/2016 Yonei H01Q 5/371
(Continued)

FOREIGN PATENT DOCUMENTS

CN 104412450 A 3/2015
TW 201628264 A 8/2016

OTHER PUBLICATIONS

(73) Assignee: **QUANTA COMPUTER INC.**,
Taoyuan (TW)

Chinese language office action dated Feb. 24, 2023, issued in
application No. TW 111126333.

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 140 days.

Primary Examiner — Vibol Tan

(21) Appl. No.: **17/929,342**

(74) *Attorney, Agent, or Firm* — McClure, Qualey &
Rodack, LLP

(22) Filed: **Sep. 2, 2022**

(65) **Prior Publication Data**

US 2024/0021988 A1 Jan. 18, 2024

(30) **Foreign Application Priority Data**

Jul. 13, 2022 (TW) 111126333

(51) **Int. Cl.**

H01Q 5/30 (2015.01)

H01Q 1/48 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 5/30** (2015.01); **H01Q 1/48**
(2013.01); **H01Q 5/25** (2015.01); **H01Q 5/50**
(2015.01)

(58) **Field of Classification Search**


CPC H01Q 9/42; H01Q 1/243; H01Q 1/38; H01Q
5/30; H01Q 1/241; H01Q 1/242;
(Continued)

(57)

ABSTRACT

An antenna structure includes a ground element, a first radiation element, a second radiation element, a third radiation element, and a nonconductive support element. The first radiation element is coupled to a first grounding point on the ground element. The second radiation element has a feeding point. The second radiation element is adjacent to the first radiation element. The third radiation element is coupled to a second grounding point on the ground element. The third radiation element is adjacent to the second radiation element. The first radiation element, the second radiation element, and the third radiation element are disposed on the nonconductive support element. The second radiation element is at least partially surrounded by the first radiation element. The third radiation element is at least partially surrounded by the second radiation element.

10 Claims, 2 Drawing Sheets





US011996633B2

(12) **United States Patent**
Cheng et al.

(10) **Patent No.:** **US 11,996,633 B2**
(45) **Date of Patent:** **May 28, 2024**

(54) **WEARABLE DEVICE WITH ANTENNA
STRUCTURE THEREIN**

(71) Applicant: **Quanta Computer Inc.**, Taoyuan (TW)

(72) Inventors: **Chun-I Cheng**, Taoyuan (TW);
Chung-Ting Hung, Taoyuan (TW);
Chin-Lung Tsai, Taoyuan (TW);
Kuan-Hsien Lee, Taoyuan (TW);
Yu-Chen Zhao, Taoyuan (TW);
Kai-Hsiang Chang, Taoyuan (TW)

(73) Assignee: **QUANTA COMPUTER INC.**,
Taoyuan (TW)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 117 days.

(21) Appl. No.: **17/929,900**

(22) Filed: **Sep. 6, 2022**

(65) **Prior Publication Data**
US 2024/0030615 A1 Jan. 25, 2024

(30) **Foreign Application Priority Data**
Jul. 19, 2022 (TW) 111127026

(51) **Int. Cl.**
H01Q 1/27 (2006.01)
H01Q 5/20 (2015.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 5/378** (2015.01); **H01Q 1/273**
(2013.01); **H01Q 5/20** (2015.01); **H01Q 5/371**
(2015.01)

(58) **Field of Classification Search**
CPC ... H01Q 1/243; H01Q 1/273; H01Q 5/30–392
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,537,054 B2 * 9/2013 Yen H01Q 1/243
343/846
8,779,986 B2 * 7/2014 Fan H01Q 5/371
343/700 MS

(Continued)

FOREIGN PATENT DOCUMENTS

TW 765743 B 5/2022

OTHER PUBLICATIONS

Chinese language office action dated Mar. 13, 2023, issued in
application No. TW 111127026.


Primary Examiner — Ab Salam Alkassim, Jr.

(74) *Attorney, Agent, or Firm* — McClure, Qualey &
Rodack, LLP

(57) **ABSTRACT**

A wearable device includes a ground element, a first radiation
element, a second radiation element, a third radiation
element, a fourth radiation element, and a fifth radiation
element. The first radiation element has a feeding point, and
is coupled to a first grounding point on the ground element.
A slot region is surrounded by the first radiation element and
the ground element. The second radiation element is coupled
to a second grounding point on the ground element. The
third radiation element is coupled to the second grounding
point. The third radiation element and the second radiation
element substantially extend in opposite directions. The
fourth radiation element and the fifth radiation element are
disposed inside the slot region. An antenna structure is
formed by the first radiation element, the second radiation
element, the third radiation element, the fourth radiation
element, and the fifth radiation element.

9 Claims, 3 Drawing Sheets





US011996637B2

(12) **United States Patent**
Wang et al.

(10) **Patent No.:** **US 11,996,637 B2**
(45) **Date of Patent:** **May 28, 2024**

(54) **ANTENNA UNIT, PREPARATION METHOD THEREOF, AND ELECTRONIC DEVICE**

(71) Applicants: **Beijing BOE Technology Development Co., Ltd.**, Beijing (CN); **BOE Technology Group Co., Ltd.**, Beijing (CN)

(72) Inventors: **Yali Wang**, Beijing (CN); **Dongdong Zhang**, Beijing (CN); **Feng Qu**, Beijing (CN)

(73) Assignees: **Beijing BOE Technology Development Co., Ltd.**, Beijing (CN); **BOE Technology Group Co., Ltd.**, Beijing (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 208 days.

(21) Appl. No.: **17/503,387**

(22) Filed: **Oct. 18, 2021**

(65) **Prior Publication Data**
US 2022/0311141 A1 Sep. 29, 2022

(30) **Foreign Application Priority Data**
Mar. 23, 2021 (CN) 202110310376.2

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 5/50 (2015.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0457** (2013.01); **H01Q 5/50** (2015.01)

(58) **Field of Classification Search**
CPC H01Q 9/045; H01Q 9/0457; H01Q 5/50
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2017/0288313 A1 10/2017 Chung et al.
2018/0026374 A1* 1/2018 Chen H01Q 9/065
343/810
2018/0294562 A1 10/2018 Lu et al.
2019/0341693 A1* 11/2019 Haziza H01P 11/00
(Continued)

FOREIGN PATENT DOCUMENTS

CN 104577316 A 4/2015
CN 206602182 U 10/2017
(Continued)

OTHER PUBLICATIONS

Office Action dated Aug. 29, 2023 for Chinese Patent Application No. 2021103103762 and English Translation.


Primary Examiner — Daniel Munoz

(74) *Attorney, Agent, or Firm* — Ling Wu; Stephen Yang; Ling and Yang Intellectual Property

(57) **ABSTRACT**

Provided is an antenna unit, including a first substrate and a second substrate that are oppositely disposed, a liquid crystal layer located between the first substrate and the second substrate, and a third substrate located on a side of the second substrate away from the liquid crystal layer. The first substrate includes a first base substrate and a radiation unit layer. The second substrate includes a second base substrate and a ground layer. The radiation unit layer and the ground layer face the liquid crystal layer. The third substrate includes a third base substrate and a feed structure layer, wherein the feed structure layer is located on a side of the third base substrate away from the second substrate.

18 Claims, 7 Drawing Sheets





US011997227B2

(12) **United States Patent**
Huang et al.

(10) **Patent No.:** **US 11,997,227 B2**
(45) **Date of Patent:** **May 28, 2024**

(54) **ELECTRONIC DEVICE**

(56)

References Cited

(71) Applicant: **PEGATRON CORPORATION**, Taipei (TW)

U.S. PATENT DOCUMENTS

(72) Inventors: **Chin-Ting Huang**, Taipei (TW);
Hsiao-Wen Wu, Taipei (TW)

5,563,616 A * 10/1996 Dempsey H01Q 9/285
343/756
7,339,532 B2 * 3/2008 Park, II H01Q 1/243
343/702
8,421,693 B2 * 4/2013 Ohshima H01Q 1/42
343/713
9,509,058 B2 * 11/2016 Matsumura H01L 21/56
9,716,318 B2 * 7/2017 Shirley H01Q 9/0407
9,966,707 B2 * 5/2018 Hildebrand H01Q 1/1242
10,873,127 B2 * 12/2020 Choi H01Q 9/0414
2004/0227676 A1 * 11/2004 Kim H01Q 1/088
343/702
2008/0068268 A1 * 3/2008 Kowalewicz H01Q 19/005
343/700 MS

(73) Assignee: **PEGATRON CORPORATION**, Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 316 days.

(21) Appl. No.: **17/522,626**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Nov. 9, 2021**

CN 205219901 5/2016
CN 109037918 12/2018
CN 111478021 7/2020

(65) **Prior Publication Data**

US 2022/0210255 A1 Jun. 30, 2022

* cited by examiner

(30) **Foreign Application Priority Data**

Dec. 29, 2020 (TW) 109146654

Primary Examiner — Tuan A Tran

(74) *Attorney, Agent, or Firm* — J.C. PATENTS

(57) **ABSTRACT**

(51) **Int. Cl.**
H01Q 1/38 (2006.01)
H01Q 1/24 (2006.01)
H04M 1/02 (2006.01)


(52) **U.S. Cl.**
CPC **H04M 1/0277** (2013.01); **H01Q 1/243** (2013.01)

(58) **Field of Classification Search**
None

See application file for complete search history.

An electronic device including a casing, a circuit board, a bracket, an antenna, and a protective member is provided. The casing has an accommodating space and a hole communicating with the accommodating space. The circuit board is disposed in the accommodating space. The bracket is disposed above the circuit board, and at least part of the bracket is located in the accommodating space and the hole. At least part of the antenna is disposed on a portion of the bracket extending out of the accommodating space. The protective member is disposed on at least one surface of the casing and covers the hole, the bracket, and the antenna.

10 Claims, 2 Drawing Sheets





US012003017B2

(12) **United States Patent**
Sun et al.

(10) **Patent No.:** **US 12,003,017 B2**
(45) **Date of Patent:** **Jun. 4, 2024**

(54) **RADIATOR SHARING ANTENNA AND ELECTRONIC DEVICE**

(71) Applicant: **Huawei Technologies Co., Ltd.**,
Shenzhen (CN)

(72) Inventors: **Qiao Sun**, Xi'an (CN); **Kun Li**, Xi'an
(CN); **Liang Lu**, Xi'an (CN)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 333 days.

(21) Appl. No.: **17/432,731**

(22) PCT Filed: **Feb. 10, 2020**

(86) PCT No.: **PCT/CN2020/074608**

§ 371 (c)(1),

(2) Date: **Aug. 20, 2021**

(87) PCT Pub. No.: **WO2020/173294**

PCT Pub. Date: **Sep. 3, 2020**

(65) **Prior Publication Data**

US 2022/0140471 A1 May 5, 2022

(30) **Foreign Application Priority Data**

Feb. 27, 2019 (CN) 201910146738.1
Apr. 4, 2019 (CN) 201910278901.X

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 1/48 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/48**
(2013.01); **H01Q 5/35** (2015.01); **H01Q 9/42**
(2013.01); **H04M 1/0281** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 5/35; H01Q 1/48;
H01Q 5/378–392

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,905,911 B2 * 2/2018 Chen H01Q 9/42
2012/0256800 A1 10/2012 Kuonanoja

(Continued)

FOREIGN PATENT DOCUMENTS

CN 104103888 A 10/2014
CN 104752827 A 7/2015

(Continued)

OTHER PUBLICATIONS

Zhou Qiangqiang, "Common-metal-frame MIMO Antenna for Terminal Device," 2017, with an English Abstract, 78 pages.


Primary Examiner — Hasan Islam

(74) *Attorney, Agent, or Firm* — Conley Rose, P.C.

(57) **ABSTRACT**

A radiator sharing antenna and mobile terminal including the radiator sharing antenna includes a radiator divided into a first sub-radiator and a second sub-radiator by a gap, a first feeding point, and a second feeding point. A radio frequency signal is fed through the first feeding point on the first sub-radiator, and a radio frequency signal is fed through the second feeding point on the second sub-radiator. The radiator sharing antenna is adapted to generate a plurality of antenna operating bands through the resonance generated by the first sub-radiator and the second sub-radiator and the parasitic resonance generated through mutual influence between the first sub-radiator and the second sub-radiator.

20 Claims, 10 Drawing Sheets





US012003027B2

(12) **United States Patent**
Ng et al.

(10) **Patent No.:** **US 12,003,027 B2**
(45) **Date of Patent:** **Jun. 4, 2024**

(54) **MAGNETO-ELECTRIC DIPOLE ANTENNA**

(71) Applicant: **SUN DIAL TECHNOLOGY LIMITED**, Hong Kong (CN)

(72) Inventors: **Kungbo Ng**, Hong Kong (CN); **Hang Wong**, Hong Kong (CN); **Quanwei Lin**, Hong Kong (CN)

(73) Assignee: **SUN DIAL TECHNOLOGY LIMITED**, Hong Kong (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 75 days.

(21) Appl. No.: **17/794,653**

(22) PCT Filed: **Sep. 16, 2020**

(86) PCT No.: **PCT/IB2020/058603**

§ 371 (c)(1),

(2) Date: **Jul. 22, 2022**

(87) PCT Pub. No.: **WO2021/148858**

PCT Pub. Date: **Jul. 29, 2021**

(65) **Prior Publication Data**

US 2023/0075273 A1 Mar. 9, 2023

(30) **Foreign Application Priority Data**

Jan. 24, 2020 (HK) 32020002028.9

(51) **Int. Cl.**

H01Q 19/10 (2006.01)

H01Q 1/12 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 19/108** (2013.01); **H01Q 1/12** (2013.01); **H01Q 1/36** (2013.01); **H01Q 21/26** (2013.01)

(58) **Field of Classification Search**

CPC H01F 38/14; H01F 27/36; H01F 27/366; H01F 27/361; H01F 27/363;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,854,977 B2 * 12/2020 Chiu H01Q 21/065

11,271,311 B2 * 3/2022 Chiu H01Q 5/15

(Continued)

FOREIGN PATENT DOCUMENTS

CN 106299664 A 1/2017

CN 106450706 A 2/2017

CN 107799891 A 3/2018

OTHER PUBLICATIONS

International Search Report for PCT/IB2020/058603, Prepared by the National Intellectual Property Administration, PRC, dated Dec. 30, 2020, 3 Pages.

Primary Examiner — Monica C King



(74) *Attorney, Agent, or Firm* — Brooks Kushman P. C.; John E. Nemazi

(57)

ABSTRACT

A magneto-electric dipole antenna comprising a magnetic dipole antenna portion and an electric dipole antenna portion arranged to form a complementary antenna is disclosed. The electric dipole antenna portion comprises a plurality of electric patch portions. Each electric patch portion comprises a first patch region of a first conductivity and a second patch region of a second conductivity lower than the first conductivity, and wherein the first patch region and the second patch region cooperate to define an electrical current path of the dipole antenna portion.

20 Claims, 10 Drawing Sheets





US012003032B2

(12) **United States Patent**
Sun et al.

(10) **Patent No.:** **US 12,003,032 B2**
(45) **Date of Patent:** **Jun. 4, 2024**

(54) **HYBRID NETWORK ANTENNA**

(71) Applicants: **PROSE TECHNOLOGIES**
(SUZHOU) CO., LTD., Suzhou (CN);
PROSE TECHNOLOGIES LLC,
Mount Olive, NJ (US)

(72) Inventors: **He Sun**, Suzhou (CN); **Shengguang Wang**, Suzhou (CN); **Zhongcao Yang**, Suzhou (CN); **Haixia Zhang**, Suzhou (CN); **Linfeng Sheng**, Suzhou (CN)

(73) Assignees: **PROSE TECHNOLOGIES**
(SUZHOU) CO., LTD., Suzhou (CN);
PROSE TECHNOLOGIES LLC,
Mount Olive, NJ (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 231 days.

(21) Appl. No.: **17/564,671**

(22) Filed: **Dec. 29, 2021**

(65) **Prior Publication Data**
US 2022/0123482 A1 Apr. 21, 2022

Related U.S. Application Data

(63) Continuation of application No. PCT/CN2020/103841, filed on Jul. 23, 2020.

(51) **Int. Cl.**
H01Q 21/24 (2006.01)
H01Q 9/04 (2006.01)
H01Q 21/06 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 21/24** (2013.01); **H01Q 9/0414** (2013.01); **H01Q 21/065** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/246; H01Q 19/10; H01Q 21/00;
H01Q 21/06; H01Q 21/24
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,711,865	B2	7/2017	Liu	
10,164,343	B2 *	12/2018	Jan	H01Q 3/24
11,019,506	B2 *	5/2021	Wu	H01Q 1/246
11,043,755	B2 *	6/2021	Farzaneh	H01Q 21/26

(Continued)

FOREIGN PATENT DOCUMENTS

CN	1599138	A	3/2005
CN	102084546	A	6/2011

(Continued)


Primary Examiner — Hasan Islam

(74) *Attorney, Agent, or Firm* — ANOVA LAW GROUP, PLLC

(57) **ABSTRACT**

A hybrid network antenna includes a reflection plate, a low frequency antenna array, and a dual-beam antenna array. The reflection plate includes a flat member and bending members formed by bending the two ends of the flat member. The low frequency antenna array is arranged on the flat member. The dual-beam antenna array include beam antenna sub-arrays located on both sides of the low frequency antenna array. The beam antenna sub-array on each side of the low frequency array includes a plurality of first high frequency radiating element arrays disposed in intervals along the width direction of the reflection plate. The plurality of high frequency radiating element arrays of each beam antenna sub-array are arranged on the reflection plate in different planes or a common plane.

18 Claims, 4 Drawing Sheets





US012003039B2

(12) **United States Patent**
Mehmood et al.

(10) **Patent No.:** **US 12,003,039 B2**
(45) **Date of Patent:** **Jun. 4, 2024**

(54) **PHASED ARRAY ANTENNA DEVICE**

(56) **References Cited**

(71) Applicant: **BEIJING BOE SENSOR TECHNOLOGY CO., LTD.**, Beijing (CN)

U.S. PATENT DOCUMENTS

5,878,327 A * 3/1999 Hayashi H01Q 21/062 455/517
6,377,217 B1 * 4/2002 Zhu H01P 1/181 343/771

(72) Inventors: **Arshad Mehmood**, Darmstadt (DE);
Ahmet Kenan Keskin, Pendik/Istanbul (TR)

2002/0126048 A1 9/2002 Zhu et al.
(Continued)

(73) Assignee: **BEIJING BOE SENSOR TECHNOLOGY CO., LTD.**, Beijing (CN)

FOREIGN PATENT DOCUMENTS

EP 1212809 B1 3/2004

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

Arshad Mehmood et al., Co-pending U.S. Appl. No. 17/814,053.

Primary Examiner — Awat M Salih

(74) *Attorney, Agent, or Firm* — Dilworth & Barrese, LLP.; Michael J. Musella, Esq.

(21) Appl. No.: **17/814,040**

(57) **ABSTRACT**

(22) Filed: **Jul. 21, 2022**

A phased array antenna device comprises antenna elements arranged in a spatial distribution to emit and receive superposing radio frequency signals to and from different directions. Each antenna element is positioned within a corresponding unit cell. The unit cells are arranged in a non-overlapping manner next to each other. A feeding network for transmitting the antenna signals between a common feeding point and the respective antenna element comprises a plurality of antenna element transmission line segments each running into an antenna element and a corresponding plurality of phase shifting devices. The feeding transmission line segments each comprises more than two transition structures distributed along the feeding transmission line segment. Each transition structure provides for a signal coupling between the feeding transmission line segment and the corresponding antenna element transmission line segment, thereby connecting several dedicated antenna element transmission line segments with the same feeding transmission line segment.

(65) **Prior Publication Data**

US 2023/0028570 A1 Jan. 26, 2023

(30) **Foreign Application Priority Data**


Jul. 23, 2021 (EP) 21187563

(51) **Int. Cl.**
H01Q 3/36 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 3/36** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 3/36; H01Q 3/44; H01Q 21/0075;
H01Q 21/065; H01Q 13/206
See application file for complete search history.

8 Claims, 6 Drawing Sheets





US012003040B2

(12) **United States Patent**
Foglia Manzillo et al.

(10) **Patent No.:** **US 12,003,040 B2**
(45) **Date of Patent:** **Jun. 4, 2024**

(54) **TRANSMITARRAY ANTENNA CELL**

(71) Applicant: **Commissariat à l'Energie Atomique et aux Energies Alternatives**, Paris (FR)

(72) Inventors: **Francesco Foglia Manzillo**, Grenoble (FR); **Antonio Clemente**, Grenoble (FR); **Maciej Smierzchalski**, Grenoble (FR)

(73) Assignee: **COMMISSARIAT À L'ENERGIE ATOMIQUE ET AUX ENERGIES ALTERNATIVES**, Paris (FR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 283 days.

(21) Appl. No.: **17/660,849**

(22) Filed: **Apr. 27, 2022**

(65) **Prior Publication Data**
US 2022/0359982 A1 Nov. 10, 2022

(30) **Foreign Application Priority Data**
May 7, 2021 (FR) 2104867

(51) **Int. Cl.**
H01Q 3/46 (2006.01)
H01Q 1/28 (2006.01)
H01Q 15/02 (2006.01)
H01Q 15/24 (2006.01)
H01Q 19/06 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 3/46** (2013.01); **H01Q 15/02** (2013.01); **H01Q 15/242** (2013.01); **H01Q 19/06** (2013.01); **H01Q 1/288** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/288; H01Q 3/44; H01Q 3/46; H01Q 15/02; H01Q 15/24; H01Q 15/242; H01Q 15/244; H01Q 15/246; H01Q 19/06; H01Q 21/24; H01Q 21/245
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2013/0271346 A1 * 10/2013 Dussopt H01Q 3/247 343/893
2018/0301807 A1 * 10/2018 Clemente H01Q 3/34
2021/0234269 A1 * 7/2021 Vilenskiy H01Q 3/36

FOREIGN PATENT DOCUMENTS

WO 2012085067 A1 6/2012

OTHER PUBLICATIONS

Preliminary Search Report for French Application No. 2104867 dated Dec. 6, 2021, 3 pages.
I. Munina et al., "A Study of C-Band 1-Bit Reconfigurable Dual-Polarized Transmitarray," 13th European Conference on Antennas and Propagation (EuCAP 2019), Mar. 31, 2019, 5 pages.
F. Foglia Manzillo et al., "P-i-n Diode Based Electronically Steerable Transmitarrays for SOTM at Ka-Band," 14th European Conference on Antennas and Propagation (EuCAP 2020 Mar. 15, 2020, 2020 5 pages.

(Continued)


Primary Examiner — Robert Karacsony

(74) Attorney, Agent, or Firm — Jordan IP Law, LLC

(57) **ABSTRACT**

A transmitarray cell (105) comprises a first antenna element (105a) adapted to switching between two phase states, a second antenna element (105b) adapted to switching between two other phase states and between two circular polarization directions and a coupler (201) coupling the first antenna element to the second antenna element.

13 Claims, 4 Drawing Sheets





US012003257B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 12,003,257 B2**
(45) **Date of Patent:** **Jun. 4, 2024**

(54) **ELECTRONIC DEVICE HAVING 5G ANTENNA**

(71) Applicant: **LG ELECTRONICS INC.**, Seoul (KR)

(72) Inventors: **Songyi Lee**, Seoul (KR); **Moonsoo Song**, Seoul (KR); **Chisang You**, Seoul (KR); **Yoonjae Won**, Seoul (KR); **Deuksu Choi**, Seoul (KR)

(73) Assignee: **LG ELECTRONICS INC.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 170 days.

(21) Appl. No.: **17/773,016**

(22) PCT Filed: **Oct. 30, 2019**

(86) PCT No.: **PCT/KR2019/014414**
§ 371 (c)(1),
(2) Date: **Apr. 28, 2022**

(87) PCT Pub. No.: **WO2021/085666**
PCT Pub. Date: **May 6, 2021**

(65) **Prior Publication Data**
US 2022/0393705 A1 Dec. 8, 2022

(51) **Int. Cl.**
H01Q 1/00 (2006.01)
H01Q 1/48 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H04B 1/0064** (2013.01); **H01Q 1/48** (2013.01); **H01Q 1/521** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC H01Q 1/24; H01Q 1/243; H01Q 1/48;
H01Q 1/521; H01Q 5/40; H01Q 9/0407;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2019/0165476 A1 5/2019 Hong et al.

FOREIGN PATENT DOCUMENTS

CN 110212299 A * 9/2019 H01Q 1/48
KR 20070060818 6/2007

(Continued)

OTHER PUBLICATIONS

Mohammed abu Saada et al., "Design of Efficient Microstrip Linear Antenna Array for 5G Communications Systems" 2017 International Conference on Promising Electronic Technologies, Oct. 2017, 8 pages.

(Continued)


Primary Examiner — Hoang V Nguyen

(74) *Attorney, Agent, or Firm* — LEE, HONG, DEGERMAN, KANG & WAIMEY

(57) **ABSTRACT**

An electronic device having a 5G antenna, according to the present invention, is provided. The electronic device has the antenna comprising: a metal pattern in which metal having a predetermined length and width is printed and disposed on the front surface of a substrate, and which is configured to emit a first signal; and a feeding pattern which is disposed in an area in which the metal pattern is separated and spaced apart from the feeding pattern, and which is configured to coupling-feed the first signal to the metal pattern. In addition, the electronic device further comprises a second antenna which has a metal pattern and a second feeding pattern that are disposed to be symmetrical to those of the first antenna on the front surface of the substrate, and which is configured to emit a second signal.

16 Claims, 19 Drawing Sheets





US012009577B2

(12) **United States Patent**
Kwon et al.

(10) **Patent No.:** **US 12,009,577 B2**
(45) **Date of Patent:** **Jun. 11, 2024**

(54) **ELECTRONIC DEVICE INCLUDING AN ANTENNA**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(72) Inventors: **Soonheung Kwon**, Suwon-si (KR); **Sumin Yun**, Suwon-si (KR); **Hosaeng Kim**, Suwon-si (KR); **Hyunjeong Lee**, Suwon-si (KR); **Hyunjoo Lee**, Suwon-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**, Gyeonggi-Do (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 68 days.

(21) Appl. No.: **17/955,770**

(22) Filed: **Sep. 29, 2022**

(65) **Prior Publication Data**
US 2023/0089687 A1 Mar. 23, 2023

Related U.S. Application Data

(63) Continuation of application No. PCT/KR2022/011884, filed on Aug. 9, 2022.

(30) **Foreign Application Priority Data**

Aug. 10, 2021 (KR) 10-2021-0105054
Dec. 8, 2021 (KR) 10-2021-0175089

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 1/48 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/48** (2013.01); **H01Q 5/25** (2015.01); **H01Q 5/307** (2015.01); **H01Q 9/0407** (2013.01)

(58) **Field of Classification Search**
None

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,024,832 B2 5/2015 Duron et al.
10,939,539 B2 3/2021 Seo et al.
(Continued)

FOREIGN PATENT DOCUMENTS

KR 101794560 B1 11/2012
KR 20200022803 A 3/2020
(Continued)

OTHER PUBLICATIONS

International Search Report for International Application No. PCT/KR2022/011884 International Filing Date Aug. 9, 2022; dated Nov. 22, 2022; 8 Pages.


Primary Examiner — Wilson Lee

(74) Attorney, Agent, or Firm — CANTOR COLBURN LLP

(57) **ABSTRACT**

An electronic device includes a housing providing a front surface and a rear surface, an antenna including a printed circuit board within the housing and including a first surface facing the front surface and a second surface facing the rear surface. The printed circuit board includes a first conductive layer including a first antenna element and a second antenna element that do not overlap each other when viewed from above the first surface, a second conductive layer operating as a ground plane, and a dielectric between the first and second conductive layers. A conductive pattern is located between the front surface and the second surface when the first surface faces the rear surface and is located between the rear surface and the second surface when the first surface faces the front surface. The conductive pattern overlaps a part of the second conductive layer when viewed from above the first surface.

20 Claims, 24 Drawing Sheets





US012009598B2

(12) **United States Patent**
Fang et al.

(10) **Patent No.:** **US 12,009,598 B2**
(45) **Date of Patent:** **Jun. 11, 2024**

(54) **ELECTRONIC DEVICE AND ANTENNA STRUCTURE**

(71) Applicant: **WISTRON NEWEB CORPORATION**, Hsinchu (TW)

(72) Inventors: **Ying-Sheng Fang**, Hsinchu (TW);
Shang-Sian You, Hsinchu (TW)

(73) Assignee: **WISTRON NEWEB CORPORATION**, Hsinchu (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 112 days.

(21) Appl. No.: **18/053,770**

(22) Filed: **Nov. 9, 2022**

(65) **Prior Publication Data**
US 2023/0335918 A1 Oct. 19, 2023

(30) **Foreign Application Priority Data**
Apr. 14, 2022 (TW) 111114142

(51) **Int. Cl.**
H01Q 21/06 (2006.01)
H01Q 1/22 (2006.01)
H01Q 1/24 (2006.01)
H01Q 21/00 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 21/065** (2013.01); **H01Q 1/22** (2013.01); **H01Q 21/0037** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/22; H01Q 1/2266; H01Q 5/357;
H01Q 13/10; H01Q 21/0037; H01Q 21/065

See application file for complete search history.

(56) **References Cited**

FOREIGN PATENT DOCUMENTS

TW 201935762 A 9/2019
WO WO-2019117941 A1 * 6/2019 H01Q 1/2266
* cited by examiner

Primary Examiner — Hoang V Nguyen

(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

An electronic device and an antenna structure are provided. The electronic device includes a metal housing, and the antenna structure is disposed in the metal housing. The antenna structure includes a printed circuit board, two radiating elements, two feeding transmission lines and a connector. The two radiating elements are disposed on the printed circuit board and are close to the two slots. Projections of the two radiating elements projected onto the metal housing at least partially overlap with the two slots. The two feeding transmission line are disposed in the printed circuit board. The two feeding transmission lines are electrically connected to the two radiating elements, respectively, and lengths of the two feeding transmission lines are the same. The connector is connected to the printed circuit board and electrically connected to the two feeding transmission lines.

15 Claims, 8 Drawing Sheets

