



US012046800B2

(12) **United States Patent**
Jang et al.

(10) **Patent No.:** **US 12,046,800 B2**
(45) **Date of Patent:** **Jul. 23, 2024**

(54) **ANTENNA AND ELECTRONIC DEVICE INCLUDING THE SAME**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

10,476,167 B2 11/2019 Ayala Vazquez et al.
10,581,169 B2 3/2020 Kim et al.

(Continued)

(72) Inventors: **Sooyoung Jang**, Suwon-si (KR);
Dongryul Shin, Suwon-si (KR); **Seho Kim**, Suwon-si (KR); **Gyubok Park**,
Suwon-si (KR)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

EP 3 476 004 A1 5/2019
KR 10-2017-0130820 A 11/2017

(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 194 days.

OTHER PUBLICATIONS

(21) Appl. No.: **17/574,115**

International Search Report and Written Opinion dated Apr. 12, 2022, issued in International Patent Application No. PCT/KR2022/000043.

(22) Filed: **Jan. 12, 2022**

(Continued)

(65) **Prior Publication Data**

US 2022/0223998 A1 Jul. 14, 2022

Primary Examiner — Hai V Tran

(74) Attorney, Agent, or Firm — Jefferson IP Law, LLP

Related U.S. Application Data

(63) Continuation of application No.
PCT/KR2022/000043, filed on Jan. 4, 2022.

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Jan. 13, 2021 (KR) 10-2021-0004841

(51) **Int. Cl.**
H01Q 1/48 (2006.01)
H01Q 1/24 (2006.01)
H01Q 5/335 (2015.01)


An electronic device is provided. The electronic device includes a housing including a first segment portion and a second segment portion, a first antenna formed between the first segment portion and the second segment portion, and a processor electrically connected to the first antenna, the first antenna includes a first point disposed adjacent to the first segment portion, a third point disposed adjacent to the second segment portion, and a second point disposed between the first point and the third point, and the processor is configured to control feeding signals and/or ground signals of the first point, the second point or the third point, and control the electrical path of the first antenna between the first segment portion and the second segment portion, the first antenna operates in different frequency bands. The first antenna operating at a resonance frequency having the optimum radiation efficiency and performance in a wide-band.

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/24** (2013.01); **H01Q 5/335** (2015.01)

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 1/48; H01Q 5/335;
H01Q 1/24

(Continued)

13 Claims, 15 Drawing Sheets





US012046812B2

(12) **United States Patent**
Li et al.

(10) **Patent No.:** **US 12,046,812 B2**
(45) **Date of Patent:** **Jul. 23, 2024**

(54) **ANTENNA ASSEMBLY AND MOBILE TERMINAL**

(71) Applicant: **Honor Device Co., Ltd.**, Shenzhen (CN)

(72) Inventors: **Yuanpeng Li**, Shenzhen (CN);
Lanchao Zhang, Shenzhen (CN); **Jian Luo**, Shenzhen (CN)

(73) Assignee: **Honor Device Co., Ltd.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 314 days.

(21) Appl. No.: **17/607,331**

(22) PCT Filed: **Apr. 22, 2020**

(86) PCT No.: **PCT/CN2020/086038**

§ 371 (c)(1),

(2) Date: **Oct. 28, 2021**

(87) PCT Pub. No.: **WO2020/221075**

PCT Pub. Date: **Nov. 15, 2020**

(65) **Prior Publication Data**

US 2022/0209403 A1 Jun. 30, 2022

(30) **Foreign Application Priority Data**

Apr. 30, 2019 (CN) 201910360018.5

(51) **Int. Cl.**

H01Q 1/52 (2006.01)

H01Q 1/24 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/521** (2013.01); **H01Q 1/243** (2013.01); **H01Q 5/307** (2015.01); **H01Q 9/045** (2013.01); **H01Q 21/28** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/521; H01Q 5/307; H01Q 1/243;
H01Q 9/045; H01Q 21/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,336,229 B1 * 2/2008 Tseng H01Q 5/378

343/702

8,620,244 B2 * 12/2013 Roeckl H04B 1/0053

455/306

(Continued)

FOREIGN PATENT DOCUMENTS

CN 104103888 A 10/2014

CN 104953289 A 9/2015

(Continued)

Primary Examiner — Graham P Smith


Assistant Examiner — Jordan E. DeWitt

(74) *Attorney, Agent, or Firm* — Leydig, Voit & Mayer, Ltd.

(57) **ABSTRACT**

This application provides an antenna assembly. The antenna assembly includes at least a first antenna and a second antenna. The first antenna includes a first feed point and a first radiator connected thereto. The second antenna includes a second feed point and a second radiator connected thereto. There is a gap between the first radiator and the second radiator. An end of the second radiator close to the gap is provided with a first ground wire shared by the first antenna and the second antenna. An end of the second radiator away from the gap is provided with a second ground wire. Because currents excited by the first antenna and the second antenna are orthogonally complementary, crosstalk does not occur between the ground currents of the first antenna and the second antenna.

21 Claims, 8 Drawing Sheets





US012046819B2

(12) **United States Patent**
Tamrakar et al.

(10) **Patent No.:** **US 12,046,819 B2**
(45) **Date of Patent:** **Jul. 23, 2024**

(54) **INTEGRATED COMBO SLOT ANTENNAS IN
FULL METAL CHASSIS AND ISOLATION
IMPROVEMENT TECHNIQUE**

H01Q 1/521; H01Q 13/16; H01Q 21/28;
H01Q 1/2266; H01Q 13/10; H01Q 1/242;
H01Q 1/52; G06F 1/1658; G06F 1/1698

See application file for complete search history.

(71) Applicant: **Intel Corporation**, Santa Clara, CA
(US)

(56) **References Cited**

(72) Inventors: **Maruti Tamrakar**, Chennai (IN);
Sagar Gupta, Ghaziabad (IN);
Jayprakash Thakur, Bangalore (IN);
Prasanna Pichumani, Bangalore (IN)

U.S. PATENT DOCUMENTS

8,552,913	B2	10/2013	Ayatollahi et al.	
2004/0051670	A1	3/2004	Sato	
2010/0238079	A1 *	9/2010	Ayatollahi	H01Q 1/521 343/729
2020/0136261	A1 *	4/2020	Jain	H01Q 1/521
2020/0136268	A1	4/2020	Saeidi et al.	

(73) Assignee: **Intel Corporation**, Santa Clara, CA
(US)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 350 days.

WO WO-2018219070 A1 * 12/2018 H01Q 1/36

* cited by examiner

(21) Appl. No.: **17/448,724**

Primary Examiner — David E Lotter

(22) Filed: **Sep. 24, 2021**

(74) Attorney, Agent, or Firm — 2SPL Patent Attorneys
PartG mbB; Kieran O'Leary

(65) **Prior Publication Data**

US 2022/0200165 A1 Jun. 23, 2022

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Dec. 18, 2020 (EP) 20215444

A slot antenna assembly for a portable electronic device is disclosed. The assembly includes a first slot antenna having a first slot through a substrate from an outer surface of the substrate to an inner surface of the substrate. The assembly also includes a second slot antenna including a second slot through the substrate from the outer surface of the substrate to the inner surface of the substrate. An isolator includes at least one of an isolation slot and a conductor. The isolator includes a substrate isolation slot which extends through the substrate between the first and second slot antennas; and a conductor. The conductor connects the inner surface of the substrate between the first and second antennas to an opposite inner surface of an opposite substrate opposite the inner surface between the first and second antennas.

(51) **Int. Cl.**

H01Q 1/22 (2006.01)

H01Q 1/38 (2006.01)

H01Q 13/10 (2006.01)

H01Q 21/06 (2006.01)


(52) **U.S. Cl.**

CPC **H01Q 21/064** (2013.01); **H01Q 1/38**
(2013.01); **H01Q 13/106** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 21/064; H01Q 1/38; H01Q 13/106;

24 Claims, 7 Drawing Sheets





US012046836B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 12,046,836 B2**
(45) **Date of Patent:** **Jul. 23, 2024**

(54) **ANTENNA STRUCTURE AND IMAGE
DISPLAY DEVICE INCLUDING THE SAME**

(71) Applicants: **DONGWOO FINE-CHEM CO.,
LTD.**, Jeollabuk-do (KR); **KREEMO
INC.**, Seoul (KR)

(72) Inventors: **Won Hee Lee**, Gyeonggi-do (KR);
Dong Pil Park, Incheon (KR); **Young
Sub Son**, Seoul (KR); **In Seok Jang**,
Gyeonggi-do (KR); **Beak Jun Seong**,
Gyeonggi-do (KR); **Jung Woo Lee**,
Seoul (KR); **Seong Tae Jeong**,
Gyeonggi-do (KR); **In Kyung Hong**,
Seoul (KR); **John Joonho Park**,
Gyeonggi-do (KR)

(73) Assignees: **DONGWOO FINE-CHEM CO.,
LTD.**, Jeollabuk-Do (KR); **KREEMO
INC.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 196 days.

(21) Appl. No.: **17/857,672**

(22) Filed: **Jul. 5, 2022**

(65) **Prior Publication Data**
US 2023/0006349 A1 Jan. 5, 2023

(30) **Foreign Application Priority Data**
Jul. 5, 2021 (KR) 10-2021-0087566

(51) **Int. Cl.**
H01Q 5/378 (2015.01)
H01Q 1/24 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 5/378** (2015.01); **H01Q 1/243**
(2013.01); **H01Q 1/38** (2013.01); **H01Q 9/045**
(2013.01); **H01Q 9/40** (2013.01); **H01Q**
21/0025 (2013.01)

(58) **Field of Classification Search**
None

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2012/0212389 A1* 8/2012 Aizawa H01Q 1/36
343/893
2020/0203848 A1* 6/2020 Tarnq H01Q 9/30
(Continued)

FOREIGN PATENT DOCUMENTS

JP 2002-330025 A 11/2002
KR 10-1411444 B1 7/2014
(Continued)

Primary Examiner — Ab Salam Alkassim, Jr.


Assistant Examiner — Anh N Ho



(74) *Attorney, Agent, or Firm* — The PL Law Group,
PLLC

(57) **ABSTRACT**

An antenna structure according to an embodiment of the present disclosure includes an antenna unit array including a plurality of antenna units, and a parasitic element disposed to be adjacent to the antenna units and to be electrically and physically separated from the antenna units. Each of the antenna units includes a radiator, and a transmission line including a first transmission line and a second transmission line connected to the radiator in different directions. The parasitic element includes a first parasitic element disposed between the first transmission line and the second transmission line included in the same antenna unit, and a second parasitic element disposed between the first transmission line and the second transmission line included in different neighboring antenna units. The second parasitic element includes a branched portion including a first branched portion and a second branched portion bent in different directions.

19 Claims, 9 Drawing Sheets







US012046838B2

(12) **United States Patent**
Kamada et al.

(10) **Patent No.:** **US 12,046,838 B2**
(45) **Date of Patent:** **Jul. 23, 2024**

(54) **MULTILAYER BOARD**

(71) Applicant: **Murata Manufacturing Co., Ltd.**,
Nagaokakyo (JP)

(72) Inventors: **Koji Kamada**, Nagaokakyo (JP);
Kunihiro Komaki, Nagaokakyo (JP);
Masahiro Izawa, Nagaokakyo (JP);
Ryo Komura, Nagaokakyo (JP)

(73) Assignee: **MURATA MANUFACTURING CO., LTD.**, Kyoto (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 139 days.

(21) Appl. No.: **17/901,018**

(22) Filed: **Sep. 1, 2022**

(65) **Prior Publication Data**

US 2022/0416425 A1 Dec. 29, 2022

Related U.S. Application Data

(63) Continuation of application No.
PCT/JP2021/009016, filed on Mar. 8, 2021.

(30) **Foreign Application Priority Data**

Apr. 14, 2020 (JP) 2020-072089
Sep. 10, 2020 (JP) 2020-151833

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 1/48 (2006.01)
H05K 1/16 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0407** (2013.01); **H01Q 1/48**
(2013.01); **H05K 1/162** (2013.01); **H05K**
2201/09672 (2013.01); **H05K 2201/10098**
(2013.01)

(58) **Field of Classification Search**

CPC H01Q 9/0407; H01Q 9/0414; H01Q 1/48
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,839,350 B2 * 11/2010 Nagai H01Q 9/045
343/851
11,056,793 B2 * 7/2021 Hara H01Q 1/48
(Continued)

FOREIGN PATENT DOCUMENTS

JP 2001111329 A 4/2001
JP 2003332830 A 11/2003
(Continued)

OTHER PUBLICATIONS

International Search Report in PCT/JP2021/009016, mailed May 18, 2021, 3 pages.

(Continued)


Primary Examiner — Awat M Salih

(74) *Attorney, Agent, or Firm* — Keating & Bennett, LLP

(57) **ABSTRACT**

An element assembly has a structure in which insulator layers including first and second insulator layers are laminated in an up-down direction. The first insulator layer is above the second insulator layer. A radiant conductor layer is on an upper surface of the first insulator layer. A first capacitance defining portion includes a first interlayer connection conductor passing through one or more of the insulator layers in the up-down direction. The first interlayer connection conductor is electrically connected to the radiant conductor layer. The radiant conductor layer, a ground conductor, and the first capacitance defining portion define and function as a patch antenna. When the first interlayer connection conductor is electrically connected to the radiant conductor layer, a distance from a lower end of the first interlayer connection conductor to the ground conductor in

(Continued)





US012046839B2

(12) **United States Patent**
Wang et al.

(10) **Patent No.:** **US 12,046,839 B2**
(45) **Date of Patent:** **Jul. 23, 2024**

(54) **ANTENNA STRUCTURE AND ELECTRONIC DEVICE**

(71) Applicants: **Beijing BOE Technology Development Co., Ltd.**, Beijing (CN); **BOE Technology Group Co., Ltd.**, Beijing (CN)

(72) Inventors: **Yali Wang**, Beijing (CN); **Feng Qu**, Beijing (CN); **Biqi Li**, Beijing (CN)

(73) Assignees: **Beijing BOE Technology Development Co., Ltd.**, Beijing (CN); **BOE Technology Group Co., Ltd.**, Beijing (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 270 days.

(21) Appl. No.: **17/629,417**

(22) PCT Filed: **Apr. 12, 2021**

(86) PCT No.: **PCT/CN2021/086406**

§ 371 (c)(1),

(2) Date: **Jan. 24, 2022**

(87) PCT Pub. No.: **WO2022/217400**

PCT Pub. Date: **Oct. 20, 2022**

(65) **Prior Publication Data**

US 2023/0318185 A1 Oct. 5, 2023

(51) **Int. Cl.**
H01Q 1/22 (2006.01)
H01Q 1/48 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 9/0421** (2013.01); **H01Q 1/22** (2013.01); **H01Q 1/48** (2013.01); **H01Q 1/50** (2013.01); **H01Q 9/04** (2013.01)

(58) **Field of Classification Search**

CPC **H01Q 9/0421**; **H01Q 1/48**; **H01Q 1/50**;
H01Q 1/22; **H01Q 5/364**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,292,141 B1 * 9/2001 Lim **H01Q 5/40**
343/873
6,344,833 B1 * 2/2002 Lin **H01Q 21/28**
343/873

(Continued)

FOREIGN PATENT DOCUMENTS

CN 106058450 A 10/2016
CN 109449582 A 3/2019

(Continued)



Primary Examiner — Hai V Tran

(74) *Attorney, Agent, or Firm* — Ling Wu; Stephen Yang;
Ling and Yang Intellectual Property

(57) **ABSTRACT**

An antenna structure includes a dielectric substrate, a ground layer and a radiation layer located at two opposite sides of the dielectric substrate. The ground layer has two first gaps which are symmetrical about a central axis of the antenna structure in a first direction to introduce a radiation zero. The radiation layer has two second gaps which are symmetrical about the central axis, edges of the two second gaps are aligned with edges of the radiation layer in a second direction to introduce another radiation zero. The second direction is perpendicular to the first direction.

10 Claims, 10 Drawing Sheets





US012047524B2

(12) **United States Patent**
Park et al.

(10) **Patent No.:** **US 12,047,524 B2**
(45) **Date of Patent:** **Jul. 23, 2024**

(54) **ANTENNA STRUCTURE AND ELECTRONIC DEVICE INCLUDING THE SAME**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)
(72) Inventors: **Suyang Park**, Gyeonggi-do (KR);
Myeongkoo Kang, Gyeonggi-do (KR);
Minjae Kim, Gyeonggi-do (KR);
Jaehyeok Shin, Gyeonggi-do (KR);
Sungmin Lee, Gyeonggi-do (KR)

3,916,911 A 11/1975 Sauder et al.
2009/0278757 A1* 11/2009 Ahn H01Q 13/106
343/767
2018/0375195 A1* 12/2018 Liu H01Q 13/10

FOREIGN PATENT DOCUMENTS

CN 106898883 A 6/2017
CN 106935951 A 7/2017

(Continued)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

OTHER PUBLICATIONS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 411 days.

International Search Report dated Mar. 17, 2022.

(21) Appl. No.: **17/554,100**

Primary Examiner — Ankur Jain

(22) Filed: **Dec. 17, 2021**

(74) *Attorney, Agent, or Firm* — Cha & Reiter, LLC

(65) **Prior Publication Data**
US 2022/0210256 A1 Jun. 30, 2022

(57) **ABSTRACT**

Related U.S. Application Data

(63) Continuation of application No.
PCT/KR2021/018957, filed on Dec. 14, 2021.

According to various embodiments of the disclosure, an electronic device may comprise a housing including a conductive portion, a wireless communication circuit electrically connected with the conductive portion, a first camera module disposed in a first area of the housing proximate to the conductive portion and including a first camera assembly and a flexible circuit board extending from the first camera assembly, a second camera module disposed in a second area of the housing, spaced apart from the first camera module, and including a second camera assembly and a camera bracket covering the second camera assembly and forming at least a partial surface of the housing, and a conductive pattern having at least a portion disposed between the first area and the second area and including a first portion coupled with the first camera module and a second portion coupled with the camera bracket. Other various embodiments are possible.


(30) **Foreign Application Priority Data**
Dec. 24, 2020 (KR) 10-2020-0183275

(51) **Int. Cl.**
H04M 1/02 (2006.01)

(52) **U.S. Cl.**
CPC **H04M 1/0277** (2013.01); **H04M 1/0249** (2013.01); **H04M 1/0264** (2013.01); **H04M 1/0266** (2013.01)

(58) **Field of Classification Search**
CPC H04M 1/0277; H04M 1/0249; H04M 1/0264; H04M 1/0266; H04M 1/026
See application file for complete search history.

19 Claims, 11 Drawing Sheets





US012051851B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 12,051,851 B2**
(45) **Date of Patent:** **Jul. 30, 2024**

(54) **ELECTRONIC DEVICE INCLUDING
ANTENNA INCLUDING
COUPLING-FEEDING STRUCTURE**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Jaehyung Kim**, Suwon-si (KR);
Hakjin Kim, Suwon-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO.,
LTD.**, Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 134 days.

(21) Appl. No.: **17/946,681**

(22) Filed: **Sep. 16, 2022**

(65) **Prior Publication Data**
US 2023/0014260 A1 Jan. 19, 2023

Related U.S. Application Data

(63) Continuation of application No.
PCT/KR2021/003172, filed on Mar. 15, 2021.

(30) **Foreign Application Priority Data**

Mar. 17, 2020 (KR) 10-2020-0032875

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 5/307 (2015.01)
H01Q 21/06 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 5/307**
(2015.01); **H01Q 21/06** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 5/307; H01Q 21/06;
H01Q 5/357; H01Q 9/42; H01Q 21/28;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,799,964 B2 10/2017 Jang et al.
10,224,608 B2 3/2019 Lee et al.
(Continued)

FOREIGN PATENT DOCUMENTS

KR 10-2008-0111978 12/2008
KR 10-2014-0111739 9/2014
(Continued)

OTHER PUBLICATIONS

International Search Report for PCT/KR2021/003172 dated Jun. 25,
2021, 5 pages.

(Continued)


Primary Examiner — Daniel D Chang

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye,
P.C.

(57) **ABSTRACT**

According to various embodiments, an electronic device includes: a housing; a first conductive member comprising a conductive material corresponding to a portion of the housing; a second conductive member comprising a conductive material arranged inside the housing; a printed circuit board arranged inside the housing; a wireless communication circuit arranged on the printed circuit board; and a conductive connection member comprising a conductive material electrically connected to the wireless communication circuit. The conductive connection member includes an elastic portion and at least one of a first surface, a second surface, a third surface, and a fourth surface. The elastic portion of the conductive connection member is in contact with the first conductive member, and the at least one of the first surface, the second surface, the third surface, and the fourth surface of the conductive connection member is spaced apart, by a gap, from a portion of the second conductive member. The wireless communication circuit may be configured to: receive a signal in a first frequency band by directly feeding

(Continued)





US012051862B2

(12) **United States Patent**
Taki et al.

(10) **Patent No.:** **US 12,051,862 B2**
(45) **Date of Patent:** **Jul. 30, 2024**

(54) **ANTENNA UNIT AND WIRELESS COMMUNICATION DEVICE INCLUDING THE SAME**

(71) Applicant: **Murata Manufacturing Co., Ltd.**,
Kyoto (JP)

(72) Inventors: **Shota Taki**, Kyoto (JP); **Masahiro Izawa**, Kyoto (JP); **Yasuo Tanbo**,
Kyoto (JP)

(73) Assignee: **MURATA MANUFACTURING CO., LTD.**, Kyoto (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 202 days.

(21) Appl. No.: **17/657,367**

(22) Filed: **Mar. 31, 2022**

(65) **Prior Publication Data**

US 2022/0224015 A1 Jul. 14, 2022

Related U.S. Application Data

(63) Continuation of application No. PCT/JP2020/037890, filed on Oct. 6, 2020.

(30) **Foreign Application Priority Data**

Oct. 30, 2019 (JP) 2019-197528

(51) **Int. Cl.**
H01Q 9/40 (2006.01)
H01Q 5/25 (2015.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 9/40** (2013.01); **H01Q 5/25** (2015.01); **H01Q 5/364** (2015.01); **H01Q 9/0421** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/36; H01Q 9/0421; H01Q 9/16-43
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,774,094 A * 6/1998 Yonezaki H01Q 21/064
343/770
6,853,341 B1 * 2/2005 Hellgren H01Q 9/42
343/742

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2010-263524 A 11/2010
WO 2010/105274 A1 9/2010

(Continued)

OTHER PUBLICATIONS

International Search Report for PCT/JP2020/037890 dated Dec. 22, 2020.



Primary Examiner — Ab Salam Alkassim, Jr.

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(57) **ABSTRACT**

An antenna unit includes a feed point, a first antenna conductor extending from the feed point and having a width that expands as a distance from the feed point increases, a second antenna conductor facing a top end edge of the first antenna conductor with a gap formed therebetween, a first connection part connecting the top end edge of the first antenna conductor and the second antenna conductor via a capacitor, and a second connection part connecting the top end edge of the first antenna conductor and the second antenna conductor via an inductor or a zero-ohm resistor. A first connection point between the first connection part and the first antenna conductor is closer to a center of the top end edge of the first antenna conductor compared with a second connection point between the second connection part and the first antenna conductor.

9 Claims, 8 Drawing Sheets





US012057621B2

(12) **United States Patent**
Seo et al.

(10) **Patent No.:** **US 12,057,621 B2**
(45) **Date of Patent:** **Aug. 6, 2024**

(54) **ELECTRONIC DEVICE AND METHOD FOR ANTENNA COUPLING**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(72) Inventors: **Pilwon Seo**, Gyeonggi-do (KR); **Bomi Lee**, Gyeonggi-do (KR); **Sangil Im**, Gyeonggi-do (KR); **Ilseub Kim**, Gyeonggi-do (KR); **Heedong Kim**, Gyeonggi-do (KR); **Yeonkwan Seo**, Gyeonggi-do (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 397 days.

(21) Appl. No.: **17/475,507**

(22) Filed: **Sep. 15, 2021**

(65) **Prior Publication Data**
US 2022/0102839 A1 Mar. 31, 2022

Related U.S. Application Data
(63) Continuation of application No. PCT/KR2020/003557, filed on Mar. 13, 2020.

(30) **Foreign Application Priority Data**
Mar. 15, 2019 (KR) 10-2019-0029690

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 1/48 (2006.01)
H04B 1/00 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/48** (2013.01); **H04B 1/0057** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/48; H01Q 1/243
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
8,723,735 B2 5/2014 Lee et al.
9,666,945 B2 * 5/2017 Kwak H01Q 5/371
(Continued)


FOREIGN PATENT DOCUMENTS
EP 2339693 A1 6/2011
JP 6468817 B2 1/2019
(Continued)

OTHER PUBLICATIONS
Korean Notice of Patent Grant dated Aug. 22, 2023.
Korean Office Action dated Feb. 13, 2023.

Primary Examiner — Graham P Smith
(74) *Attorney, Agent, or Firm* — Cha & Reiter, LLC

(57) **ABSTRACT**
An electronic device and method are disclosed. The electronic device includes a first antenna configured to communicate using a first frequency band group, a ground switch coupled to the first antenna, a second antenna configured to communicate using a second frequency band group, wherein the second antenna overlaps the first antenna, a band selection switch configured to select one of multiple radio frequency (RF) paths for the second frequency band group, and a processor. The processor implements the method, including determining a communication frequency band, when the communication frequency band is unsupported by the second antenna, identifying an RF path corresponding to the communication frequency band from among the multiple RF paths, and controlling the band selection switch to select the identified RF path for operative connection to the second antenna.

20 Claims, 6 Drawing Sheets





US012057634B2

(12) **United States Patent**
Jeon

(10) **Patent No.:** **US 12,057,634 B2**
(45) **Date of Patent:** **Aug. 6, 2024**

(54) **ANTENNA FIXING STRUCTURE AND
ELECTRONIC DEVICE COMPRISING SAME**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

3,727,232 A * 4/1973 Grant H01Q 19/30
343/915
4,132,995 A * 1/1979 Monser H01Q 13/18
343/789

(72) Inventor: **Seunggil Jeon**, Gyeonggi-do (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(Continued)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 216 days.

EP 3379647 A1 9/2018
KR 10-2010-0099390 A 9/2010

(Continued)

(21) Appl. No.: **17/699,412**

OTHER PUBLICATIONS

(22) Filed: **Mar. 21, 2022**

Extended European Search Report dated Oct. 10, 2022.
Korean Office Action dated Jan. 24, 2024.

(65) **Prior Publication Data**

US 2022/0216613 A1 Jul. 7, 2022

Related U.S. Application Data

(63) Continuation of application No.
PCT/KR2020/013795, filed on Oct. 8, 2020.

Primary Examiner — Ricardo I Magallanes

Assistant Examiner — Jordan E. DeWitt

(74) *Attorney, Agent, or Firm* — Cha & Reiter, LLC

(30) **Foreign Application Priority Data**

Oct. 11, 2019 (KR) 10-2019-0126341

(57) **ABSTRACT**


An electronic device according to certain embodiments, comprises a bracket defining a portion of a surface of the electronic device, the bracket including metal and having a recess formed therein, wherein the recess is formed by an inner wall including a resting region and an inclined region facing a different direction from the inner wall; and an antenna substrate including a conductive pattern, a first surface including a radiation area configured to radiate an RF signal from the conductive pattern, and a second surface opposite the first surface, wherein the antenna substrate is disposed in an interior of the recess such that the first surface faces an opened portion of the recess, the second surface faces the inner wall.

(51) **Int. Cl.**
H01Q 13/10 (2006.01)
H01Q 1/02 (2006.01)
H01Q 1/38 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 13/10** (2013.01); **H01Q 1/02**
(2013.01); **H01Q 1/38** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 13/10; H01Q 1/02; H01Q 1/38;
H01Q 1/243; H01Q 1/12
See application file for complete search history.

20 Claims, 10 Drawing Sheets





US012062844B2

(12) **United States Patent**
Lee

(10) **Patent No.:** **US 12,062,844 B2**
(45) **Date of Patent:** **Aug. 13, 2024**

(54) **ANTENNA SYSTEM AND ANTENNA
COMBINATION ARCHITECTURE**

H01Q 1/2266; H01Q 13/18; H01Q 5/10;
H01Q 5/20; H05K 9/0073; H05K 9/0081;
H05K 9/0084; H01L 24/10-17; H01L
23/535; H01L 21/74; H01L 23/12-15
(Continued)

(71) Applicant: **ASUSTeK COMPUTER INC.**, Taipei
(TW)

(72) Inventor: **Cheng-Tse Lee**, Taipei (TW)

(73) Assignee: **ASUSTEK COMPUTER INC.**, Taipei
(TW)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 197 days.

(21) Appl. No.: **17/887,626**

(22) Filed: **Aug. 15, 2022**

(65) **Prior Publication Data**

US 2023/0077329 A1 Mar. 16, 2023

(30) **Foreign Application Priority Data**

Sep. 13, 2021 (TW) 110134113

(51) **Int. Cl.**
H01Q 1/42 (2006.01)
H01L 23/00 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/422** (2013.01); **H01L 23/481**
(2013.01); **H01L 23/535** (2013.01); **H01L**
24/10 (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC H01Q 1/422; H01Q 1/38; H01Q 9/42;

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,397,387 B1 7/2016 Guterman et al.
10,498,041 B1 * 12/2019 Lin H01Q 13/16
(Continued)

FOREIGN PATENT DOCUMENTS

AU 2010202586 A1 * 1/2011 G06F 1/1616
CN 201623261 U 11/2010
(Continued)


Primary Examiner — Dameon E Levi

Assistant Examiner — Tan Minh Nguyen

(74) *Attorney, Agent, or Firm* — McClure, Qualey &
Rodack, LLP

(57) **ABSTRACT**

An antenna system is on a first conductor, spaced apart from
a second conductor and includes a first dielectric substrate,
and a first metal layer and a second metal layer. Many first
conductive structures are connected to the first metal layer
and the second conductor. Many second conductive struc-
tures are connected to the first metal layer and the second
metal layer. A second dielectric substrate includes a third
horizontal surface, a first vertical surface and a second
vertical surface. A frequency adjustment portion is on the
(Continued)





US012062847B2

(12) **United States Patent**
Luo et al.

(10) **Patent No.:** **US 12,062,847 B2**
(45) **Date of Patent:** **Aug. 13, 2024**

(54) **ANTENNA, ANTENNA ARRAY, AND COMMUNICATIONS DEVICE**

(71) Applicant: **Huawei Technologies Co., Ltd.**,
Guangdong (CN)

(72) Inventors: **Bing Luo**, Chengdu (CN); **Jianping Li**,
Shenzhen (CN); **Wenfei Qin**, Chengdu
(CN)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**,
Guangdong (CN)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 143 days.

(21) Appl. No.: **17/687,422**

(22) Filed: **Mar. 4, 2022**

(65) **Prior Publication Data**
US 2022/0190472 A1 Jun. 16, 2022

Related U.S. Application Data
(63) Continuation of application No.
PCT/CN2020/100490, filed on Jul. 6, 2020.

(30) **Foreign Application Priority Data**
Sep. 5, 2019 (CN) 201910837849.7

(51) **Int. Cl.**
H01Q 1/52 (2006.01)
H01Q 21/06 (2006.01)
H01Q 21/30 (2006.01)
(52) **U.S. Cl.**
CPC **H01Q 1/523** (2013.01); **H01Q 21/062**
(2013.01); **H01Q 21/30** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/523; H01Q 21/062; H01Q 21/30;
H01Q 1/521; H01Q 5/42; H01Q 9/285;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,461,369 B1 10/2016 Liang et al.
2004/0227683 A1* 11/2004 Caimi H01Q 9/40
343/742

(Continued)

FOREIGN PATENT DOCUMENTS

CN 103259087 A 8/2013
CN 104067527 A 9/2014

(Continued)

OTHER PUBLICATIONS

He Huang et al., "A Novel Vector Synthetic Dipole Antenna and Its
Common Aperture Array", IEEE Transactions on Antennas and
Propagation (vol. 66, Issue: 6, Jun. 2018) ,Mar. 26, 2018 ,
total:6pages.

(Continued)

Primary Examiner — Dimary S Lopez Cruz


Assistant Examiner — Austin M Back


(74) *Attorney, Agent, or Firm* — WOMBLE BOND
DICKINSON (US) LLP

(57) **ABSTRACT**

This application discloses an antenna, an antenna array, and
a communications device. The antenna includes a radiation
part and a feeding part. The feeding part is coupled to the
radiation part and is configured to feed power to the radiation
part, so that the radiation part radiates a low-frequency
signal outward. The radiation part includes one or more
frequency selection units with a bandpass characteristic, and
the radiation part is a structure that is capable of exciting,
when a high-frequency signal passes through, coupling
currents. When the high-frequency signal passes through the
radiation part, each pair of coupling currents excited on the
radiation part appear in pairs and can cancel each other. This
can reduce or even completely eliminate a high-frequency
induced current with the same frequency as the high-
frequency signal on the radiation part.

20 Claims, 24 Drawing Sheets





(10) **Patent No.:** US 12,062,848 B2
(45) **Date of Patent:** Aug. 13, 2024

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,489,913 A 2/1996 Raguene
6,778,144 B2 8/2004 Anderson
(Continued)

FOREIGN PATENT DOCUMENTS

CN	203983481 U	12/2014
CN	106654562 A	5/2017

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion mailed on Jan. 15, 2019, received for PCT Application PCT/JP2018/041653, Filed on Nov. 9, 2018, 7 pages including English Translation.

(Continued)

Primary Examiner — Dieu Hien T Duong

(74) *Attorney, Agent, or Firm* — XSENSUS LLP

(57) **ABSTRACT**

To provide a technology that can suppress the reduction of an antenna gain while maintaining the quality of the design of the exterior furnishing of the antenna.

Provided is an antenna apparatus including: an antenna module that includes a first slot antenna that transmits or receives a first wireless signal, a first feed element that supplies power to the first slot antenna, a second slot antenna that transmits or receives a second wireless signal having a polarization direction orthogonal to a polarization direction of the first wireless signal, and a second feed element that supplies power to the second slot antenna; and a metal plate that includes a first slot, and a second slot a longitudinal direction of which is orthogonal to a longitudinal direction of the first slot.


15 Claims, 45 Drawing Sheets

US 2021/0399428 A1 Dec. 23, 2021

(52) **U.S. Cl.**
CPC **H01Q 13/10** (2013.01); **H01Q 21/24**
(2013.01)

(58) **Field of Classification Search**
CPC H01Q 13/10; H01Q 21/24; H01Q 1/243;
H01Q 1/44; H01Q 13/106

See application file for complete search history.





US012062856B2

(12) **United States Patent**
Hsu et al.

(10) **Patent No.:** **US 12,062,856 B2**
(45) **Date of Patent:** **Aug. 13, 2024**

(54) **ANTENNA COUPLED FEED MODULE AND ELECTRONIC DEVICE WITH SAME**

(71) Applicant: **FIH CO., LTD.**, New Taipei (TW)

(72) Inventors: **Cho-Kang Hsu**, New Taipei (TW);
Min-Hui Ho, New Taipei (TW)

(73) Assignee: **FIH CO., LTD.**, New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 305 days.

(21) Appl. No.: **17/828,315**

(22) Filed: **May 31, 2022**

(65) **Prior Publication Data**
US 2023/0361487 A1 Nov. 9, 2023

(30) **Foreign Application Priority Data**
May 7, 2022 (CN) 202210490801.5

(51) **Int. Cl.**
H01Q 1/38 (2006.01)
H01Q 9/04 (2006.01)
H01Q 21/28 (2006.01)
(52) **U.S. Cl.**
CPC **H01Q 21/28** (2013.01); **H01Q 1/38** (2013.01); **H01Q 9/0407** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 21/28; H01Q 1/38; H01Q 9/0407; H01Q 1/243
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

11,011,827 B2 * 5/2021 Thai H01Q 1/243
2020/0212584 A1 * 7/2020 Park H01Q 13/16

FOREIGN PATENT DOCUMENTS

CN 110165386 A 8/2019

* cited by examiner


Primary Examiner — David E Lotter

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **ABSTRACT**

An antenna coupled feed module is received in a slit formed between a metal frame and at least one electronic component of an electronic device. The antenna coupled feed module includes a substrate, at least one coupled feed portion, an active circuit, a metal layer, and a non-conductive layer. The coupled feed portion and the active circuit are disposed on opposite surfaces of the substrate; the coupled feed portion couples the electrical signals to the metal layer, the metal layer conducts the electrical signals to the metal frame to radiate wireless signals; the non-conductive layer is arranged between the metal layer and the at least one coupled feed portion, and covers the coupled feed portion; the active circuit switches the electrical signals fed to the coupled feed portion. An electronic device with the antenna coupled feed module is also provided.

20 Claims, 12 Drawing Sheets





US012062857B2

(12) **United States Patent**
Huang et al.

(10) **Patent No.:** **US 12,062,857 B2**
(45) **Date of Patent:** **Aug. 13, 2024**

(54) **THREE-DIMENSIONAL ANTENNA MODULE**

(56)

References Cited

(71) Applicant: **PEGATRON CORPORATION**, Taipei (TW)

U.S. PATENT DOCUMENTS

(72) Inventors: **Chin-Ting Huang**, Taipei (TW); **Hsi-Kai Hung**, Taipei (TW); **Chun-Kai Wang**, Taipei (TW); **Sony Chayadi**, Taipei (TW)

7,057,565 B1 6/2006 Liu
2013/0016024 A1 1/2013 Shi et al.
2013/0050031 A1* 2/2013 Zhu H01Q 1/2266 343/702
2014/0015720 A1 1/2014 Handro et al.

(73) Assignee: **PEGATRON CORPORATION**, Taipei (TW)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 137 days.

CN 108808228 A * 11/2018 H01Q 1/36
JP 2012199808 A * 10/2012 H01Q 1/36
TW 201635643 10/2016

* cited by examiner

(21) Appl. No.: **17/952,145**

(22) Filed: **Sep. 23, 2022**

Primary Examiner — Hoang V Nguyen

(65) **Prior Publication Data**

US 2023/0155304 A1 May 18, 2023

(74) *Attorney, Agent, or Firm* — J.C. PATENTS

(30) **Foreign Application Priority Data**

Nov. 18, 2021 (TW) 110143062

(57)

ABSTRACT

(51) **Int. Cl.**
H01Q 25/00 (2006.01)
H01Q 1/52 (2006.01)
H01Q 1/22 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 25/005** (2013.01); **H01Q 1/521** (2013.01); **H01Q 1/2291** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/22; H01Q 1/2291; H01Q 1/36; H01Q 1/50; H01Q 1/52; H01Q 1/521; H01Q 9/26; H01Q 21/00; H01Q 21/28; H01Q 25/005

See application file for complete search history.

A three-dimensional antenna module includes a first antenna, a second antenna, and a conductor. The first antenna includes a first main radiator and a first feeding section connected to the first main radiator. The first main radiator includes a first open end and a second open end. The first main radiator is bent to form a first opening. The second antenna includes a second main radiator and a second feeding section connected to the second main radiator. The second main radiator includes a third open end and a fourth open end. The second main radiator is bent to form a second opening. A direction the first opening faces is different from a direction the second opening faces. The conductor is disposed between the first antenna and the second antenna.

10 Claims, 4 Drawing Sheets

