



US012259459B2

(12) **United States Patent**
Zou et al.

(10) **Patent No.:** **US 12,259,459 B2**
(45) **Date of Patent:** **Mar. 25, 2025**

(54) **HALF-WAVE BACK-FOLDING
DIRECTIONAL MICROWAVE DETECTION
ANTENNA**

(71) Applicant: **Shenzhen Merrytek Technology Co.,
Ltd.**, Shenzhen (CN)

(72) Inventors: **Gaodi Zou**, Shenzhen (CN); **Xin Zou**,
Shenzhen (CN)

(73) Assignee: **Shenzhen Merrytek Technology Co.,
Ltd.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 474 days.

(21) Appl. No.: **17/545,984**

(22) Filed: **Dec. 8, 2021**

(65) **Prior Publication Data**
US 2022/0342065 A1 Oct. 27, 2022

(30) **Foreign Application Priority Data**

Apr. 27, 2021	(CN)	202110458958.5
Jul. 28, 2021	(CN)	202121726634.7
Jul. 28, 2021	(CN)	202121726640.2

(51) **Int. Cl.**
G01S 13/56 (2006.01)
H01Q 9/42 (2006.01)

(52) **U.S. Cl.**
CPC **G01S 13/56** (2013.01); **H01Q 9/42**
(2013.01)

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,129,635	B1 *	11/2018	Zhu		H01Q 1/273
2004/0080458	A1 *	4/2004	Sekine		H01Q 9/0442
					343/702
2013/0201061	A1 *	8/2013	Chiang		H01Q 1/243
					343/893
2018/0342784	A1 *	11/2018	Samardzija		H01Q 1/38
2019/0379124	A1 *	12/2019	Zou		H01Q 9/065

* cited by examiner


Primary Examiner — Whitney Moore

(74) *Attorney, Agent, or Firm* — David & Raymond
Patent Firm; Raymond Y Chan

(57) **ABSTRACT**

A half-wave back-folding directional microwave detection antenna includes a half-wave oscillator and a reference ground. The half-wave oscillator has an electrical length greater than or equal to $\frac{1}{2}$ wavelength and less than or equal to $\frac{3}{4}$ wavelength. The half-wave oscillator is folded back to form a feed point that a distance between two ends of the half-wave oscillator is greater than or equal to $\lambda/128$ and is lesser than or equal to $\lambda/6$. The two ends of the half-wave oscillator are spaced apart from the reference ground with a distance greater than or equal to $\lambda/128$. A distance between at least one end of the half-wave oscillator and the reference ground is lesser than or equal to $\lambda/16$. The two ends of the half-wave oscillator form a phase difference and are coupled to each other, wherein λ is wavelength parameter corresponding to frequency of the excitation signal.

26 Claims, 13 Drawing Sheets





US012260395B2

(12) **United States Patent**
Osborn et al.

(10) **Patent No.:** **US 12,260,395 B2**
(45) **Date of Patent:** **Mar. 25, 2025**

(54) **CARD WITH FIELD STRENGTH
VISUALIZATION DISPLAY**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Capital One Services, LLC**, McLean,
VA (US)

2005/0218377 A1 * 10/2005 Lawandy C09K 19/52
252/299.01
2007/0059901 A1 * 3/2007 Majumdar H01G 11/48
438/455

(72) Inventors: **Kevin Osborn**, Newton Highlands, MA
(US); **David Kelly Wurmfeld**, Palm
Bay, FL (US); **Bryant Yee**, Silver
Spring, MD (US)

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Capital One Services, LLC**, McLean,
VA (US)

JP 2009086067 A * 4/2009
WO 20100105515 A * 9/2015 G06K 19/07
WO WO-2015135828 A1 * 9/2015 G06K 19/0723

OTHER PUBLICATIONS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

Claes Goran Granqvist et al., "Electrochromics" (Year: 2006).
Zeng, "LLC Resonant Converter Topologies and Industrial Appli-
cations—A Review*" (Year: 2020).*

Primary Examiner — Thien T Mai

(21) Appl. No.: **17/903,400**

(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP

(22) Filed: **Sep. 6, 2022**

(57) **ABSTRACT**

(65) **Prior Publication Data**

US 2024/0078533 A1 Mar. 7, 2024

In some embodiments, a near-field communication card may be provided with an NFC-field-strength visualization display and a transparent window through which the NFC-field-strength visualization display is visible. In some embodiments, a token (e.g., the NFC card) may be constructed to include an electromagnetic field visualization display, a radiofrequency communication antenna, and a first transparent region having a transparent surface through which the electromagnetic field visualization display is visible. In some embodiments, a first layer of a token may be provided, where the first layer includes an electromagnetic field visualization display and a radiofrequency communication antenna. A second layer of the token may be provided, where the second layer includes a first transparent region. The first and second layers may be bonded such that the electromagnetic field visualization display of the first layer is visible through the first transparent region of the second layer.


(51) **Int. Cl.**
G06K 19/07 (2006.01)
G06K 19/077 (2006.01)
G06Q 20/34 (2012.01)

(52) **U.S. Cl.**
CPC **G06Q 20/357** (2013.01); **G06Q 20/352**
(2013.01)

(58) **Field of Classification Search**
CPC G06K 7/10722; G06K 7/10732; G06K
7/10693; G06K 7/1417; G06K 7/10861;
G06K 7/10663; G06T 19/00; G06T 7/70;

(Continued)

20 Claims, 6 Drawing Sheets





US012261354B2

(12) **United States Patent**
Wu et al.

(10) **Patent No.:** **US 12,261,354 B2**
(45) **Date of Patent:** **Mar. 25, 2025**

(54) **ANTENNA STRUCTURE**

(71) Applicant: **Wistron NeWeb Corp.**, Hsinchu (TW)

(72) Inventors: **Tzu-Min Wu**, Hsinchu (TW);
Kuang-Yuan Ku, Hsinchu (TW);
Kuo-Jen Lai, Hsinchu (TW)

(73) Assignee: **WISTRON NEWEB CORP.**, Hsinchu (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 200 days.

(21) Appl. No.: **18/328,938**

(22) Filed: **Jun. 5, 2023**

(65) **Prior Publication Data**

US 2023/0411837 A1 Dec. 21, 2023

(30) **Foreign Application Priority Data**

Jun. 16, 2022 (TW) 111122401
May 19, 2023 (TW) 112118693

(51) **Int. Cl.**
H01Q 5/328 (2015.01)
H01Q 1/36 (2006.01)
H01Q 1/48 (2006.01)
H01Q 5/371 (2015.01)

(52) **U.S. Cl.**
CPC **H01Q 1/36** (2013.01); **H01Q 1/48** (2013.01); **H01Q 5/328** (2015.01)

(58) **Field of Classification Search**
CPC H01Q 1/36; H01Q 1/48; H01Q 1/243;
H01Q 9/30; H01Q 9/0414; H01Q 5/371;
H01Q 5/328; H01Q 5/385

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

11,588,245 B2 2/2023 Wei
2011/0122027 A1* 5/2011 Wong H01Q 9/045
343/700 MS
2012/0001815 A1* 1/2012 Wong H01Q 9/0421
343/843
2015/0188230 A1* 7/2015 Kim H01Q 5/364
343/700 MS
2017/0084985 A1* 3/2017 Ku H01Q 1/243
2021/0050659 A1* 2/2021 Yu H01Q 5/335

FOREIGN PATENT DOCUMENTS

CN 102144334 A 8/2011
TW 202021188 A 6/2020

* cited by examiner


Primary Examiner — Thai Pham

(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

An antenna structure includes a ground element, a feeding radiation element, a first radiation element, a second radiation element, a first coupling branch, an inductive element, and a dielectric substrate. The feeding radiation element has a feeding point. The first radiation element is coupled to the feeding radiation element. The second radiation element is coupled to the feeding radiation element. The second radiation element and the first radiation element substantially extend in opposite directions. The first coupling branch is coupled through the inductive element to a first grounding point on the ground element. The first coupling branch includes an elevated portion extending across the first radiation element. The ground element, the feeding radiation element, the first radiation element, the second radiation element, the inductive element, and the first coupling branch are disposed on the same surface of the dielectric substrate.

20 Claims, 10 Drawing Sheets





US012261363B2

(12) **United States Patent**
Su et al.

(10) **Patent No.:** **US 12,261,363 B2**
(45) **Date of Patent:** **Mar. 25, 2025**

(54) **COMMUNICATION DEVICE**

(56) **References Cited**

(71) Applicant: **Wistron NeWeb Corp.**, Hsinchu (TW)

U.S. PATENT DOCUMENTS

(72) Inventors: **Jia-Hung Su**, Hsinchu (TW); **Kai Shih**,
Hsinchu (TW); **Cheng-Geng Jan**,
Hsinchu (TW)

2012/0119969 A1 * 5/2012 MacDonald H01L 23/66
343/841
2014/0266974 A1 9/2014 Sharawi et al.
2017/0244454 A1 * 8/2017 Urzhumov H04B 7/0486
2019/0140357 A1 * 5/2019 Grossman H01Q 17/007

(73) Assignee: **WISTRON NEWEB CORP.**, Hsinchu
(TW)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 202 days.

CN 113745842 A 12/2021

* cited by examiner

(21) Appl. No.: **18/167,148**

Primary Examiner — Graham P Smith

(22) Filed: **Feb. 10, 2023**

(74) *Attorney, Agent, or Firm* — McClure, Qualey &
Rodack, LLP

(65) **Prior Publication Data**

US 2023/0318193 A1 Oct. 5, 2023

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Mar. 31, 2022 (TW) 111112411

(51) **Int. Cl.**
H01Q 21/06 (2006.01)
H01Q 15/00 (2006.01)


(52) **U.S. Cl.**
CPC **H01Q 15/0086** (2013.01); **H01Q 21/065**
(2013.01)

(58) **Field of Classification Search**
CPC H01Q 17/00; H01Q 19/06; H01Q 15/0086;
H01Q 21/065; H01Q 17/001
See application file for complete search history.

A communication device includes a dielectric substrate, an antenna layer, a metamaterial layer, a first absorber element, a second absorber element, and a third absorber element. The dielectric substrate has a first surface and a second surface which are opposite to each other. The antenna layer is disposed on the first surface of the dielectric substrate. The metamaterial layer is adjacent to the antenna layer. The antenna layer and the metamaterial layer are both positioned between the first absorber element and the second absorber element. The third absorber element is disposed on the second surface of the dielectric substrate.

16 Claims, 11 Drawing Sheets

100





US012261367B2

(12) **United States Patent**
Sonoda et al.

(10) **Patent No.:** **US 12,261,367 B2**
(45) **Date of Patent:** **Mar. 25, 2025**

(54) **ANTENNA UNIT AND WINDOW GLASS**

(71) Applicants: **AGC Inc.**, Tokyo (JP); **AGC GLASS EUROPE**, Louvain-la-neuve (BE); **AGC FLAT GLASS NORTH AMERICA, INC.**, Alpharetta, GA (US); **AGC Vidros do Brasil Ltda.**, Sao Paulo (BR)

(72) Inventors: **Ryuta Sonoda**, Tokyo (JP); **Masaki Horie**, Tokyo (JP)

(73) Assignees: **AGC Inc.**, Tokyo (JP); **AGC GLASS EUROPE**, Louvain-la-neuve (BE); **AGC FLAT GLASS NORTH AMERICA, INC.**, Alpharetta, GA (US); **AGC Vidros do Brasil Ltda.**, Sao Paulo (BR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 184 days.

(21) Appl. No.: **17/688,948**

(22) Filed: **Mar. 8, 2022**

(65) **Prior Publication Data**

US 2022/0200156 A1 Jun. 23, 2022

Related U.S. Application Data

(63) Continuation of application No. PCT/JP2020/033784, filed on Sep. 7, 2020.

(30) **Foreign Application Priority Data**

Sep. 18, 2019 (JP) 2019-169601

(51) **Int. Cl.**
H01Q 21/06 (2006.01)
H01Q 1/12 (2006.01)
H01Q 19/02 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 21/065** (2013.01); **H01Q 1/1271** (2013.01); **H01Q 19/021** (2013.01)

(58) **Field of Classification Search**

None

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

5,497,164 A * 3/1996 Croq H01Q 19/005 343/846
6,388,621 B1 * 5/2002 Lynch H01Q 21/065 343/770

(Continued)

FOREIGN PATENT DOCUMENTS

JP 6-196915 A 7/1994
JP 09-246852 A 9/1997

(Continued)

Primary Examiner — Dameon E Levi

Assistant Examiner — Ahn N Ho


(74) *Attorney, Agent, or Firm* — Oblon, McClelland, Maier & Neustadt, L.L.P.

(57)

ABSTRACT

An antenna unit to be used by being installed so as to face window glass for a building includes a radiating element, a phase control member situated on an exterior-side with reference to the radiating element and configured to control a phase of an electromagnetic wave radiated from the radiating element, and a conductor situated on an interior-side with reference to the radiating element, wherein the phase control member is a member including a dielectric and a plurality of conductor portions.

12 Claims, 17 Drawing Sheets





US012261368B2

(12) **United States Patent**
Yamaguchi et al.

(10) **Patent No.:** **US 12,261,368 B2**
(45) **Date of Patent:** **Mar. 25, 2025**

(54) **ANTENNA DEVICE AND COMMUNICATION DEVICE**

(71) Applicant: **Murata Manufacturing Co., Ltd.**,
Nagaokakyo (JP)

(72) Inventors: **Ryusuke Yamaguchi**, Nagaokakyo (JP);
Takaya Nemoto, Nagaokakyo (JP)

(73) Assignee: **Murata Manufacturing Co., Ltd.**,
Nagaokakyo (JP)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 133 days.

(21) Appl. No.: **17/875,425**

(22) Filed: **Jul. 28, 2022**

(65) **Prior Publication Data**
US 2022/0368030 A1 Nov. 17, 2022

Related U.S. Application Data

(63) Continuation of application No.
PCT/JP2021/002074, filed on Jan. 21, 2021.

(30) **Foreign Application Priority Data**

Jan. 30, 2020 (JP) 2020-014028

(51) **Int. Cl.**
H01Q 21/06 (2006.01)
H01Q 1/48 (2006.01)
H01Q 19/10 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 21/065** (2013.01); **H01Q 1/48**
(2013.01); **H01Q 19/10** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 21/065; H01Q 1/48; H01Q 19/10;
H01Q 1/243
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,784,593 B1 * 9/2020 Sims, III H01Q 21/30
2019/0089052 A1 * 3/2019 Yong H01Q 9/0407
(Continued)

FOREIGN PATENT DOCUMENTS

JP 6-6130 A 1/1994
JP 2004208040 A * 7/2004
(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion mailed on Feb. 22,
2021, received for PCT Application PCT/JP2021/002074, filed on
Jan. 21, 2021, 10 pages including English Translation.


Primary Examiner — Dieu Hien T Duong

(74) *Attorney, Agent, or Firm* — XSENSUS LLP

(57) **ABSTRACT**

A ground plane is disposed on or in an inner layer of a dielectric substrate. Moreover, a feed line is disposed on or in the dielectric substrate. A first antenna element and a second antenna element are supported on the dielectric substrate. The first antenna element and the second antenna element include a first radiating element and a second radiating element connected to the feed line, respectively, and are disposed on a same side when seen from the ground plane. With a height of the ground plane being a reference, a top portion of the second antenna element is located higher than a top portion of the first antenna element. There is provided an antenna device of which the band can be expanded and of which the internal space of the casing can be effectively utilized.

20 Claims, 12 Drawing Sheets





US012261371B2

(12) **United States Patent**
Sudo et al.

(10) **Patent No.:** **US 12,261,371 B2**
(45) **Date of Patent:** **Mar. 25, 2025**

(54) **ANTENNA MODULE AND
COMMUNICATION DEVICE
INCORPORATING THE SAME**

(58) **Field of Classification Search**
CPC .. H01Q 21/0006; H01Q 21/06; H01Q 21/065;
H01Q 21/08; H01Q 21/24;
(Continued)

(71) Applicant: **Murata Manufacturing Co., Ltd.,**
Nagaokakyo (JP)

(56) **References Cited**

(72) Inventors: **Kaoru Sudo**, Nagaokakyo (JP); **Kengo Onaka**, Nagaokakyo (JP); **Yoshiki Yamada**, Nagaokakyo (JP)

U.S. PATENT DOCUMENTS

8,102,330 B1 * 1/2012 Albers H01Q 5/40
343/756

11,171,421 B2 * 11/2021 Yamada H01Q 21/08

(Continued)

(73) Assignee: **MURATA MANUFACTURING CO., LTD.,**
Nagaokakyo (JP)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 123 days.

JP 5-167337 A 7/1993
JP 2001-60823 A 3/2001

(Continued)

(21) Appl. No.: **18/090,519**

OTHER PUBLICATIONS

(22) Filed: **Dec. 29, 2022**

International Search Report and Written Opinion mailed on Jun. 8, 2021, received for PCT Application PCT/JP2021/016805, filed on Apr. 27, 2021, 9 pages including English Translation.

(65) **Prior Publication Data**

US 2023/0139670 A1 May 4, 2023

Primary Examiner — Jason M Crawford

(74) Attorney, Agent, or Firm — XSENSUS LLP

Related U.S. Application Data

(63) Continuation of application No. PCT/JP2021/016805, filed on Apr. 27, 2021.

(57) **ABSTRACT**

An antenna module includes feed elements each having a flat plate shape and a ground electrode arranged opposite the feed elements. The feed element radiates a radio wave of a first frequency band. The feed element radiates a radio wave of a second frequency band that is higher than the first frequency band. In a plan view of the feed element, the distance from the center of the feed element to an end portion of the ground electrode in a first direction is shorter than or equal to $\frac{1}{2}$ of a free space wavelength of a radio wave radiated from the feed element. A feed point of the feed element is arranged at a location shifted in a second direction from the center of the feed element, and the second direction is different from the first direction.

(30) **Foreign Application Priority Data**


Jul. 1, 2020 (JP) 2020-114111

19 Claims, 7 Drawing Sheets

(51) **Int. Cl.**
H01Q 21/30 (2006.01)
H01Q 1/24 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 21/30** (2013.01); **H01Q 1/243** (2013.01); **H01Q 1/48** (2013.01); **H01Q 9/045** (2013.01); **H01Q 21/06** (2013.01)





US012261374B2

(12) **United States Patent**
Wang

(10) **Patent No.:** **US 12,261,374 B2**
(45) **Date of Patent:** **Mar. 25, 2025**

(54) **ANTENNA STRUCTURE AND ELECTRONIC DEVICE**

(71) Applicant: **VIVO MOBILE COMMUNICATION CO., LTD.**, Dongguan (CN)

(72) Inventor: **Shen Wang**, Dongguan (CN)

(73) Assignee: **VIVO MOBILE COMMUNICATION CO., LTD.**, Dongguan (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 219 days.

(21) Appl. No.: **18/118,117**

(22) Filed: **Mar. 6, 2023**

(65) **Prior Publication Data**
US 2023/0208027 A1 Jun. 29, 2023

Related U.S. Application Data
(63) Continuation of application No. PCT/CN2021/115320, filed on Aug. 30, 2021.

(30) **Foreign Application Priority Data**
Sep. 4, 2020 (CN) 202010923239.1

(51) **Int. Cl.**
H01Q 3/26 (2006.01)
H01Q 5/35 (2015.01)

(52) **U.S. Cl.**
CPC **H01Q 3/2694** (2013.01); **H01Q 5/35** (2015.01)

(58) **Field of Classification Search**
CPC H01Q 3/2694; H01Q 5/35; H01Q 1/24
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2009/0224996 A1	9/2009	Kim et al.
2013/0101005 A1	4/2013	Aryanfar
2016/0181704 A1	6/2016	Orban et al.
2016/0365624 A1	12/2016	Maley et al.
2017/0062912 A1	3/2017	Shewan et al.
2019/0319339 A1	10/2019	Wen et al.

FOREIGN PATENT DOCUMENTS

CN	102280687 A	12/2011
CN	104993240 A	10/2015
CN	105530342 A	4/2016

(Continued)

OTHER PUBLICATIONS

International Search Report issued in corresponding International Application No. PCT/CN2021/115320, mailed Oct. 14, 2021, 4 pages.


(Continued)

Primary Examiner — Dieu Hien T Duong
(74) *Attorney, Agent, or Firm* — IPX PLLC

(57) **ABSTRACT**

An antenna structure and an electronic device, are provided. The antenna structure includes a first antenna and a second antenna, the first antenna includes a first radiator, a second radiator, a first port, and a second port, and the second antenna includes a third radiator and a third port. The first radiator, the second radiator, and the third radiator jointly constitute a ring structure, and there is a first gap between the first radiator and the second radiator, a second gap between the first radiator and the third radiator, and a third gap between the second radiator and the third radiator.

8 Claims, 12 Drawing Sheets





US012261379B2

(12) **United States Patent**
Kakuya et al.

(10) **Patent No.:** **US 12,261,379 B2**
(45) **Date of Patent:** **Mar. 25, 2025**

(54) **ANTENNA DEVICE**

(71) Applicant: **DENSO CORPORATION**, Kariya (JP)

(72) Inventors: **Yuuji Kakuya**, Nisshin (JP); **Masakazu Ikeda**, Nisshin (JP); **Kenichirou Sanji**, Kariya (JP); **Tomokazu Miyashita**, Kariya (JP); **Ryozou Fujii**, Kariya (JP)

(73) Assignee: **DENSO CORPORATION**, Kariya (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 135 days.

(21) Appl. No.: **18/070,277**

(22) Filed: **Nov. 28, 2022**

(65) **Prior Publication Data**

US 2023/0092857 A1 Mar. 23, 2023

Related U.S. Application Data

(63) Continuation of application No. PCT/JP2021/023456, filed on Jun. 21, 2021.

(30) **Foreign Application Priority Data**

Jun. 26, 2020 (JP) 2020-110670

(51) **Int. Cl.**

H01Q 9/04 (2006.01)

H01Q 1/32 (2006.01)

H01Q 1/48 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 9/0421** (2013.01); **H01Q 1/3291** (2013.01); **H01Q 1/48** (2013.01)

(58) **Field of Classification Search**

USPC 343/848
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,421,016 B1	7/2002	Phillips et al.	
2010/0289619 A1	11/2010	Kosugi et al.	
2015/0357714 A1 *	12/2015	Ng	H01Q 1/3275 343/848
2019/0131699 A1 *	5/2019	Shamblin	H01Q 19/005
2022/0006195 A1	1/2022	Ikeda et al.	

FOREIGN PATENT DOCUMENTS

DE	112008001405 T5 *	4/2010	H01Q 1/243
JP	2005027134 A	1/2005	
JP	2007013643 A *	1/2007	H01Q 21/28
JP	2010028500 A	2/2010	
JP	4992762 B2	8/2012	
JP	5341611 B2	11/2013	
WO	WO-0030211 A1 *	5/2000	H01Q 1/38
WO	WO-2020195110 A1	10/2020	

* cited by examiner

Primary Examiner — Hoang V Nguyen


Assistant Examiner — Brandon Sean Woods

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(57) **ABSTRACT**

An antenna device includes a ground plate and an antenna element. The ground plate is a conductor member with a flat rectangular shape. The antenna element is a conductor member having a feed point electrically connected to a feeder line. A length of the ground plate in a predetermined direction is shorter than a target wavelength that is a wavelength of a radio wave to be transmitted or received. The ground plate is connected to a grounding cable at a connection position on the ground plate. The connection position is shifted from an edge of the ground plate by an odd multiple of $\frac{1}{4}$ of the target wavelength.

10 Claims, 6 Drawing Sheets





US012266848B2

(12) **United States Patent**
Wu et al.

(10) **Patent No.:** **US 12,266,848 B2**
(45) **Date of Patent:** **Apr. 1, 2025**

(54) **ANTENNA APPARATUS AND ELECTRONIC DEVICE**

(71) Applicant: **Huawei Technologies Co., Ltd.**,
Shenzhen (CN)

(72) Inventors: **Pengfei Wu**, Shanghai (CN); **Hanyang Wang**, Reading (GB); **Dong Yu**,
Shanghai (CN)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 383 days.

(21) Appl. No.: **17/780,857**

(22) PCT Filed: **Nov. 27, 2020**

(86) PCT No.: **PCT/CN2020/132206**

§ 371 (c)(1),

(2) Date: **May 27, 2022**

(87) PCT Pub. No.: **WO2021/104447**

PCT Pub. Date: **Jun. 3, 2021**

(65) **Prior Publication Data**

US 2023/0006333 A1 Jan. 5, 2023

(30) **Foreign Application Priority Data**

Nov. 28, 2019 (CN) 201911192854.3

Jan. 22, 2020 (CN) 202010075891.2

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 1/36 (2006.01)

H01Q 1/48 (2006.01)

H01Q 1/50 (2006.01)

H01Q 5/20 (2015.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/36**
(2013.01); **H01Q 1/48** (2013.01); **H01Q 1/50**
(2013.01);

(Continued)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 1/36; H01Q 1/48;
H01Q 1/50; H01Q 5/20; H01Q 5/335;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,567,561 B2 * 2/2020 Kang H05K 5/069

11,342,651 B2 * 5/2022 Ma H01Q 13/10

(Continued)

FOREIGN PATENT DOCUMENTS

CN 106229624 A 12/2016

CN 106571516 A 4/2017

(Continued)

OTHER PUBLICATIONS

Choi et al. "High-Efficiency Crossed-Loop 4G LTE Antenna for All Display Metal-Rimmed Smartphones", International Journal of Antennas and Propagation, vol. 2018, Aug. 28, 2018 (Aug. 28, 2018), Article ID 8070953, 7 pages <https://doi.org/10.1155/2018/8070953> (Year: 2018) (Year: 2018).*


Primary Examiner — Seung H Lee

(74) Attorney, Agent, or Firm — Conley Rose, P.C.

(57) **ABSTRACT**

In an antenna design, a metal frame of an electronic device and a printed circuit board (PCB) form a slot antenna radiator, where two common mode (CM) slot antenna modes of the slot antenna radiator are excited through anti-symmetrical feeding, so that when dual resonances and wide-band coverage are implemented, specific absorption ratio (SAR) values in the two CM slot antenna modes are close.

19 Claims, 33 Drawing Sheets





US012266855B2

(12) **United States Patent**
Qin et al.

(10) **Patent No.:** **US 12,266,855 B2**
(45) **Date of Patent:** **Apr. 1, 2025**

(54) **ANTENNA SYSTEM**

(71) Applicant: **SHANGHAI CHUANGGONG
TELECOM TECHNOLOGY CO.,
LTD.**, Shanghai (CN)

(72) Inventors: **Zhongjie Qin**, Shanghai (CN); **Zhichao
Zhang**, Shanghai (CN)

(73) Assignee: **SHANGHAI CHUANGGONG
TELECOM TECHNOLOGY CO.,
LTD.**, Shanghai (CN)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 185 days.

(21) Appl. No.: **17/785,365**

(22) PCT Filed: **Dec. 31, 2020**

(86) PCT No.: **PCT/CN2020/142399**

§ 371 (c)(1),

(2) Date: **Jun. 14, 2022**

(87) PCT Pub. No.: **WO2021/244026**

PCT Pub. Date: **Dec. 9, 2021**

(65) **Prior Publication Data**

US 2023/0035028 A1 Feb. 2, 2023

(30) **Foreign Application Priority Data**

Jun. 5, 2020 (CN) 202010507913.8

(51) **Int. Cl.**
H01Q 13/18 (2006.01)
H01P 1/207 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 13/18** (2013.01); **H01P 1/207**
(2013.01); **H01Q 1/242** (2013.01); **H01Q 1/48**
(2013.01); **H01Q 1/52** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 1/38; H01Q 1/48;
H01Q 13/10; H01Q 9/0407; H01Q 9/42;
H01Q 15/14; H01Q 21/28; H01Q 9/0421

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

11,537,170 B2 * 12/2022 Hori G06F 1/1656
2019/0221941 A1 * 7/2019 Liu H01Q 1/32
(Continued)

FOREIGN PATENT DOCUMENTS

CN 102882009 A 1/2013
CN 106935971 A 7/2017

(Continued)

OTHER PUBLICATIONS

International Search Report for PCT/CN2020/142399 mailed on
Mar. 19, 2021.


Primary Examiner — Wei (Victor) Y Chan

(74) *Attorney, Agent, or Firm* — The PL Law Group,
PLLC

(57) **ABSTRACT**

An antenna system according to an embodiment of the
present disclosure includes an antenna unit and a metal
cavity corresponding to the antenna unit. The metal cavity is
grounded and provided with an opening connected with the
outside. By introducing the metal cavity, an embodiment of
the present invention solves the problem of multi-band
mutual coupling caused by a common ground current by
using the cavity filter structure with a small size.

11 Claims, 8 Drawing Sheets





US012266871B2

(12) **United States Patent**
Mu et al.

(10) **Patent No.:** **US 12,266,871 B2**
(45) **Date of Patent:** **Apr. 1, 2025**

(54) **COMPACT ANTENNA DESIGN**

(71) Applicant: **ZEBRA TECHNOLOGIES CORPORATION**, Lincolnshire, IL (US)

(72) Inventors: **Wei-Yu Mu**, Taipei (TW); **Prince Wang**, Taipei (TW); **N. F. Casazzone**, Dix Hills, NY (US)

(73) Assignee: **Zebra Technologies Corporation**, Lincolnshire, IL (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 310 days.

(21) Appl. No.: **17/992,426**

(22) Filed: **Nov. 22, 2022**

(65) **Prior Publication Data**
US 2024/0170848 A1 May 23, 2024

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 5/25 (2015.01)
H01Q 21/24 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0421** (2013.01); **H01Q 5/25** (2015.01); **H01Q 9/0442** (2013.01); **H01Q 21/24** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 5/25; H01Q 9/0421; H01Q 9/0442; H01Q 21/24
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS


2021/0328346 A1 * 10/2021 Zhang H01Q 7/00
* cited by examiner

Primary Examiner — Jimmy T Vu

(57) **ABSTRACT**

A compact antenna design is provide with a carrier arm having a first end and a second end; a resonating arm, connected at the second end of the carrier arm and extending perpendicularly from the carrier arm in a first direction; a capacitive tuning arm, having a third end and a fourth end, connected at the third end to a portion of the carrier arm between to the first end and the second end, and extending perpendicularly from the carrier arm in the first direction; and a shorting arm, connected at the fourth end of the capacitive tuning arm and extending perpendicularly from the capacitive tuning arm in a second direction, away from the resonating arm.

20 Claims, 6 Drawing Sheets





US012272863B2

(12) **United States Patent**
An et al.

(10) **Patent No.:** **US 12,272,863 B2**
(45) **Date of Patent:** **Apr. 8, 2025**

(54) **ELECTRONIC DEVICE INCLUDING
ANTENNA SUPPORTING STRUCTURE**

(71) Applicant: **SAMSUNG ELECTRONICS CO.,
LTD.**, Suwon-si (KR)

(72) Inventors: **Yonghee An**, Suwon-si (KR); **Pilwon
Seo**, Suwon-si (KR); **Bitna Kim**,
Suwon-si (KR); **Haewon Sung**,
Suwon-si (KR); **Yongwon Cho**,
Suwon-si (KR); **Junhee Han**, Suwon-si
(KR); **Jeongseob Kim**, Suwon-si (KR);
Hyunsuk Choi, Suwon-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO.,
LTD.**, Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 166 days.

(21) Appl. No.: **18/109,006**

(22) Filed: **Feb. 13, 2023**

(65) **Prior Publication Data**
US 2023/0253698 A1 Aug. 10, 2023

Related U.S. Application Data

(63) Continuation of application No.
PCT/KR2023/000566, filed on Jan. 12, 2023.

Foreign Application Priority Data

Feb. 8, 2022 (KR) 10-2022-0016479

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 5/307 (2015.01)
H01Q 9/04 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/24** (2013.01); **H01Q 5/307**
(2015.01); **H01Q 9/0407** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/24; H01Q 5/307; H01Q 9/0407;
H01Q 1/1207; H01Q 1/22; H01Q 1/38;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,141,625 B1 11/2018 Ryu et al.
2007/0231962 A1 10/2007 Fujii
(Continued)

FOREIGN PATENT DOCUMENTS

JP 2007-266443 A 10/2007
KR 100880542 B1 2/2009
(Continued)

OTHER PUBLICATIONS

International Search Report (PCT/ISA/210) issued by the Interna-
tional Searching Authority on Apr. 14, 2023 in International Patent
Application No. PCT/KR2023/000566.

(Continued)

Primary Examiner — Dimary S Lopez Cruz


Assistant Examiner — Michael M Bouizza

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **ABSTRACT**

An electronic device includes a housing, an antenna struc-
ture disposed in an inner space of the housing, a wireless
communication circuit disposed in the inner space, and a
first bracket. The antenna structure includes a substrate
having a first substrate surface facing in a first direction and
a second substrate surface facing in a second direction
opposite to the first substrate surface, and a plurality of chip
antennas sequentially arranged on the first substrate surface
in a third direction perpendicular to the first direction. Each
of the plurality of chip antennas includes an antenna element
and is separated in the third direction from remaining chip
antennas by separation spaces. The first bracket includes first
and second protrusions that protrude in the second direction

(Continued)





US012272865B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 12,272,865 B2**
(45) **Date of Patent:** **Apr. 8, 2025**

(54) **ELECTRONIC DEVICE COMPRISING FLEXIBLE DISPLAY AND ANTENNA**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(72) Inventors: **Kookjoo Lee**, Suwon-si (KR); **Sungkoo Park**, Suwon-si (KR); **Hyeonuk Kang**, Suwon-si (KR); **Dongyeon Kim**, Suwon-si (KR); **Yongyoun Kim**, Suwon-si (KR); **Gun Lim**, Suwon-si (KR); **Hyunju Hong**, Suwon-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**, Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 108 days.

(21) Appl. No.: **18/115,232**

(22) Filed: **Feb. 28, 2023**

(65) **Prior Publication Data**
US 2023/0208013 A1 Jun. 29, 2023

Related U.S. Application Data

(63) Continuation of application No. PCT/KR2021/011939, filed on Sep. 3, 2021.

(30) **Foreign Application Priority Data**

Sep. 3, 2020 (KR) 10-2020-0112607

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 9/04 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 9/0407** (2013.01); **H01Q 9/285** (2013.01); **H01Q 21/28** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 9/0407; H01Q 9/285; H01Q 21/28; G06F 1/1652
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,928,921 B2 4/2011 Kai et al.
9,964,995 B1 * 5/2018 Morrison H01Q 21/30
(Continued)

FOREIGN PATENT DOCUMENTS

CN 208939134 6/2019
JP 2008-104007 5/2008
(Continued)

OTHER PUBLICATIONS

International Search Report of PCT/KR2021/011939 mailed Dec. 27, 2021, 5 pages.

(Continued)

Primary Examiner — Dameon E Levi


Assistant Examiner — Leah Rosenberg

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye P.C.

(57) **ABSTRACT**

An electronic device may include: a first housing, a second housing configured to slide from the first housing, a flexible display disposed to the first housing and the second housing and having a screen configured to be reduced/extended according to the sliding of the second housing, a first antenna module including at least one antenna disposed to the first housing and configured to radiate a millimeter wave, and a second antenna module including at least one antenna disposed to the second housing and configured to radiate a millimeter wave. The second antenna module may be located adjacent to one side face of the second housing and may be configured to form a beam in a same direction as the first antenna module.

16 Claims, 25 Drawing Sheets





US012272877B2

(12) **United States Patent**
Choi et al.

(10) **Patent No.:** **US 12,272,877 B2**
(45) **Date of Patent:** **Apr. 8, 2025**

(54) **ELECTRONIC DEVICE INCLUDING ANTENNA**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(72) Inventors: **Bongsuk Choi**, Suwon-si (KR);
Minchang Shim, Suwon-si (KR); **Soli Jung**, Suwon-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**, Gyeonggi-Do (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 161 days.

(21) Appl. No.: **17/956,725**

(22) Filed: **Sep. 29, 2022**

(65) **Prior Publication Data**

US 2023/0055640 A1 Feb. 23, 2023

Related U.S. Application Data

(63) Continuation of application No. PCT/KR2022/012206, filed on Aug. 16, 2022.

(30) **Foreign Application Priority Data**

Aug. 18, 2021 (KR) 10-2021-0108598

(51) **Int. Cl.**

H01Q 21/06 (2006.01)

H01Q 1/24 (2006.01)

H01Q 9/04 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 21/065** (2013.01); **H01Q 1/243** (2013.01); **H01Q 9/0414** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/142; H01Q 1/44; H01Q 1/243; H01Q 1/2266; H05K 5/006; H05K 7/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,069,196 B1 9/2018 Yen et al.
11,013,149 B2 * 5/2021 Kim H05K 5/0017
(Continued)

FOREIGN PATENT DOCUMENTS

CN 112272479 A 1/2021
KR 20200038034 A 4/2020
(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion for International Application No. PCT/KR2022/012206; International Filing Date Aug. 16, 2022; Date of Mailing Nov. 18, 2022; 75 Pages.

(Continued)

Primary Examiner — Dimary S Lopez Cruz


Assistant Examiner — Austin M Back

(74) *Attorney, Agent, or Firm* — CANTOR COLBURN LLP

(57) **ABSTRACT**

An electronic device includes a housing, an antenna structure, and a support member. The housing provides a front surface, a rear surface, and a side surface of the electronic device. The antenna structure may be located in an inner space of the housing. The antenna structure may include a printed circuit board having a first surface facing the front surface and a second surface facing in a direction opposite to the first surface, and can include at least one antenna element. The support member may be combined with the housing. The antenna structure may be disposed on the support member. The support member on which the antenna structure is disposed may be inserted into a recess provided in a sidewall of the housing providing the side surface. The sidewall may include a connection portion, which may be combined with a front plate of the housing providing the front surface.

19 Claims, 17 Drawing Sheets





US012272882B2

(12) **United States Patent**
Yu et al.

(10) **Patent No.:** **US 12,272,882 B2**
(45) **Date of Patent:** **Apr. 8, 2025**

(54) **DIRECTIONAL ANTENNA AND COMMUNICATION DEVICE**

(71) Applicant: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(72) Inventors: **Min Yu**, Chengdu (CN); **Xin Luo**, Chengdu (CN); **Yuping Shu**, Shenzhen (CN); **Yi Chen**, Chengdu (CN)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 340 days.

(21) Appl. No.: **17/701,802**

(22) Filed: **Mar. 23, 2022**

(65) **Prior Publication Data**

US 2022/0216606 A1 Jul. 7, 2022

Related U.S. Application Data

(63) Continuation of application No. PCT/CN2020/116346, filed on Sep. 19, 2020.

(30) **Foreign Application Priority Data**

Sep. 27, 2019 (CN) 201910927624.0

(51) **Int. Cl.**
H01Q 3/44 (2006.01)
H01Q 1/38 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 3/44** (2013.01); **H01Q 5/314** (2015.01); **H01Q 15/14** (2013.01); **H01Q 19/10** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC .. H01Q 1/38; H01Q 1/48; H01Q 3/36; H01Q 3/44; H01Q 5/314; H01Q 15/14; H01Q 19/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,191,751 B1 2/2001 Johnson
2003/0231138 A1 12/2003 Weinstein
(Continued)

FOREIGN PATENT DOCUMENTS

CN 102255139 A 11/2011
CN 102544721 A 7/2012
(Continued)

OTHER PUBLICATIONS

Zhang Jihua, "Design of Directional Wideband/Multi-band Wireless Communication Antennas", Xidian University, Jun. 2018, with an English abstract, total 66 pages.

(Continued)

Primary Examiner — Hoang V Nguyen


Assistant Examiner — Amal Patel

(74) *Attorney, Agent, or Firm* — Rimon PC

(57) **ABSTRACT**

A directional antenna and a communication device are provided in this disclosure. The directional antenna includes a first element, a second element and a first reflector. An operating frequency band of the first element is a first frequency band, and an operating frequency band of the second element is a second frequency band. An equivalent electrical length of the first reflector is equal to or slightly greater than one half of the wavelength of the first frequency band. The first reflector includes a first resonant circuit, the first resonant circuit includes a first capacitive part and a first inductive part that are connected in parallel. A resonance frequency of the first resonant circuit is within the second frequency band, and an equivalent electrical length of any part other than the first resonant circuit in the first reflector is less than one half of the wavelength of the second frequency band.

20 Claims, 24 Drawing Sheets





US012272883B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 12,272,883 B2**
(45) **Date of Patent:** **Apr. 8, 2025**

(54) **ELECTRONIC DEVICE PROVIDED WITH 5G ANTENNA**

(71) Applicant: **LG ELECTRONICS INC.**, Seoul (KR)

(72) Inventors: **Songyi Lee**, Seoul (KR); **Moonsoo Song**, Seoul (KR); **Chisang You**, Seoul (KR); **Sungjoon Hong**, Seoul (KR); **Youngtaek Hong**, Seoul (KR)

(73) Assignee: **LG ELECTRONICS INC.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 378 days.

(21) Appl. No.: **17/755,059**

(22) PCT Filed: **Oct. 30, 2019**

(86) PCT No.: **PCT/KR2019/014419**

§ 371 (c)(1),

(2) Date: **Apr. 20, 2022**

(87) PCT Pub. No.: **WO2021/085667**

PCT Pub. Date: **May 6, 2021**

(65) **Prior Publication Data**
US 2022/0393349 A1 Dec. 8, 2022

(51) **Int. Cl.**
H01Q 5/307 (2015.01)
H01Q 1/24 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 5/307** (2015.01); **H01Q 1/243** (2013.01); **H01Q 1/48** (2013.01); **H01Q 9/045** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC H01Q 5/307; H01Q 1/243; H01Q 1/48;
H01Q 9/045; H01Q 21/06; H04B 1/40;
H04B 7/0413

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,315,284 B2 * 1/2008 Hsu H01Q 9/42
343/702

9,620,867 B2 * 4/2017 Hamabe H01Q 21/28
(Continued)

FOREIGN PATENT DOCUMENTS

KR 10-20070060818 6/2007
KR 10-2013-0017274 2/2013
KR 10-2015-0118481 10/2015

OTHER PUBLICATIONS

PCT International Application No. PCT/KR2019/014419, International Search Report dated Aug. 27, 2020, 4 pages.

Abu Saada et al., "Design of Efficient Microstrip Linear Antenna Array for 5G Communications Systems," 2017 International Conference on Promising Electronic Technologies (ICPET), Oct. 2017, 7 pages.


Primary Examiner — Justin Y Lee

(74) Attorney, Agent, or Firm — LEE, HONG,
DEGERMAN, KANG & WAIMEY

(57) **ABSTRACT**

Provided is an electronic device provided with a 5G antenna according to the present invention. The electronic device is provided with a first antenna including: a metal pattern in which metal having a predetermined length and a predetermined width is printed and disposed on the entire surface of a substrate, and which is configured to radiate a first signal; and a feeding pattern which is disposed inside a region in which the metal pattern is separated and spaced, and configured to couple-feed the first signal to the metal pattern. Further, the electronic device further comprises a second antenna that includes a metal pattern and a second feeding pattern arranged to be symmetric to the first antenna on the

(Continued)





US012272888B2

(12) **United States Patent**
Chang et al.

(10) **Patent No.:** **US 12,272,888 B2**
(45) **Date of Patent:** **Apr. 8, 2025**

(54) **ELECTRONIC DEVICE AND ANTENNA
FEEDING MODULE**

(71) Applicant: **WISTRON NEWEB
CORPORATION**, Hsinchu (TW)

(72) Inventors: **Hsuan-Jui Chang**, Hsinchu (TW);
Yun-Tsan Lee, Hsinchu (TW);
Chia-Hao Chang, Hsinchu (TW)

(73) Assignee: **WISTRON NEWEB
CORPORATION**, Hsinchu (TW)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 720 days.

(21) Appl. No.: **17/403,938**

(22) Filed: **Aug. 17, 2021**

(65) **Prior Publication Data**
US 2022/0320740 A1 Oct. 6, 2022

(30) **Foreign Application Priority Data**
Mar. 31, 2021 (TW) 110111907

(51) **Int. Cl.**
H01Q 9/42 (2006.01)
H01Q 13/10 (2006.01)
H01Q 1/22 (2006.01)
(52) **U.S. Cl.**
CPC **H01Q 9/42** (2013.01); **H01Q 13/10**
(2013.01); **H01Q 1/2266** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 13/10; H01Q 1/2266; H01Q 1/243
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2016/0294067 A1 * 10/2016 Chang H01Q 5/364
2018/0342809 A1 * 11/2018 Wu H01Q 5/371

FOREIGN PATENT DOCUMENTS

TW M553500 U 12/2017
TW I627794 B 6/2018

* cited by examiner


Primary Examiner — Graham P Smith



(74) *Attorney, Agent, or Firm* — McClure, Qualey &
Rodack, LLP

(57) **ABSTRACT**

An electronic device and an antenna feeding module are provided. The electronic device includes a metal housing and an antenna feeding module. The metal housing is provided with a slot with an opening end and a closed end. The antenna feeding module includes a carrier board and a feeding circuit. The feeding circuit includes a feeding element and a radiating element. The radiating element includes a coupling portion, a radiating branch and a feeding portion. There is a coupling gap between the coupling portion and the metal housing, and the coupling gap is less than 0.5 times the width of the slot. The feeding circuit is used to excite the metal housing, so that the metal housing and the radiating element generate a first resonance path with a first resonance mode and a second resonance path with a second resonance mode.

8 Claims, 10 Drawing Sheets







US012278431B2

(12) **United States Patent**
Sun et al.

(10) **Patent No.:** **US 12,278,431 B2**
(45) **Date of Patent:** **Apr. 15, 2025**

(54) **ANTENNA ASSEMBLY AND
COMMUNICATION TERMINAL**

(71) Applicant: **Lanto Electronic Limited**, Kunshan
(CN)
(72) Inventors: **Bo Sun**, Kunshan (CN); **Rong Fu**,
Kunshan (CN); **Xiange Yang**, Kunshan
(CN); **Tonghui Xiao**, Kunshan (CN)

(73) Assignee: **LANTO ELECTRONIC LIMITED**,
Kunshan (CN)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 203 days.

(21) Appl. No.: **18/127,753**

(22) Filed: **Mar. 29, 2023**

(65) **Prior Publication Data**
US 2024/0145917 A1 May 2, 2024

(30) **Foreign Application Priority Data**
Oct. 26, 2022 (CN) 202211319689.5

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 5/378 (2015.01)
H01Q 13/10 (2006.01)
(52) **U.S. Cl.**
CPC **H01Q 5/378** (2015.01); **H01Q 13/10**
(2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/24; H01Q 1/242; H01Q 1/22;
H01Q 1/136; H01Q 1/48; H01Q 1/50;
H01Q 5/28; H01Q 5/307; H01Q 5/371;
H01Q 5/378; H01Q 13/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2012/0242555	A1	9/2012	Hsieh et al.
2018/0323495	A1	11/2018	Wei et al.
2019/0198975	A1	6/2019	Chen et al.
2019/0296446	A1	9/2019	Tseng et al.

FOREIGN PATENT DOCUMENTS

CN	204966672	U	*	1/2016		H01Q 1/24
CN	217507651	U		9/2022		
CN	112952363	B		12/2022		
CN	218448449	U		2/2023		
TW	201110460	A1		3/2011		
TW	201832412	A		9/2018		

* cited by examiner


Primary Examiner — Hoang V Nguyen

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch
& Birch, LLP

(57) **ABSTRACT**

Disclosed in the embodiments of the present disclosure are an antenna assembly and a communication terminal, where a layout region is arranged at an edge position on a base frame, and a radiation pattern and a parasitic branch are arranged together on the layout region. Thus, in an aspect, when the communication terminal is assembled, it is convenient to observe the connection between a feed point and a ground point of the antenna assembly, thereby improving the assembly efficiency of the communication terminal. In another aspect, a parasitic branch is arranged near a second branch, so that the antenna has a larger bandwidth in a high frequency band. In yet another aspect, configuring a shape of a first slot, a second slot, and the parasitic branch enables direct adjustment to a resonance frequency of the antenna, which improves the adaptability of the antenna to different applications.

20 Claims, 8 Drawing Sheets





US012283743B2

(12) **United States Patent**
Wang et al.

(10) **Patent No.:** **US 12,283,743 B2**
(45) **Date of Patent:** **Apr. 22, 2025**

(54) **ANTENNA APPARATUS AND ELECTRONIC DEVICE**

(71) Applicant: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(72) Inventors: **Hanyang Wang**, Reading (GB); **Yuanpeng Li**, Shenzhen (CN); **Dawei Zhou**, Shenzhen (CN); **Le Chang**, Shenzhen (CN); **Hai Zhou**, Reading (GB)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 211 days.

(21) Appl. No.: **17/773,381**

(22) PCT Filed: **Oct. 30, 2020**

(86) PCT No.: **PCT/CN2020/125466**

§ 371 (c)(1),

(2) Date: **Apr. 29, 2022**

(87) PCT Pub. No.: **WO2021/083362**

PCT Pub. Date: **May 6, 2021**

(65) **Prior Publication Data**

US 2022/0407217 A1 Dec. 22, 2022

(30) **Foreign Application Priority Data**

Oct. 31, 2019 (CN) 201911054822.7

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 5/371 (2015.01)

H01Q 9/04 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 5/371** (2015.01); **H01Q 9/0421** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 5/371; H01Q 9/0421

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,043,786 A 3/2000 Vannatta et al.

6,130,651 A 10/2000 Yanagisawa et al.

(Continued)

FOREIGN PATENT DOCUMENTS

AU 2019100180 A4 3/2019

CN 1455970 A 11/2003

(Continued)

OTHER PUBLICATIONS

Geng Yanfeng et al., Design of Diffirential Dual-Frequency Filting-Antenna, Journal of Test and Measurement Technology, vol. 31, No. 4, 2017, with an English Abstract, 6 pages.

Primary Examiner — Hoang V Nguyen


Assistant Examiner — Aladdin Abdulbaki

(74) *Attorney, Agent, or Firm* — Rimon PC

(57) **ABSTRACT**

A single feed antenna design is conducted on a radiator of a specific shape (for example, a strip radiator or a slot radiator) to excite a plurality of antenna modes. For example, performing a feed design on a strip radiator may excite a CM wire antenna mode and a DM wire antenna mode. For another example, performing a feed design on a slot radiator may feed a CM slot antenna mode and a DM slot antenna mode. The antenna design may be used to cover a plurality of frequency bands when an antenna is miniaturized.

10 Claims, 57 Drawing Sheets



← Current

←····· Electric field



US012283744B2

(12) **United States Patent**
Kang et al.

(10) **Patent No.:** **US 12,283,744 B2**
(45) **Date of Patent:** **Apr. 22, 2025**

(54) **METHOD AND DEVICE FOR SHARING
DC-TO-DC CONVERTER BETWEEN
ANTENNA MODULES**

(71) Applicant: **SAMSUNG ELECTRONICS CO.,
LTD.**, Suwon-si (KR)

(72) Inventors: **Jihee Kang**, Suwon-si (KR);
Junghwan Son, Suwon-si (KR);
Namjun Cho, Suwon-si (KR); **Hyoseok
Na**, Suwon-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO.,
LTD.**, Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 65 days.

(21) Appl. No.: **18/311,599**

(22) Filed: **May 3, 2023**

(65) **Prior Publication Data**
US 2023/0275339 A1 Aug. 31, 2023

Related U.S. Application Data

(63) Continuation of application No.
PCT/KR2021/015385, filed on Oct. 29, 2021.

(30) **Foreign Application Priority Data**

Nov. 4, 2020 (KR) 10-2020-0146104

(51) **Int. Cl.**
H01Q 1/38 (2006.01)
H01Q 1/24 (2006.01)
H04B 1/40 (2015.01)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/38**
(2013.01); **H04B 1/40** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 1/38; H04B 1/40
USPC 343/904, 905, 906
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,177,838 B2 1/2019 Ripley
10,211,728 B2 2/2019 Hu et al.
10,432,093 B2 10/2019 Cheng et al.
10,554,294 B2 2/2020 Ripley
(Continued)

FOREIGN PATENT DOCUMENTS

CN 107431427 A 12/2017
KR 20080064986 A 7/2008
(Continued)

OTHER PUBLICATIONS

International Search Report for PCT/KR2021/015385 mailed Feb.
8, 2022, 3 pages.

(Continued)


Primary Examiner — William Hernandez

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye,
P.C.

(57) **ABSTRACT**

An electronic device may include a low drop output regu-
lator (LDO); a first DC-to-DC converter; an antenna module
including an antenna array IC and an antenna array; a second
DC-to-DC converter disposed outside the antenna module
and supplying power to the low drop output regulator; a
power generation circuit for supplying power to the first
DC-to-DC converter and the second DC-to-DC converter;
and a processor operatively coupled to the antenna module,
the second DC-to-DC converter, and the power generation
circuit.

20 Claims, 12 Drawing Sheets





US012283747B2

(12) **United States Patent**
Chiang

(10) **Patent No.:** **US 12,283,747 B2**
(45) **Date of Patent:** **Apr. 22, 2025**

(54) **DUAL-FREQUENCY ANTENNA STRUCTURE**

(56)

References Cited

(71) Applicant: **AUDEN TECHNO CORP.**, Taoyuan (TW)

U.S. PATENT DOCUMENTS

(72) Inventor: **Chi-Ming Chiang**, Taoyuan (TW)

2020/0295470 A1 * 9/2020 Panther H01Q 9/0457
2022/0102835 A1 * 3/2022 Makurin H01Q 1/52

(73) Assignee: **AUDEN TECHNO CORP.**, Taoyuan (TW)

* cited by examiner

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 257 days.

Primary Examiner — Robert Karacsony

(74) *Attorney, Agent, or Firm* — Li & Cai Intellectual Property (USA) Office

(21) Appl. No.: **18/137,496**

(57)

ABSTRACT

(22) Filed: **Apr. 21, 2023**

(65) **Prior Publication Data**

US 2024/0356222 A1 Oct. 24, 2024

(51) **Int. Cl.**
H01Q 1/50 (2006.01)
H01Q 5/35 (2015.01)
H01Q 9/04 (2006.01)


(52) **U.S. Cl.**
CPC **H01Q 1/50** (2013.01); **H01Q 5/35** (2015.01); **H01Q 9/0435** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/50; H01Q 5/30; H01Q 5/307; H01Q 5/314; H01Q 5/321; H01Q 5/328; H01Q 5/335; H01Q 5/342; H01Q 5/35; H01Q 5/50; H01Q 9/0428; H01Q 9/0435; H01Q 9/0442; H01Q 9/045; H01Q 9/0457

A dual-frequency antenna structure includes a substrate, and a grounding element, a conductive sheet, a transmitting antenna, and a receiving antenna that are disposed on the substrate. The transmitting antenna includes a first coupling conductive pad, a first conductive column that is electrically coupled to the first coupling conductive pad and the conductive sheet, and a first feeding conductive pad. The first feeding conductive pad can produce a capacitive effect with each of the first coupling conductive pad and the grounding element. The receiving antenna includes a second coupling conductive pad, a second conductive column that is electrically coupled to the second coupling conductive pad and the conductive sheet, and a second feeding conductive pad. The second feeding conductive pad can produce a capacitive effect with each of the second coupling conductive pad and the grounding element.

See application file for complete search history.

9 Claims, 5 Drawing Sheets





US012283753B2

(12) **United States Patent**
Makiyama et al.

(10) **Patent No.:** **US 12,283,753 B2**
(45) **Date of Patent:** **Apr. 22, 2025**

(54) **DUAL POLARIZED FOLDED DIPOLE
ELEMENT AND ANTENNA**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **DKK Co., Ltd.**, Tokyo (JP)
(72) Inventors: **Sadayuki Makiyama**, Tokyo (JP);
Hirofuka Ogura, Tokyo (JP)
(73) Assignee: **DKK Co., Ltd.** (JP)

2,338,564 A * 1/1944 Aram H01Q 21/26
343/803
2004/0155831 A1 8/2004 Goebel et al.
2008/0074339 A1 3/2008 Lee et al.
2009/0179814 A1 * 7/2009 Park H01Q 21/26
343/810
2010/0238087 A1 9/2010 Jung et al.
(Continued)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 169 days.

FOREIGN PATENT DOCUMENTS

CN 205282659 U 6/2016
CN 209133685 U 7/2019
JP 2001-196846 A 7/2001

(Continued)

(21) Appl. No.: **18/153,444**

(22) Filed: **Jan. 12, 2023**

OTHER PUBLICATIONS

Search Report for U.K. Application No. 2300473.2 dated Jul. 10,
2023, 1 page.

(Continued)

(65) **Prior Publication Data**

US 2023/0238714 A1 Jul. 27, 2023

Primary Examiner — Daniel Munoz

(74) *Attorney, Agent, or Firm* — Lerner David LLP

(30) **Foreign Application Priority Data**

Jan. 21, 2022 (JP) 2022-007806

(57) **ABSTRACT**


Provided is a dual polarized folded dipole element 1 including: four center portions 20 arranged adjacent to each other; and an element portion including two parallel wire portions 22, 23 extending in parallel to each other from different adjacent two of the center portions 20 and a short circuit portion 24 that short-circuits each two parallel wire portions 22, 23 at a distal end, in which: adjacent two of the center portions are physically connected to each other by the element portion; and the element portion extends in substantially the same plane in four directions from the center portions 20 with an angle of 90° therebetween. Also provided are antennae 10 and 10' including the dual polarized folded dipole element 1.

(51) **Int. Cl.**
H01Q 9/26 (2006.01)
H01Q 5/48 (2015.01)
H01Q 21/24 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 21/24** (2013.01); **H01Q 5/48**
(2015.01); **H01Q 9/26** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 5/48; H01Q 9/26; H01Q 21/24;
H01Q 21/245; H01Q 21/26
See application file for complete search history.

9 Claims, 16 Drawing Sheets





US012283756B2

(12) **United States Patent**
Vilenskiy et al.

(10) **Patent No.:** **US 12,283,756 B2**
(45) **Date of Patent:** **Apr. 22, 2025**

(54) **ANTENNA ARRAY ELEMENT WITH DUAL POLARIZATION, ANTENNA ARRAY INCLUDING ANTENNA ARRAY ELEMENT AND ELECTRONIC DEVICE INCLUDING ANTENNA ARRAY**

(58) **Field of Classification Search**
CPC H01Q 25/001; H01Q 21/065
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,766,440 A 8/1988 Gegan
5,241,322 A 8/1993 Gegan
(Continued)

FOREIGN PATENT DOCUMENTS

AU 2021100119 A4 4/2021
CN 104157982 A 11/2014
(Continued)

OTHER PUBLICATIONS

M. Ouadefli, A. Tribak, M. Et-tolba, J. A. García and H. Tizyi, "Linear Dual-Polarized Microstrip Patch Antenna with U-shaped Aperture," 2022 2nd International Conference on Innovative Research in Applied Science, Engineering and Technology (IRASET), Meknes, Morocco, 2022, pp. 1-4, (Year: 2022).*

(Continued)

Primary Examiner — Dieu Hien T Duong

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(57) **ABSTRACT**

An antenna array element with dual polarization is provided. The antenna array element includes a multilayer printed circuit board (PCB), a first patch placed on an inner layer of the multilayer PCB, a second patch placed on an upper layer of the multilayer PCB and coupled by electromagnetic field with the first patch, two U slots placed orthogonally on the multilayer PCB layer under the first patch, feedlines placed on one PCB layer under the U slots orthogonally to each other and configured to excite the U slots, and a plurality of electromagnetic band gap (EBG) elements located in a boundary area of the antenna array element.

18 Claims, 4 Drawing Sheets

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Artem Rudolfovitch Vilenskiy**,
Moscow (RU); **Elena Aleksandrovna Shepeleva**, Moscow (RU); **Gennadiy Aleksandrovich Evtyushkin**, Moscow (RU); **Anton Sergeevich Lukyanov**, Moscow (RU)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 68 days.

(21) Appl. No.: **18/177,503**

(22) Filed: **Mar. 2, 2023**

(65) **Prior Publication Data**

US 2024/0195085 A1 Jun. 13, 2024

Related U.S. Application Data

(63) Continuation of application No.
PCT/KR2023/002579, filed on Feb. 23, 2023.


(30) **Foreign Application Priority Data**

Dec. 7, 2022 (RU) RU2022131923

(51) **Int. Cl.**
H01Q 25/00 (2006.01)

H01Q 21/06 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 25/001** (2013.01); **H01Q 21/065** (2013.01)





US012283759B2

(12) **United States Patent**
Tanbo et al.

(10) **Patent No.:** **US 12,283,759 B2**
(45) **Date of Patent:** **Apr. 22, 2025**

(54) **ANTENNA MODULE AND
COMMUNICATION DEVICE
INCORPORATING THE SAME**

(71) Applicant: **Murata Manufacturing Co., Ltd.**,
Kyoto (JP)

(72) Inventors: **Yasuo Tanbo**, Kyoto (JP); **Masahiro
Izawa**, Kyoto (JP)

(73) Assignee: **Murata Manufacturing Co., Ltd.**,
Kyoto (JP)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 238 days.

(21) Appl. No.: **18/184,061**

(22) Filed: **Mar. 15, 2023**

(65) **Prior Publication Data**
US 2023/0223690 A1 Jul. 13, 2023

Related U.S. Application Data

(63) Continuation-in-part of application No. 17/369,370,
filed on Jul. 7, 2021, now Pat. No. 11,870,145, which
(Continued)

(30) **Foreign Application Priority Data**

Feb. 1, 2019 (JP) 2019-016980

(51) **Int. Cl.**
H01Q 5/314 (2015.01)
H01Q 1/24 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 5/314** (2015.01); **H01Q 1/24**
(2013.01); **H01Q 1/48** (2013.01); **H01Q 1/521**
(2013.01); **H01Q 13/106** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 13/10; H01Q 1/48; H01Q 5/307;
H01Q 5/321; H01Q 1/523; H01Q 5/371;
H01Q 21/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2008/0278384 A1 11/2008 Shimasaki et al.
2012/0287012 A1* 11/2012 Aizawa H01Q 5/392
343/893
2015/0102974 A1 4/2015 Stoytchev et al.

FOREIGN PATENT DOCUMENTS

JP 2008-283464 A 11/2008
JP 2012-105125 A 5/2012

(Continued)

OTHER PUBLICATIONS

International Search Report for Application No. PCT/JP2020/
002728 dated Apr. 7, 2020.

(Continued)

Primary Examiner — Daniel D Chang

(74) *Attorney, Agent, or Firm* — McDonald Hopkins LLC

(57) **ABSTRACT**

An antenna module (10) includes a ground electrode (30) in which a slit (33) is formed in such a manner as to form an opening along a perimeter of the ground electrode, a first antenna (110) and a second antenna (110A) arranged in or on the ground electrode (30), and a coupling reducing electrode (200) connected to the ground electrode (30) within the slit (33). The slit (33) is formed on a path leading from the first antenna (110) to the second antenna (110A) along the perimeter of the ground electrode. The coupling reducing electrode (200) includes a first conductor (220) having a length corresponding to a first frequency and a second conductor (230) having a length corresponding to a second frequency, which is higher than the first frequency.

20 Claims, 17 Drawing Sheets

