



US012416949B2

(12) **United States Patent**
Park et al.

(10) **Patent No.:** **US 12,416,949 B2**
(45) **Date of Patent:** **Sep. 16, 2025**

(54) **ELECTRONIC DEVICE INCLUDING
BRACKET FORMED OF METAL MATERIAL**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

11,537,268 B2 * 12/2022 Kim G06F 1/1618
11,670,963 B2 * 6/2023 Yun H02J 50/80
320/108

(72) Inventors: **Jungsik Park**, Suwon-si (KR);
Wonjoon Choi, Suwon-si (KR);
Woongeun Kwak, Suwon-si (KR);
Hyunju Hong, Suwon-si (KR)

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

JP 2004-343625 A 12/2004
KR 10-2003-0083426 A 10/2003

(Continued)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 428 days.

OTHER PUBLICATIONS

Extended European Search Report dated Nov. 19, 2024, issued in
European Application No. 22898767.3-1218.

(Continued)

(21) Appl. No.: **17/960,430**

(22) Filed: **Oct. 5, 2022**

Primary Examiner — Kabir A Timory

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(65) **Prior Publication Data**

US 2023/0161388 A1 May 25, 2023

Related U.S. Application Data

(63) Continuation of application No.
PCT/KR2022/012344, filed on Aug. 18, 2022.

(30) **Foreign Application Priority Data**

Nov. 25, 2021 (KR) 10-2021-0164954

(51) **Int. Cl.**
G06F 1/16 (2006.01)
G06F 1/20 (2006.01)
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**
CPC **G06F 1/1681** (2013.01); **G06F 1/1616**
(2013.01); **G06F 1/203** (2013.01); **H01Q**
1/243 (2013.01)


(58) **Field of Classification Search**
CPC G06F 1/1681; G06F 1/1616; G06F 1/203;
G06F 1/1641; G06F 1/1652;

(Continued)

(57) **ABSTRACT**

An electronic device is provided. The electronic device includes a foldable housing including a hinge structure, a first housing connected to the hinge structure and including a first side wall structure and a first bracket located inside the first side wall structure, and a second housing connected to the hinge structure and including a second side wall structure and a second bracket located inside the second side wall structure, the second housing being folded with the first housing about the hinge structure, a display panel extending from the first housing to the second housing across the hinge structure and configured to output a screen, and a second antenna structure including a second ground and a second feeding portion disposed on the second side wall structure of the second housing, wherein the first side wall structure of the first housing and the second side wall structure of the second housing may include a first metal material, and the first bracket of the first housing includes the first metal material, and the second bracket of the second housing may include a second metal material.

18 Claims, 14 Drawing Sheets





US012418097B2

(12) **United States Patent**
Tang et al.

(10) **Patent No.:** **US 12,418,097 B2**
(45) **Date of Patent:** **Sep. 16, 2025**

(54) **MICROELECTRONIC DEVICE PACKAGE INCLUDING ANTENNA AND SEMICONDUCTOR DEVICE**

(71) Applicant: **Texas Instruments Incorporated**,
Dallas, TX (US)

(72) Inventors: **Yiqi Tang**, Allen, TX (US); **Rajen Manicon Murugan**, Dallas, TX (US);
Juan Alejandro Herbsommer, Allen, TX (US)

(73) Assignee: **TEXAS INSTRUMENTS INCORPORATED**, Dallas, TX (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **18/530,179**

(22) Filed: **Dec. 5, 2023**

(65) **Prior Publication Data**
US 2024/0113413 A1 Apr. 4, 2024

Related U.S. Application Data

(63) Continuation of application No. 17/539,110, filed on Nov. 30, 2021, now Pat. No. 11,837,775.

(60) Provisional application No. 63/177,913, filed on Apr. 21, 2021.

(51) **Int. Cl.**
H01Q 1/22 (2006.01)
H01L 23/31 (2006.01)
H01L 23/66 (2006.01)
H05K 1/02 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/2283** (2013.01); **H01L 23/3114** (2013.01); **H01L 23/66** (2013.01); **H05K 1/0237** (2013.01); **H01L 2223/6677** (2013.01)

(58) **Field of Classification Search**
CPC . H01Q 11/2283; H01L 23/3114; H01L 23/66; H01L 2223/6677; H05K 1/0237
USPC 343/878
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2008/0023810 A1 * 1/2008 Yamazaki G06K 19/07728
257/679
2015/0061946 A1 * 3/2015 Martinez-Ortigosa
H01Q 9/0407
343/713
2015/0295307 A1 10/2015 Cook et al.
2017/0093010 A1 3/2017 Herbsommer et al.
(Continued)

FOREIGN PATENT DOCUMENTS

EP 3790048 A1 3/2021

OTHER PUBLICATIONS

PCT Search Report PCT/US2022/02241 mailed Jul. 19, 2022, 4 pgs.
(Continued)


Primary Examiner — Peguy Jean Pierre


(74) *Attorney, Agent, or Firm* — Dawn Jos; Frank D. Cimino

(57) **ABSTRACT**

A described example includes an antenna formed in a first conductor layer on a device side surface of a multilayer package substrate, the multilayer package substrate including conductor layers spaced from one another by dielectric material and coupled to one another by conductive vertical connection layers, the multilayer package substrate having a board side surface opposite the device side surface; and a semiconductor die mounted to the device side surface of the multilayer package substrate spaced from and coupled to the antenna.

20 Claims, 11 Drawing Sheets





(10) **Patent No.:** US 12,418,099 B2
(45) **Date of Patent:** Sep. 16, 2025

CPC H01Q 1/243; H01Q 1/48; H01Q 5/35;
H01Q 3/24; H01Q 21/28; H01Q 9/42;
H01Q 1/242; H01Q 1/36; H01Q 5/307;
H01Q 21/00

(56) **References Cited**

10,312,585	B2 *	6/2019	Wu	H01Q 1/242
10,978,788	B2 *	4/2021	Liu	H01Q 21/28
2018/0026346	A1	1/2018	Lee et al.	

CN	108172996	A	6/2018
CN	109546311	A	3/2019
CN	111509369	A	8/2020

(Continued)

OTHER PUBLICATIONS

Wu et al. (English translation of CN 112086753) (Year: 2020).*

(Continued)

Primary Examiner — Seung H Lee


(74) *Attorney, Agent, or Firm* — Sheppard, Mullin, Richter & Hampton LLP

(57) **ABSTRACT**

Provided is an antenna device. The antenna device includes a first antenna. The first antenna includes a first radiator. The first radiator includes a first branch and a second branch that are connected to each other. The second branch bends and extends from an end of the first branch. The first antenna supports both a first operation mode and a second operation mode. The first antenna covers a bandwidth greater than 190 MHz by using the first operation mode and the second operation mode together. In addition, a mobile terminal is provided.

18 Claims, 10 Drawing Sheets

103





US012418100B2

(12) **United States Patent**
Wu

(10) **Patent No.:** **US 12,418,100 B2**
(45) **Date of Patent:** **Sep. 16, 2025**

(54) **ANTENNA ASSEMBLY AND ELECTRONIC DEVICE**

(71) Applicant: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Guangdong (CN)

(72) Inventor: **Xiaopu Wu**, Guangdong (CN)

(73) Assignee: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Guangdong (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 127 days.

(21) Appl. No.: **18/503,330**

(22) Filed: **Nov. 7, 2023**

(65) **Prior Publication Data**
US 2024/0072418 A1 Feb. 29, 2024

Related U.S. Application Data
(63) Continuation of application No. PCT/CN2022/086365, filed on Apr. 12, 2022.

(30) **Foreign Application Priority Data**
May 26, 2021 (CN) 202110582433.2

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 5/335 (2015.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 5/335** (2015.01); **H03H 7/38** (2013.01); **H04B 1/0064** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 5/335; H01Q 5/35; H03H 7/38; H04B 1/0064
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

11,973,261 B2 * 4/2024 Sung H01Q 9/42
2008/0001837 A1 1/2008 Liu
(Continued)

FOREIGN PATENT DOCUMENTS

CN 106299598 1/2017
CN 111883917 11/2020
(Continued)

OTHER PUBLICATIONS


WIPO, International Search Report and Written Opinion for International Application No. PCT/CN2022/086365, Jul. 18, 2022.
(Continued)

Primary Examiner — Thien M Le
(74) *Attorney, Agent, or Firm* — Hodgson Russ LLP

(57) **ABSTRACT**

Provided are an antenna assembly and an electronic device. The antenna assembly includes a first radiator, a second radiator, a first matching module, a first feeding module, a second matching module, and a second feeding module. The first radiator has a first ground end, a first coupling end, and a first feeding point. The second radiator has a second coupling end, a second ground end, and a second feed point. A first coupling gap is defined between the second coupling end and the first coupling end. The first matching module is electrically connected between the first feeding point and the first feeding module. The second matching module is electrically connected between the second feeding point and the second feeding module. The first radiator and the second radiator support multiple resonant modes, where at least one resonant mode is a $\frac{1}{8}$ to $\frac{1}{4}$ wavelength mode.

20 Claims, 25 Drawing Sheets





US01241811B2

(12) **United States Patent**
Lin et al.

(10) **Patent No.:** **US 12,418,111 B2**
(45) **Date of Patent:** **Sep. 16, 2025**

(54) **ANTENNA STRUCTURE**

(71) Applicant: **Quanta Computer Inc.**, Taoyuan (TW)

(72) Inventors: **Chun-I Lin**, Taoyuan (TW); **Bo-Wei Lin**, Taoyuan (TW)

(73) Assignee: **QUANTA COMPUTER INC.**,
Taoyuan (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 153 days.

(21) Appl. No.: **18/500,384**

(22) Filed: **Nov. 2, 2023**

(65) **Prior Publication Data**
US 2025/0112363 A1 Apr. 3, 2025

(30) **Foreign Application Priority Data**

Sep. 28, 2023 (TW) 112137402

(51) **Int. Cl.**
H01Q 5/307 (2015.01)
H01Q 1/48 (2006.01)
H01Q 9/04 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 5/307** (2015.01); **H01Q 1/48**
(2013.01); **H01Q 9/0421** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/48; H01Q 5/307; H01Q 5/371;
H01Q 5/378; H01Q 9/0421; H01Q 9/42
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,450,072 B2 * 11/2008 Kim H01Q 1/243
343/846
9,406,998 B2 * 8/2016 Korva H01Q 21/30

10,522,902 B1 * 12/2019 Tseng H01Q 1/48
11,862,838 B2 * 1/2024 Zhang H01Q 5/378
2005/0168384 A1 * 8/2005 Wang H01Q 9/42
343/702

(Continued)

FOREIGN PATENT DOCUMENTS

TW 200525818 A 8/2005
TW I261952 B * 9/2006 H01Q 13/085

OTHER PUBLICATIONS

Chinese language office action dated Oct. 15, 2024, issued in application No. TW 112137402.



Primary Examiner — Sean Kayes

(74) Attorney, Agent, or Firm — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

An antenna structure includes a main ground element, an extension ground element, a feeding radiation element, a first radiation element, a second radiation element, a shorting radiation element, a third radiation element, and a dielectric substrate. The extension ground element is coupled to the main ground element. A notch region is defined by the main ground element and the extension ground element. The feeding radiation element has a feeding point. The first radiation element is coupled to the feeding radiation element. The second radiation element is coupled to the feeding radiation element. The second radiation element and the first radiation element substantially extend in opposite directions. The feeding radiation element is also coupled through the shorting radiation element to the extension ground element. The third radiation element is coupled to the main ground element.

9 Claims, 4 Drawing Sheets





US012418605B2

(12) **United States Patent**
Hwang et al.

(10) **Patent No.:** **US 12,418,605 B2**
(45) **Date of Patent:** **Sep. 16, 2025**

(54) **ELECTRONIC DEVICE INCLUDING
ANTENNA MODULE**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Hangyu Hwang**, Suwon-si (KR);
Changsu Kim, Suwon-si (KR);
Pranveer Singh Rathore, Suwon-si
(KR); **Yongseok Lee**, Suwon-si (KR);
Sangsik Na, Suwon-si (KR); **Hyunjung
Jung**, Suwon-si (KR); **Jinho Lim**,
Suwon-si (KR); **Minwoo Yoo**, Suwon-si
(KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 399 days.

(21) Appl. No.: **17/831,963**

(22) Filed: **Jun. 3, 2022**

(65) **Prior Publication Data**
US 2022/0400171 A1 Dec. 15, 2022

Related U.S. Application Data

(63) Continuation of application No.
PCT/KR2022/007212, filed on May 20, 2022.

(30) **Foreign Application Priority Data**

Jun. 14, 2021 (KR) 10-2021-0076961

(51) **Int. Cl.**
H04M 1/18 (2006.01)
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**
CPC **H04M 1/18** (2013.01); **H01Q 1/243**
(2013.01)

(58) **Field of Classification Search**
CPC H01Q 13/28; H04M 1/0249; H04M 1/185
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,955,752 A * 9/1999 Fukaya H01Q 1/42
257/664
8,947,303 B2 * 2/2015 Golko H01Q 9/0407
343/702

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2016-036104 A 3/2016
KR 10-2015-0043105 A 4/2015

(Continued)

OTHER PUBLICATIONS

International Search Report dated Aug. 26, 2022, issued in Inter-
national Application No. PCT/KR2022/007212.

(Continued)

Primary Examiner — Imani N Hayman


Assistant Examiner — Theron S Milliser

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(57) **ABSTRACT**

A portable electronic device is provided. The portable elec-
tronic device includes a metal housing, an antenna module
positioned in the metal housing, a first injection-molded
member positioned in a radiation direction of the antenna
module and having a first dielectric constant, a second
injection-molded member at least partially in contact with
the first injection-molded member, positioned in the radia-
tion direction of the antenna module, and having a second
dielectric constant different from the first dielectric constant,
and a first organic film disposed along an inner surface of the
metal housing to bond with at least a portion of the first
injection-molded member, wherein the second injection-
molded member forms, together with the metal housing, an
exterior of the portable electronic device, and wherein the

(Continued)





US012424725B2

(12) **United States Patent**
Jang et al.

(10) **Patent No.:** **US 12,424,725 B2**
(45) **Date of Patent:** **Sep. 23, 2025**

(54) **ELECTRONIC DEVICE INCLUDING ANTENNA**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(72) Inventors: **Sooyoung Jang**, Suwon-si (KR);
Yoonjung Kim, Suwon-si (KR);
Gyubok Park, Suwon-si (KR);
Dongryul Shin, Suwon-si (KR);
Donghun Shin, Suwon-si (KR);
Hoonsang Yoo, Suwon-si (KR);
Minkyung Lee, Suwon-si (KR);
Huiwon Cho, Suwon-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 252 days.

(21) Appl. No.: **17/976,449**

(22) Filed: **Oct. 28, 2022**

(65) **Prior Publication Data**

US 2023/0112380 A1 Apr. 13, 2023

Related U.S. Application Data

(63) Continuation of application No. PCT/KR2022/014627, filed on Sep. 29, 2022.

(30) **Foreign Application Priority Data**

Oct. 13, 2021 (KR) 10-2021-0135690

(51) **Int. Cl.**
H01Q 1/02 (2006.01)
H01Q 1/24 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/02** (2013.01); **H01Q 1/241** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/02; H01Q 1/241; H01Q 1/24; H01Q 1/243

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,531,059 B2 12/2016 Jellici et al.
10,069,196 B1 9/2018 Yen et al.

(Continued)

FOREIGN PATENT DOCUMENTS

KR 10-0663490 12/2006
KR 10-2012-0049056 5/2012

(Continued)

OTHER PUBLICATIONS

Search Report dated Jan. 6, 2023 in International Patent Application No. PCT/KR2022/014627.

(Continued)


Primary Examiner — Dieu Hien T Duong

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye, P.C.

(57) **ABSTRACT**

An example electronic device including an antenna includes a housing including a first conductive portion, a first support member disposed inside the housing, a printed circuit board disposed on one surface of the first support member and including a wireless communication module, an electronic component electrically connected to the printed circuit board, and a conductive plate supporting the electronic component. The conductive plate is constituted such that a first portion is electrically connected to the wireless communication module and a second portion is electrically connected to the first conductive portion, and thereby broad-band radiation characteristics can be provided.

18 Claims, 17 Drawing Sheets





US012424729B2

(12) **United States Patent**
Yoon et al.

(10) **Patent No.:** **US 12,424,729 B2**
(45) **Date of Patent:** **Sep. 23, 2025**

(54) **ELECTRONIC DEVICE**

(56)

References Cited

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

U.S. PATENT DOCUMENTS

(72) Inventors: **Min Young Yoon**, Osan-si (KR); **Young Ki Lee**, Suwon-si (KR); **Kyeol Kwon**, Hwaseong-si (KR); **Dong Kwon Choi**, Suwon-si (KR); **Doo Seok Choi**, Suwon-si (KR); **Joon Hoi Hur**, Suwon-si (KR)

6,154,176 A * 11/2000 Fathy H01Q 9/0414
343/846
10,665,959 B2 5/2020 Paulotto et al.
2018/0219272 A1 * 8/2018 Baheti H01Q 9/0407
2019/0103653 A1 * 4/2019 Jeong H01L 23/645
(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

KR 102042843 B1 11/2019
KR 10-2020-0024815 A 3/2020
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 275 days.

Primary Examiner — Dimary S Lopez Cruz

Assistant Examiner — Brandon Sean Woods

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(21) Appl. No.: **18/152,422**

(22) Filed: **Jan. 10, 2023**

(57)

ABSTRACT

(65) **Prior Publication Data**

US 2023/0231295 A1 Jul. 20, 2023

An electronic device is provided. An electronic device includes a radio frequency integrated circuit (RFIC) chip, and an antenna array electrically connected to the RFIC chip, the antenna array including a first face and a second face facing each other in a first direction, and a third face and a fourth face connecting the first and second faces to each other and facing each other in a second direction intersecting the first direction, the antenna array including a plurality of substrates sequentially stacked in a third direction intersecting a plane defined by the first and second directions, first and second antenna modules on the plurality of substrates and sequentially arranged along the first direction, a first metal partition-wall including at least one metal via extending through the plurality of substrates in the third direction, and a second metal partition-wall surrounding the first to fourth faces.

(30) **Foreign Application Priority Data**


Jan. 19, 2022 (KR) 10-2022-0007888
Apr. 19, 2022 (KR) 10-2022-0048261

(51) **Int. Cl.**
H01Q 1/22 (2006.01)
H01Q 21/00 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 1/2283** (2013.01); **H01Q 21/0025** (2013.01)

(58) **Field of Classification Search**
USPC 343/700 R
See application file for complete search history.

20 Claims, 22 Drawing Sheets





US012424732B2

(12) **United States Patent**
Park et al.

(10) **Patent No.:** **US 12,424,732 B2**
(45) **Date of Patent:** **Sep. 23, 2025**

(54) **ELECTRONIC DEVICE COMPRISING ANTENNA**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Seongjin Park**, Suwon-si (KR);
Hosaeng Kim, Suwon-si (KR); **Sumin Yun**, Suwon-si (KR); **Chaejun Lee**,
Suwon-si (KR); **Woomin Jang**,
Suwon-si (KR); **Myunghun Jeong**,
Suwon-si (KR); **Jehun Jong**, Suwon-si
(KR); **Jaehoon Jo**, Suwon-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 470 days.

(21) Appl. No.: **18/074,952**

(22) Filed: **Dec. 5, 2022**

(65) **Prior Publication Data**

US 2023/0094039 A1 Mar. 30, 2023

Related U.S. Application Data

(63) Continuation of application No.
PCT/KR2021/007020, filed on Jun. 4, 2021.

(30) **Foreign Application Priority Data**

Jun. 5, 2020 (KR) 10-2020-0068649

(51) **Int. Cl.**
H01Q 1/46 (2006.01)
H01Q 1/24 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/48**
(2013.01); **H01Q 9/045** (2013.01); **H01Q**
21/062 (2013.01); **H01Q 21/065** (2013.01)

(58) **Field of Classification Search**

CPC **H01Q 1/243**; **H01Q 1/48**; **H01Q 9/045**;
H01Q 21/062; **H01Q 21/065**; **H01Q**
1/523;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,827,271 A * 5/1989 Berneking **H01Q 5/378**
343/846
5,003,318 A * 3/1991 Berneking **H01Q 9/0414**
343/700 MS

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2014-014020 A 1/2014
JP 6361950 B2 7/2018

(Continued)

OTHER PUBLICATIONS

Extended European Search Report dated Nov. 2, 2023, issued in
European Patent Application No. 21817063.7.

(Continued)

Primary Examiner — Dimary S Lopez Cruz


Assistant Examiner — Bamidele A Immanuel

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(57) **ABSTRACT**

An electronic device is provided. The electronic device includes a printed circuit board (PCB) including a plurality of layers, a communication circuit electrically coupled to the PCB, and at least one processor electrically coupled to the communication circuit. The PCB may include a first layer in which a plurality of patch antennas disposed, a first feeding path which feeds a first point of a first patch antenna so that the first patch antenna disposed to the first layer transmits and/or receives a first polarized signal, a second feeding path which feeds a second point of the first patch antenna so that the first patch antenna disposed to the first layer transmits

(Continued)





US012424733B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 12,424,733 B2**
(45) **Date of Patent:** **Sep. 23, 2025**

(54) **ANTENNA AND ELECTRONIC DEVICE
INCLUDING SAME**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Kookjoo Lee**, Suwon-si (KR); **Sumin
Yun**, Suwon-si (KR); **Chaejun Lee**,
Suwon-si (KR); **Jinwoo Jung**, Suwon-si
(KR); **Jaebong Chun**, Suwon-si (KR);
Hochul Hwang, Suwon-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 220 days.

(21) Appl. No.: **18/171,897**

(22) Filed: **Feb. 21, 2023**

(65) **Prior Publication Data**
US 2023/0198131 A1 Jun. 22, 2023

Related U.S. Application Data
(63) Continuation of application No.
PCT/KR2021/010538, filed on Aug. 10, 2021.

(30) **Foreign Application Priority Data**
Aug. 25, 2020 (KR) 10-2020-0107192

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
G06F 1/16 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **G06F 1/1616**
(2013.01); **G06F 1/1652** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 1/38; H01Q 3/30;
H01Q 3/2605; H01Q 21/08; G06F
1/1616;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,090,203 A * 5/1978 Duncan H01Q 21/22
343/753
7,453,405 B2 * 11/2008 Nishikido H01Q 9/0407
343/702

(Continued)

FOREIGN PATENT DOCUMENTS

CN 108810204 A 11/2018
CN 109216868 A 1/2019

(Continued)

OTHER PUBLICATIONS

International Search Report dated Nov. 18, 2021, issued in Inter-
national Patent Application No. PCT/KR2021/010538.

(Continued)

Primary Examiner — Dameon E Levi


Assistant Examiner — Jordan E. DeWitt

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(57) **ABSTRACT**

An electronic device is provided. The electronic device includes a flexible display comprising a display panel which includes a first portion, a second portion, and a third portion, and is disposed to be at least partially visible in a folded state, an array antenna which is formed on a dielectric sheet disposed on the display panel and includes a first mesh pattern portion disposed at a position corresponding to the first portion, a second mesh pattern portion disposed at a position corresponding to the third portion, and at least one third mesh pattern portion formed at a position spaced apart from the first mesh pattern portion, at a position corresponding to the first portion, a wireless communication circuit

(Continued)





US012424748B2

(12) **United States Patent**
Celik

(10) **Patent No.:** **US 12,424,748 B2**
(45) **Date of Patent:** **Sep. 23, 2025**

(54) **FILTERED DUAL-BAND PATCH ANTENNA**

(56)

References Cited

(71) Applicant: **Trimble Inc.**, Sunnyvale, CA (US)

(72) Inventor: **Nuri Celik**, Milpitas, CA (US)

(73) Assignee: **Trimble Inc.**, Westminster, CO (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 328 days.

(21) Appl. No.: **17/109,043**

(22) Filed: **Dec. 1, 2020**

(65) **Prior Publication Data**

US 2022/0173512 A1 Jun. 2, 2022

(51) **Int. Cl.**

H01Q 5/321 (2015.01)
H01Q 1/48 (2006.01)
H01Q 5/314 (2015.01)
H01Q 5/378 (2015.01)
H01Q 9/04 (2006.01)
H01Q 19/00 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/321** (2015.01); **H01Q 1/48** (2013.01); **H01Q 5/314** (2015.01); **H01Q 5/378** (2015.01); **H01Q 9/045** (2013.01); **H01Q 9/0464** (2013.01); **H01Q 19/005** (2013.01)

(58) **Field of Classification Search**

CPC **H01Q 5/321**; **H01Q 1/48**; **H01Q 5/314**;
H01Q 5/378; **H01Q 9/045**; **H01Q 9/0464**;
H01Q 19/005

See application file for complete search history.

U.S. PATENT DOCUMENTS

7,436,363 B1 10/2008 Klein et al.
9,590,314 B2 3/2017 Celik
10,181,646 B2 1/2019 Celik
10,505,279 B2 12/2019 Celik
2006/0103576 A1* 5/2006 Mahmoud H01Q 1/28
343/700 MS

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101789538 A * 7/2010
JP 2008-177888 A 7/2008

(Continued)

OTHER PUBLICATIONS

Extended European Search Report for Application No. 21209194. 6-1205, mailed Apr. 12, 2022, 8 pages.

(Continued)

Primary Examiner — Dameon E Levi

Assistant Examiner — Yonchan J Kim


(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(57)

ABSTRACT

A dual-band patch antenna is described. The antenna includes a ground plane. The antenna also includes an inner conductor disposed above the ground plane. The inner conductor forms a high-frequency patch for receiving radio waves at an upper frequency band. The antenna further includes an outer conductor surrounding the inner conductor. The outer conductor and the inner conductor collectively form a low-frequency patch for receiving radio waves at a lower frequency band. The antenna further includes a filter disposed between the inner conductor and the outer conductor. The filter is configured to at least partially block electrical signals at the upper GNSS frequency band and to let pass electrical signals at the lower GNSS frequency band.

20 Claims, 16 Drawing Sheets





US012424753B2

(12) **United States Patent**
Chen et al.

(10) **Patent No.:** **US 12,424,753 B2**
(45) **Date of Patent:** **Sep. 23, 2025**

(54) **ANTENNA AND ELECTRONIC DEVICE**

(71) Applicants: **Beijing BOE Sensor Technology Co., Ltd.**, Beijing (CN); **BOE Technology Group Co., Ltd.**, Beijing (CN)

(72) Inventors: **Zhe Chen**, Beijing (CN); **Yunnan Jin**, Beijing (CN); **Zhifeng Zhang**, Beijing (CN); **Guohui Nan**, Beijing (CN); **Chunnan Feng**, Beijing (CN); **Sihui Bao**, Beijing (CN); **Shuo Yang**, Beijing (CN)

(73) Assignees: **Beijing BOE Sensor Technology Co., Ltd.**, Beijing (CN); **BOE TECHNOLOGY GROUP CO., LTD.**, Beijing (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **18/021,914**

(22) PCT Filed: **Apr. 29, 2022**

(86) PCT No.: **PCT/CN2022/090118**

§ 371 (c)(1),

(2) Date: **Feb. 17, 2023**

(87) PCT Pub. No.: **WO2023/206314**

PCT Pub. Date: **Nov. 2, 2023**

(65) **Prior Publication Data**

US 2024/0275053 A1 Aug. 15, 2024

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 13/10 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 9/0414** (2013.01); **H01Q 13/106** (2013.01); **H01Q 21/08** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC .. H01Q 21/064; H01Q 13/106; H01Q 9/0428;
H01Q 9/0435; H01Q 1/521;

(Continued)

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0074337 A1 * 3/2008 Manholm H01Q 13/106
343/769

2013/0187830 A1 7/2013 Warnick et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 109860990 A 6/2019
CN 113497353 A 10/2021

(Continued)

OTHER PUBLICATIONS

Ding, Chen et al. "An optically transparent dual-polarized stacked patch antenna with metal-mesh films", IEEE Antennas & Wireless Propagation Letters, vol. 18, No. 10, pp. 1981-1985. (Year: 2019).*

Primary Examiner — Dimary S Lopez Cruz

Assistant Examiner — Anna N Hamadyk


(74) *Attorney, Agent, or Firm* — Nath, Goldberg & Meyer; Joshua B. Goldberg

(57)

ABSTRACT

An antenna and an electronic device are provided and belong to communication technology. The antenna includes an antenna substrate and a flexible circuit board. The antenna substrate includes: a first dielectric substrate, a first conductive layer on the first dielectric substrate and including at least one first feed line and at least one second feed line; a second conductive layer on a side of the first dielectric substrate away from the first conductive layer and including at least one first opening. The flexible circuit board includes: a second dielectric substrate and a third dielectric substrate opposite to each other; a third conductive layer between the second dielectric substrate and the third dielectric substrate; a first feed structure on a side of the second dielectric

(Continued)





US012424756B2

(12) **United States Patent**
Jin et al.

(10) **Patent No.:** **US 12,424,756 B2**
(45) **Date of Patent:** **Sep. 23, 2025**

(54) **ANTENNA AND ELECTRONIC DEVICE**

(56) **References Cited**

(71) Applicants: **Beijing BOE Sensor Technology Co., Ltd.**, Beijing (CN); **BOE TECHNOLOGY GROUP CO., LTD.**, Beijing (CN)

U.S. PATENT DOCUMENTS

2004/0150561 A1 * 8/2004 Tillery H01Q 21/08 343/846

2005/0054317 A1 3/2005 Ro et al.
(Continued)

(72) Inventors: **Yunnan Jin**, Beijing (CN); **Chunnan Feng**, Beijing (CN); **Zhifeng Zhang**, Beijing (CN)

FOREIGN PATENT DOCUMENTS

(73) Assignees: **Beijing BOE Sensor Technology Co., Ltd.**, Beijing (CN); **BOE TECHNOLOGY GROUP CO., LTD.**, Beijing (CN)

CN 207303349 U 5/2018
CN 113193385 A 7/2021
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

Octagonal Microstrip Patch Antenna for Dual Band Applications—Binu Paul (Year: 2005).*

(21) Appl. No.: **18/027,700**

Primary Examiner — Dimary S Lopez Cruz

(22) PCT Filed: **Mar. 28, 2022**

Assistant Examiner — Anna N Hamadyk

(86) PCT No.: **PCT/CN2022/083381**

(74) *Attorney, Agent, or Firm* — HOUTTEMAN LAW LLC

§ 371 (c)(1),
(2) Date: **Mar. 22, 2023**

(57) **ABSTRACT**

(87) PCT Pub. No.: **WO2023/184087**

PCT Pub. Date: **Oct. 5, 2023**

An antenna and an electronic device are provided, and belong to the field of communication technology. The antenna includes a first substrate and a second substrate opposite to each other. The first substrate includes a first dielectric substrate; a first radiation layer is on the first dielectric substrate and includes at least one first radiation portion and at least one feed structure. The first radiation portion is at least electrically connected to one feed structure; and a first reference electrode layer is on a side of the first dielectric substrate away from the first radiation layer. The second substrate includes a second dielectric substrate on a side of the first radiation layer away from the first dielectric substrate with a first distance therebetween; a second radiation layer is on the second dielectric substrate and includes at least one second radiation portion.

(65) **Prior Publication Data**


US 2024/0297440 A1 Sep. 5, 2024

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 1/36 (2006.01)
H01Q 21/08 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0485** (2013.01); **H01Q 1/36** (2013.01); **H01Q 21/08** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 9/0485; H01Q 1/36; H01Q 21/08; H01Q 1/38; H01Q 1/50; H01Q 21/065;
(Continued)

18 Claims, 12 Drawing Sheets





US012424760B2

(12) **United States Patent**
Chang et al.

(10) **Patent No.:** **US 12,424,760 B2**
(45) **Date of Patent:** **Sep. 23, 2025**

(54) **ANTENNA**

(71) Applicant: **MEDIATEK INC.**, Hsinchu (TW)

(72) Inventors: **Hsuan-Jui Chang**, Hsinchu (TW);
Nai-Chen Liu, Hsinchu (TW);
Shih-Huang Yeh, Hsinchu (TW);
Chung-Hsin Chiang, Hsinchu (TW);
Wun-Jian Lin, Hsinchu (TW)

(73) Assignee: **MEDIATEK INC.**, Hsinchu (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 302 days.

(21) Appl. No.: **18/344,113**

(22) Filed: **Jun. 29, 2023**

(65) **Prior Publication Data**
US 2024/0039165 A1 Feb. 1, 2024

Related U.S. Application Data
(60) Provisional application No. 63/369,772, filed on Jul. 29, 2022.

(51) **Int. Cl.**
H01Q 5/364 (2015.01)
H01Q 1/42 (2006.01)
H01Q 13/16 (2006.01)
(52) **U.S. Cl.**
CPC **H01Q 13/16** (2013.01); **H01Q 1/42** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 13/16; H01Q 1/42; H01Q 1/241;
H01Q 1/242; H01Q 1/243; H01Q 5/364;
H01Q 19/108
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

11,641,054 B2 * 5/2023 Huang H01Q 1/2266
343/904
2011/0032166 A1 * 2/2011 Zhang H01Q 9/30
343/700 MS
2014/0085145 A1 * 3/2014 Chen H01Q 5/371
343/700 MS
2021/0075090 A1 * 3/2021 Yarga H01Q 1/241
2024/0055762 A1 * 2/2024 Cai H01Q 1/243
2024/0347903 A1 * 10/2024 Xue H01Q 1/243

* cited by examiner

Primary Examiner — Awat M Salih


(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

An antenna is provided. The antenna includes a first radiator and a second radiator. The first radiator includes a first section and a second section. The first section includes a first grounding edge and a first bending edge. The second section is connected to the first bending edge. The first grounding edge is grounded. The first section is not parallel to the second section. A first slot is formed on the first section. The second radiator includes a third section and a fourth section. The third section includes a second grounding edge and a second bending edge. The fourth section is connected to the second bending edge. The second grounding edge is grounded. The third section is not parallel to the fourth section. The first section is parallel to the third section.

20 Claims, 14 Drawing Sheets

M





US012424761B2

(12) **United States Patent**
Lin

(10) **Patent No.:** **US 12,424,761 B2**
(45) **Date of Patent:** ***Sep. 23, 2025**

(54) **ANTENNA APPARATUS**

(56)

References Cited

(71) Applicant: **RichWave Technology Corp.**, Taipei (TW)

U.S. PATENT DOCUMENTS

(72) Inventor: **Shih-Kai Lin**, Taipei (TW)

6,975,276 B2 * 12/2005 Brown H01Q 9/0457
343/789

(73) Assignee: **RichWave Technology Corp.**, Taipei (TW)

2008/0218417 A1 9/2008 Gillette
2014/0118206 A1 5/2014 Hendry et al.

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 133 days.

FOREIGN PATENT DOCUMENTS

CN 102456945 5/2012
CN 104885291 9/2015

(Continued)

This patent is subject to a terminal disclaimer.

OTHER PUBLICATIONS

(21) Appl. No.: **18/353,125**

"Notice of allowance of Taiwan Counterpart Application", issued on Apr. 30, 2024, p. 1-p. 4.

(22) Filed: **Jul. 17, 2023**

(Continued)

(65) **Prior Publication Data**
US 2023/0369772 A1 Nov. 16, 2023

Primary Examiner — Daniel Munoz

(74) *Attorney, Agent, or Firm* — JCIPRNET

Related U.S. Application Data

(63) Continuation-in-part of application No. 17/565,457, filed on Dec. 30, 2021, now Pat. No. 11,764,477.

(30) **Foreign Application Priority Data**

Dec. 24, 2021 (TW) 110148774
May 22, 2023 (TW) 112118884

(51) **Int. Cl.**
H01Q 13/18 (2006.01)
H01Q 9/04 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 13/18** (2013.01); **H01Q 9/0457** (2013.01)


(58) **Field of Classification Search**
CPC H01Q 9/045; H01Q 9/0457
See application file for complete search history.

(57)

ABSTRACT

An antenna apparatus is provided. The antenna apparatus includes a cavity element, a radiating element, and a feeding element. The cavity element includes an opening. The radiating element is located within the opening and disposed at a conductive layer. An outline of the radiating element and the opening form a surrounding slot. An imagining rectangle has four sides respectively abutted against an external outline of the surrounding slot. The feeding element is disposed at the same conductive layer. The feeding element includes a first section and a second section. A coupling distance is provided between the first section and the radiating element. A tail end of the first section is an open circuit. A shift distance is provided between the second section and a central line of the imagining rectangle.

19 Claims, 19 Drawing Sheets





US012424770B2

(12) **United States Patent**
Chen et al.

(10) **Patent No.:** **US 12,424,770 B2**
(45) **Date of Patent:** **Sep. 23, 2025**

(54) **MULTIBAND ANTENNA ARRAY**

(56)

References Cited

(71) Applicant: **MEDIATEK INC.**, Hsinchu (TW)

U.S. PATENT DOCUMENTS

(72) Inventors: **Li-Yu Chen**, Hsinchu (TW); **Yeh-Chun Kao**, Hsinchu (TW); **Chih-Wei Lee**, Hsinchu (TW)

2015/0372397 A1 * 12/2015 Jonsson H01Q 1/246
343/835
2019/0173177 A1 * 6/2019 Johansson H01Q 1/246

(73) Assignee: **MEDIATEK INC.**, Hsinchu (TW)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 223 days.

DE 102007060083 A1 * 6/2009 H01Q 21/065
* cited by examiner

(21) Appl. No.: **18/331,398**

Primary Examiner — Daniel Munoz

(22) Filed: **Jun. 8, 2023**

(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(65) **Prior Publication Data**

(57)

ABSTRACT

US 2024/0014572 A1 Jan. 11, 2024

Related U.S. Application Data

(60) Provisional application No. 63/367,822, filed on Jul. 7, 2022.

(51) **Int. Cl.**
H01Q 5/10 (2015.01)
H01Q 21/08 (2006.01)


(52) **U.S. Cl.**
CPC **H01Q 21/08** (2013.01); **H01Q 5/10** (2015.01)

(58) **Field of Classification Search**
CPC H01Q 5/40; H01Q 5/42
See application file for complete search history.

A multiband antenna array is provided. The multiband antenna array includes a first multi-band antenna unit, a first high band antenna member, and a first low band antenna member. The first multi-band antenna unit includes a first high band antenna element and a first low band antenna element. A first distance is formed between the center of the first multi-band antenna unit and the center of the first high band antenna member. The first distance is 0.3~0.8 times the wavelength of a high band signal. A second distance is formed between the center of the first multi-band antenna unit and the center of the first low band antenna member. The second distance is 0.3~0.8 times the wavelength of a low band signal.

9 Claims, 6 Drawing Sheets

A1





US012425095B2

(12) **United States Patent**
Farmahini Farahani et al.

(10) **Patent No.:** **US 12,425,095 B2**
(45) **Date of Patent:** **Sep. 23, 2025**

(54) **PASSIVE MIMO DEVICE**

(56)

References Cited

(71) Applicant: **QUALCOMM Incorporated**, San Diego, CA (US)

U.S. PATENT DOCUMENTS

5,289,142 A * 2/1994 Upton H04B 1/48
8,558,633 B2 * 10/2013 McKinzie H04B 1/44
(Continued)

(72) Inventors: **Mohsen Farmahini Farahani**, Encinitas, CA (US); **Lida Akhoondzadehasl**, Sunnyvale, CA (US); **Allen Minh-Triet Tran**, Rancho Santa Fe, CA (US)

FOREIGN PATENT DOCUMENTS

EP 2608317 A1 6/2013
WO 2020253555 A1 12/2020

(73) Assignee: **QUALCOMM Incorporated**, San Diego, CA (US)

OTHER PUBLICATIONS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 469 days.

International Search Report and Written Opinion—PCT/US2023/074114—ISA/EPO—Jan. 15, 2024.

(Continued)

Primary Examiner — Lana N Le

(21) Appl. No.: **17/934,886**

(74) Attorney, Agent, or Firm — Polsinelli/Qualcomm Incorporated

(22) Filed: **Sep. 23, 2022**

(57)

ABSTRACT

(65) **Prior Publication Data**

US 2024/0106520 A1 Mar. 28, 2024

(51) **Int. Cl.**
H04B 7/145 (2006.01)
H01Q 1/50 (2006.01)


(Continued)

(52) **U.S. Cl.**
CPC **H04B 7/145** (2013.01); **H01Q 1/50** (2013.01); **H01Q 3/40** (2013.01); **H01Q 19/06** (2013.01); **H01Q 21/061** (2013.01)

(58) **Field of Classification Search**
CPC H04B 7/145; H04B 7/04013; H04B 7/15528; H04B 7/0874; H04B 7/0691;
(Continued)

Aspects of the disclosure related to devices, wireless communication apparatuses, methods, and other aspects of passive multiple input multiple output. In some aspects, an apparatus is provided that includes a first radio frequency (RF) transmission line having a first terminated with a quarter wavelength grounded transmission line, and a first array of antennas including a plurality of antenna elements. The apparatus also includes a switch array including a corresponding switch for each antenna element of the plurality of antenna elements of the first array of antennas, to selectively connect each antenna element to the first RF transmission line, and path lengths selectable by the switches at half wavelength distances for passive transmission. The apparatus also includes or more lens elements configured to modify wireless inputs signals to the first array of antennas and to modify wireless output signals from the first array of antennas.

20 Claims, 15 Drawing Sheets





US012431619B2

(12) **United States Patent**
Wang et al.

(10) **Patent No.:** **US 12,431,619 B2**
(45) **Date of Patent:** **Sep. 30, 2025**

(54) **ANTENNA AND ELECTRONIC DEVICE**

(71) Applicants: **Beijing BOE Sensor Technology Co., Ltd.**, Beijing (CN); **BOE Technology Group Co., Ltd.**, Beijing (CN)

(72) Inventors: **Jing Wang**, Beijing (CN); **Yi Ding**, Beijing (CN); **Haocheng Jia**, Beijing (CN); **Zhifeng Zhang**, Beijing (CN); **Chuncheng Che**, Beijing (CN); **Hao Guo**, Beijing (CN); **Yan Lu**, Beijing (CN); **Weisi Zhou**, Beijing (CN); **Wenxue Ma**, Beijing (CN)

(73) Assignees: **BEIJING BOE SENSOR TECHNOLOGY CO., LTD.**, Beijing (CN); **BOE TECHNOLOGY GROUP CO., LTD.**, Beijing (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **18/027,994**

(22) PCT Filed: **Mar. 29, 2022**

(86) PCT No.: **PCT/CN2022/083623**
§ 371 (c)(1),
(2) Date: **Mar. 23, 2023**

(87) PCT Pub. No.: **WO2023/184138**
PCT Pub. Date: **Oct. 15, 2023**

(65) **Prior Publication Data**
US 2024/0322425 A1 Sep. 26, 2024

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01P 1/18 (2006.01)
(Continued)

(52) **U.S. Cl.**

CPC **H01Q 3/36** (2013.01); **H01P 1/18** (2013.01); **H01Q 1/38** (2013.01); **H01Q 21/0006** (2013.01); **H01Q 21/065** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/24; H01Q 1/38; H01Q 21/00; H01Q 21/0006; H01Q 21/06;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,694,134 A * 12/1997 Barnes H01P 7/088 333/161
6,538,603 B1 * 3/2003 Chen H01Q 3/36 342/372

(Continued)

FOREIGN PATENT DOCUMENTS

CN 113258305 A 8/2021
CN 111490315 B 10/2021

(Continued)


Primary Examiner — Tho G Phan

(74) *Attorney, Agent, or Firm* — Nath, Goldberg & Meyer; Joshua B. Goldberg

(57) **ABSTRACT**

An antenna and an electronic device are provided, and belong to the field of communication technology. The antenna includes: a first dielectric substrate, at least one sub-array and at least one first feed structure. Each sub-array includes at least one first radiation portion, at least one phase shifter, at least one second feed structure and a reference electrode layer. Each transmission component includes a first transmission structure and a second transmission structure; the at least one first radiation portion and the at least one second feed structure are on a side of the first dielectric substrate away from the at least one transmission component. The reference electrode layer is on the first dielectric substrate. Each first feed structure includes a first feed port

(Continued)





US012431626B2

(12) **United States Patent**
Zhang et al.

(10) **Patent No.:** **US 12,431,626 B2**
(45) **Date of Patent:** **Sep. 30, 2025**

(54) **PLANAR INVERTED F ANTENNA PAIR AND ELECTRONIC DEVICE**

(71) Applicants: **Honor Device Co., Ltd.**, Shenzhen (CN); **Tsinghua University**, Beijing (CN)

(72) Inventors: **Weiquan Zhang**, Beijing (CN); **Zhijun Zhang**, Shenzhen (CN)

(73) Assignees: **Honor Device Co., Ltd.**, Shenzhen (CN); **Tsinghua University**, Beijing (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **18/289,886**

(22) PCT Filed: **May 8, 2023**

(86) PCT No.: **PCT/CN2023/092721**

§ 371 (c)(1),

(2) Date: **Nov. 7, 2023**

(87) PCT Pub. No.: **WO2024/012026**

PCT Pub. Date: **Jan. 18, 2024**

(65) **Prior Publication Data**

US 2025/0096469 A1 Mar. 20, 2025

(30) **Foreign Application Priority Data**

Jul. 13, 2022 (CN) 202210821490.0

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 1/48 (2006.01)
H01Q 5/15 (2015.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0421** (2013.01); **H01Q 1/48** (2013.01); **H01Q 5/15** (2015.01)

(58) **Field of Classification Search**

CPC .. H01Q 1/36; H01Q 1/48; H01Q 1/50; H01Q 1/521; H01Q 1/523; H01Q 5/15;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,304,220 B1 10/2001 Herve et al.

7,154,441 B2 12/2006 Hansen et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101533950 A 9/2009

CN 101662070 A * 3/2010 H01Q 9/04

(Continued)

OTHER PUBLICATIONS

Chu et al., "New Progresses of Cross-band Decoupling Techniques for Base Station Antennas," *Safety and Electromagnetic Compatibility*, No. 5, pp. 23-28 and 41 (2021).

(Continued)


Primary Examiner — Hoang V Nguyen

(74) *Attorney, Agent, or Firm* — Leydig, Voit & Mayer, Ltd.

(57) **ABSTRACT**

This application discloses a planar inverted F antenna pair and an electronic device, and relates to the field of antenna technologies. The planar inverted F antenna pair includes a dielectric substrate, a ground metal plane, and a radiation unit, where the ground metal plane is arranged on a side of the dielectric substrate, two ends of the radiation unit are respectively connected to a first feed portion and a second feed portion, the radiation unit is connected to the ground metal plane through a ground metal sheet, the ground metal sheet is located between the first feed portion and the second feed portion, distances from the first feed portion and the second feed portion to the ground metal sheet are not equal,

(Continued)





US012431635B2

(12) **United States Patent**
Yun et al.

(10) **Patent No.:** **US 12,431,635 B2**
(45) **Date of Patent:** **Sep. 30, 2025**

(54) **ELECTRONIC DEVICE INCLUDING ANTENNA**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(72) Inventors: **Sumin Yun**, Suwon-si (KR); **Hosaeng Kim**, Suwon-si (KR); **Seongjin Park**, Suwon-si (KR); **Woomin Jang**, Suwon-si (KR); **Jehun Jong**, Suwon-si (KR); **Jaehoon Jo**, Suwon-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 280 days.

(21) Appl. No.: **18/118,422**

(22) Filed: **Mar. 7, 2023**

(65) **Prior Publication Data**
US 2023/0216213 A1 Jul. 6, 2023

Related U.S. Application Data

(63) Continuation of application No. PCT/KR2022/014532, filed on Sep. 28, 2022.

(30) **Foreign Application Priority Data**

Oct. 12, 2021 (KR) 10-2021-0135114

(51) **Int. Cl.**
H01Q 21/06 (2006.01)
H01Q 1/22 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 21/065** (2013.01); **H01Q 1/2283** (2013.01); **H01Q 1/521** (2013.01); **H01Q 5/321** (2015.01); **H01Q 9/0414** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/2283; H01Q 1/243; H01Q 1/521; H01Q 3/36; H01Q 5/321; H01Q 9/0407; H01Q 9/0414; H01Q 21/065
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,027,028 B2 7/2018 Wang et al.
10,411,349 B2 9/2019 Black et al.
(Continued)

FOREIGN PATENT DOCUMENTS

KR 10-2018-0087095 8/2018
KR 10-2021-0026334 3/2021
(Continued)

OTHER PUBLICATIONS

International Search Report for PCT/KR2022/014532 mailed Jan. 10, 2023, 6 pages.

(Continued)


Primary Examiner — Daniel Munoz

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye, P.C.

(57) **ABSTRACT**

An example electronic device may include an antenna module including a printed circuit board, a plurality of conductive patches including a first conductive patch and a second conductive patch, an RFIC which is disposed on the second surface of the printed circuit board and includes a first tuning circuit, and a first conductive structure which includes a first portion extending from the first conductive patch, a second portion extending from the second conductive patch and connected to the first portion at a point positioned at one end of the first portion, and a first common portion connected to the first tuning circuit and connecting the first conductive patch and the second conductive patch to the first tuning circuit, a ground, and a wireless communication circuit, and the wireless communication circuit may

(Continued)





US012432289B2

(12) **United States Patent**
Heo et al.

(10) **Patent No.:** **US 12,432,289 B2**
(45) **Date of Patent:** **Sep. 30, 2025**

(54) **ELECTRONIC DEVICE INCLUDING ANTENNA AND METHOD THEREOF**

(58) **Field of Classification Search**
CPC H04M 1/0245; H04M 1/0216; H04M 1/0237; H04M 1/0241; H04M 1/0243;
(Continued)

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(56) **References Cited**

(72) Inventors: **Wonhyung Heo**, Suwon-si (KR); **Taeho Kim**, Suwon-si (KR); **Dongil Son**, Suwon-si (KR); **Choongsun Shim**, Suwon-si (KR); **Sanghyun Han**, Suwon-si (KR)

U.S. PATENT DOCUMENTS

7,983,626 B2 7/2011 Kim
8,457,697 B2 6/2013 Johansson et al.
(Continued)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 495 days.

JP 2007-043410 A 2/2007
JP 5264372 B2 8/2013
(Continued)

OTHER PUBLICATIONS

(21) Appl. No.: **18/077,609**

International Search Report with English translation dated Feb. 2, 2023; International Application No. PCT/KR2022/016498.

(22) Filed: **Dec. 8, 2022**

(65) **Prior Publication Data**

US 2023/0126224 A1 Apr. 27, 2023

Primary Examiner — Dhaval V Patel

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

Related U.S. Application Data

(63) Continuation of application No. PCT/KR2022/016498, filed on Oct. 26, 2022.

(30) **Foreign Application Priority Data**

Oct. 26, 2021 (KR) 10-2021-0143913

(51) **Int. Cl.**

H04M 1/02 (2006.01)

H01Q 1/24 (2006.01)

H03H 7/38 (2006.01)


(52) **U.S. Cl.**

CPC **H04M 1/0245** (2013.01); **H01Q 1/243** (2013.01); **H03H 7/38** (2013.01); **H04M 1/0216** (2013.01); **H04M 1/0237** (2013.01)

(57) **ABSTRACT**

An electronic device is provided. The electronic device includes a housing structure including a first housing and a second housing connected to first housing, the second housing being connected to the first housing so as to be slidable while being at least partially inserted into or withdrawn from the first housing, a sensor module including at least one sensor, an antenna, an antenna tuner electrically connected to the antenna and configured to match impedance of the antenna, and a processor operatively connected to the sensor module, the antenna, and the antenna tuner, wherein the processor is configured to determine withdrawal information about a withdrawn degree of the second housing by using the sensor module, select an index corresponding to the withdrawal information from among multiple indices in which impedance values of the antenna according to multiple different pieces of withdrawal information are sampled, and control, based on a tuning code corresponding to the selected

(Continued)





US012438254B2

(12) **United States Patent**
Wu et al.

(10) **Patent No.:** **US 12,438,254 B2**
(45) **Date of Patent:** **Oct. 7, 2025**

(54) **ELECTRONIC DEVICE**

(71) Applicant: **Huawei Technologies Co., Ltd.**,
Shenzhen (CN)

(72) Inventors: **Pengfei Wu**, Shanghai (CN); **Hanyang Wang**, Reading (GB); **Meng Hou**,
Shanghai (CN); **Chien-Ming Lee**,
Shenzhen (CN)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 82 days.

(21) Appl. No.: **18/259,190**

(22) PCT Filed: **Dec. 8, 2021**

(86) PCT No.: **PCT/CN2021/136349**

§ 371 (c)(1),

(2) Date: **Jun. 23, 2023**

(87) PCT Pub. No.: **WO2022/135148**

PCT Pub. Date: **Jun. 30, 2022**

(65) **Prior Publication Data**

US 2024/0304982 A1 Sep. 12, 2024

(30) **Foreign Application Priority Data**

Dec. 25, 2020 (CN) 202011564230.2

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 1/38 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/38**
(2013.01); **H01Q 1/48** (2013.01); **H01Q 1/50**
(2013.01);

(Continued)

(58) **Field of Classification Search**

CPC H01Q 1/24; H01Q 1/242; H01Q 1/243;
H01Q 1/36; H01Q 1/38; H01Q 1/48;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,498,041 B1 * 12/2019 Lin H01Q 13/16
10,542,130 B1 * 1/2020 Lo H04M 1/026

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101483270 A 7/2009

CN 102738558 A 10/2012

(Continued)

Primary Examiner — Hoang V Nguyen


(74) Attorney, Agent, or Firm — Conley Rose, P.C.


(57)

ABSTRACT

An electronic device includes a conductive frame and a first antenna unit. The conductive frame is disposed around a periphery of the electronic device. The first antenna unit includes a first conductive layer and a second conductive layer spaced apart in a thickness direction of the electronic device; a conductive connection portion is configured to connect the first conductive layer and the second conductive layer; and a first conductive frame, is a part of the conductive frame. The conductive connection portion, the first conductive frame, the first conductive layer, and the second conductive layer enclose a first cavity, and the first conductive layer and the first conductive frame are spaced apart to form a first slot of the first cavity.

20 Claims, 22 Drawing Sheets





Electronic device 10



US012438273B2

(12) **United States Patent**
Jin et al.

(10) **Patent No.:** **US 12,438,273 B2**
(45) **Date of Patent:** **Oct. 7, 2025**

(54) **ANTENNA AND COMMUNICATION DEVICE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

CN	109994809	A	7/2019
CN	110085953	A	8/2019
CN	110277611	A	9/2019
CN	209658373	U	11/2019
CN	110752423	A	2/2020
CN	111029776	A	4/2020
CN	210430115	U	4/2020
CN	212648437	U	3/2021
CN	117728130	A	3/2024
CN	109994809	B	6/2024
CN	110085953	B	7/2024

(72) Inventors: **Li Jin**, Xi'an (CN); **Junfeng Lu**, Xi'an (CN); **Qiqiang Gao**, Xi'an (CN); **Xinming Liu**, Xi'an (CN)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 204 days.

(Continued)

OTHER PUBLICATIONS

(21) Appl. No.: **18/337,921**

Extended European Search Report issued in corresponding European Application No. 20966218.8, dated Dec. 11, 2023, pp. 1-7.

(22) Filed: **Jun. 20, 2023**

(Continued)

(65) **Prior Publication Data**

US 2023/0335905 A1 Oct. 19, 2023

Related U.S. Application Data

(63) Continuation of application No. PCT/CN2020/137913, filed on Dec. 21, 2020.

Primary Examiner — Seokjin Kim

(74) Attorney, Agent, or Firm — HAUPTMAN HAM, LLP

(51) **Int. Cl.**
H01Q 5/50 (2015.01)

(52) **U.S. Cl.**
CPC **H01Q 5/50** (2015.01)

(58) **Field of Classification Search**
CPC .. H01Q 5/50; H01Q 3/36; H01Q 3/30; H01Q 3/32; H01Q 1/246; H01Q 1/50
See application file for complete search history.

(57) **ABSTRACT**


An antenna includes a first signal cable, a second signal cable, a combiner, a combined transmission line, a plurality of first filters and a plurality of cavities. The first signal cable is configured to transmit a first signal. Output ends of the first signal cable and the second signal cable are connected to an input end of the combined transmission line through the combiner. The plurality of first filters are each electrically connected to the first signal cable and are respectively located in at least two different cavities of the plurality of cavities. The plurality of first filters are configured to filter a second signal thereby generating the first signal.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,118,355 A 9/2000 Pelz et al.
2019/0273317 A1* 9/2019 Xiao H01P 1/184

18 Claims, 6 Drawing Sheets





US012438276B2

(12) **United States Patent**
Sakr

(10) **Patent No.:** **US 12,438,276 B2**
(45) **Date of Patent:** **Oct. 7, 2025**

(54) **CIRCULARLY-POLARIZED ANTENNAS
WITH WIDE SCANNING RANGES**

(71) Applicant: **Analog Devices International
Unlimited Company**, Limerick (IE)

(72) Inventor: **Ahmed A. Sakr**, New Cairo (EG)

(73) Assignee: **Analog Devices International
Unlimited Company**, Limerick (IE)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 157 days.

(21) Appl. No.: **18/259,729**

(22) PCT Filed: **Jan. 21, 2022**

(86) PCT No.: **PCT/EP2022/051384**

§ 371 (c)(1),

(2) Date: **Jun. 28, 2023**

(87) PCT Pub. No.: **WO2022/161873**

PCT Pub. Date: **Aug. 4, 2022**

(65) **Prior Publication Data**

US 2024/0055765 A1 Feb. 15, 2024

Related U.S. Application Data

(60) Provisional application No. 63/142,212, filed on Jan.
27, 2021.

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 21/06 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0435** (2013.01); **H01Q 9/045**
(2013.01); **H01Q 21/065** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/281; H01Q 5/378; H01Q 9/045;
H01Q 9/0407; H01Q 9/0414;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,502,735 B1 * 8/2013 Moosbrugger H01Q 3/30
343/702

10,686,258 B2 * 6/2020 Zahir H01Q 3/46
(Continued)

FOREIGN PATENT DOCUMENTS

CN 208014900 10/2018
EP 0434268 6/1991
(Continued)

OTHER PUBLICATIONS

Notice of Reasons for Refusal issued in Japanese Patent Application
No. 2023-544733, dated Aug. 26, 2024.

(Continued)


Primary Examiner — Tung X Le

(74) *Attorney, Agent, or Firm* — Knobbe, Martens, Olson
& Bear, LLP

(57) **ABSTRACT**

New antenna designs for realizing circularly-polarized
antennas with a wide scanning range are disclosed. The
designs are based on arranging four sequentially fed antenna
patches to be considered as a single antenna element,
referred to as a “super-element,” in the overall phased array.
An example super-element includes relatively short trans-
mission lines to provide excitations for the vertically and
horizontally polarized fields, with the transmission lines for
the vertically and horizontally polarized fields being per-
pendicular to one other. A parasitic transmission line may be
placed around a part of each antenna patch of the super-
element to serve as a coupler to further enforce the field
vector direction for keeping the circular polarization. With
such designs, an axial ratio below 3.6 dB for scanning angles
of at least 75 degrees at 39.5 GHz may be achieved.

20 Claims, 8 Drawing Sheets





US012438282B2

(12) **United States Patent**
Hollaender et al.

(10) **Patent No.:** **US 12,438,282 B2**
(45) **Date of Patent:** **Oct. 7, 2025**

(54) **ANTENNA DEVICE, RADAR SENSOR
DEVICE AND METHOD FOR PRODUCING
AN ANTENNA DEVICE**

(58) **Field of Classification Search**
CPC H01Q 9/0485; H01Q 1/02; H01Q 1/2283
See application file for complete search history.

(71) Applicant: **Robert Bosch GmbH**, Stuttgart (DE)

(56) **References Cited**

(72) Inventors: **Christian Hollaender**, Waldbronn
(DE); **Juergen Hildebrandt**, Weilheim
(DE); **Klaus Baur**, Mietingen (DE);
Michael Schoor, Stuttgart (DE); **Minh
Nhat Pham**, Leinfelden-Echterdingen
(DE)

U.S. PATENT DOCUMENTS

2005/0285773 A1 * 12/2005 Hartzstein H01Q 1/3233
342/107
2015/0380824 A1 * 12/2015 Tayfeh Aligodarz
H01Q 15/0066
430/319
2019/0165462 A1 * 5/2019 Shiozaki H01Q 15/14
2019/0165484 A1 * 5/2019 Shiozaki H01Q 15/08
2022/0256685 A1 * 8/2022 Brandenburg H01Q 13/22

(73) Assignee: **ROBERT BOSCH GMBH**, Stuttgart
(DE)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 295 days.

WO 2021032423 A1 2/2021

* cited by examiner

(21) Appl. No.: **18/064,539**

Primary Examiner — Dameon E Levi

Assistant Examiner — Aladdin Abdulbaki

(22) Filed: **Dec. 12, 2022**

(74) *Attorney, Agent, or Firm* — NORTON ROSE
FULBRIGHT US LLP

(65) **Prior Publication Data**

US 2023/0291115 A1 Sep. 14, 2023

(30) **Foreign Application Priority Data**

Feb. 10, 2022 (DE) 10 2022 201 374.3

(51) **Int. Cl.**

H01Q 13/10 (2006.01)

H01Q 9/04 (2006.01)

H01Q 21/28 (2006.01)


(52) **U.S. Cl.**

CPC **H01Q 13/106** (2013.01); **H01Q 9/0407**
(2013.01); **H01Q 21/28** (2013.01)

(57) **ABSTRACT**

An antenna device. The antenna device includes a carrier element having at least one first strip conductor and having a second strip conductor; at least one fastening structure, which is formed in or on the carrier element; at least one antenna element, which is arranged or fastened on or in the fastening structure and is connected to the strip conductor; a transmitter device, which is arranged on the carrier element and is connected to the second strip conductor, and is designed to transmit a transmitter signal to the at least one antenna element and/or to receive a transmitter signal from the at least one antenna element.

18 Claims, 5 Drawing Sheets





US012438288B2

(12) **United States Patent**
Wu

(10) **Patent No.:** **US 12,438,288 B2**
(45) **Date of Patent:** **Oct. 7, 2025**

(54) **ANTENNA ASSEMBLY AND ELECTRONIC DEVICE**

(71) Applicant: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Guangdong (CN)

(72) Inventor: **Xiaopu Wu**, Guangdong (CN)

(73) Assignee: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Guangdong (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 280 days.

(21) Appl. No.: **18/215,802**

(22) Filed: **Jun. 28, 2023**

(65) **Prior Publication Data**
US 2023/0344151 A1 Oct. 26, 2023

Related U.S. Application Data
(63) Continuation of application No. PCT/CN2021/131176, filed on Nov. 17, 2021.

(30) **Foreign Application Priority Data**
Dec. 29, 2020 (CN) 202011613294.7

(51) **Int. Cl.**
H01Q 21/30 (2006.01)
H01Q 1/24 (2006.01)
(52) **U.S. Cl.**
CPC **H01Q 21/30** (2013.01); **H01Q 1/243** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 5/328; H01Q 21/30; H04B 1/0064; H01R 2201/02; H03J 2200/11

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,200,092 B1 * 2/2019 Irci H04B 7/0413
10,431,872 B1 10/2019 Kim et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 106450662 2/2017
CN 108987908 12/2018
(Continued)

OTHER PUBLICATIONS

EPO, Extended European Search Report for EP Application No. 21913563.9, Jun. 18, 2024.
(Continued)


Primary Examiner — Monica C King

(74) *Attorney, Agent, or Firm* — Hodgson Russ LLP

(57) **ABSTRACT**

An antenna assembly and an electronic device are provided in the disclosure. The antenna assembly includes a first antenna element, a second antenna element, and a third antenna element. The first antenna element includes a first radiator. The second antenna element includes a second radiator. A first gap is defined between one end of the second radiator and one end of the first radiator, and at least part of the second radiator is configured to be coupled to the first radiator through the first gap. The third antenna element includes a third radiator. A second gap is defined between the third radiator and the other end of the second radiator, and at least part of the third radiator is configured to be coupled to the second radiator through the second gap.

20 Claims, 16 Drawing Sheets





US012443253B2

(12) **United States Patent**
Watanabe et al.

(10) **Patent No.:** **US 12,443,253 B2**
(45) **Date of Patent:** **Oct. 14, 2025**

(54) **ELECTRONIC APPARATUS**

7/20154 (2013.01); **H05K 7/20336** (2013.01);
H05K 7/2049 (2013.01); **H05K 9/0022**
(2013.01)

(71) Applicant: **LENOVO (SINGAPORE) PTE. LTD.**,
Singapore (SG)

(58) **Field of Classification Search**

CPC G06F 1/203; G06F 1/1656; G06F 1/1698;
H05K 7/20154; H05K 7/20336; H05K
7/2049; H05K 9/0022

See application file for complete search history.

(72) Inventors: **Ryota Watanabe**, Yokohama (JP);
Qianyi Lu, Yokohama (JP); **Jun**
Iwasaki, Yokohama (JP); **Masaaki**
Bandoh, Yokohama (JP)

(56)

References Cited

U.S. PATENT DOCUMENTS

9,131,037 B2 * 9/2015 Corbin H05K 9/006
10,667,442 B2 * 5/2020 Nakata G06F 1/20
2021/0243925 A1 * 8/2021 Ramasamy H05K 9/0015

FOREIGN PATENT DOCUMENTS

JP 2011205043 A 10/2011
JP 2019212832 A 12/2019

* cited by examiner

Primary Examiner — Mukundbhai G Patel

(74) *Attorney, Agent, or Firm* — SHIMOKAJI IP

(73) Assignee: **LENOVO (SINGAPORE) PTE. LTD.**,
Singapore (SG)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 288 days.

(21) Appl. No.: **18/457,514**

(22) Filed: **Aug. 29, 2023**

(65) **Prior Publication Data**

US 2024/0160258 A1 May 16, 2024

(30) **Foreign Application Priority Data**

Nov. 16, 2022 (JP) 2022-183510

(51) **Int. Cl.**

G06F 1/20 (2006.01)
G06F 1/16 (2006.01)
H05K 7/20 (2006.01)
H05K 9/00 (2006.01)

(52) **U.S. Cl.**


CPC **G06F 1/203** (2013.01); **G06F 1/1656**
(2013.01); **G06F 1/1698** (2013.01); **H05K**

(57)

ABSTRACT

An electronic apparatus includes a chassis, a heat generating body provided in the chassis, an antenna configured to be provided in the chassis and be capable of receiving radio waves, an electronic part arranged to be aligned with the antenna within the chassis, and a cooling module configured to have a plate-shaped metal part and cool the heat generating body within the chassis. The metal part includes a shield wall interposed between the antenna and the electronic part.

6 Claims, 7 Drawing Sheets





US012444817B2

(12) **United States Patent**
Jia et al.

(10) **Patent No.:** **US 12,444,817 B2**
(45) **Date of Patent:** ***Oct. 14, 2025**

(54) **FEEDING STRUCTURE, MICROWAVE
RADIO FREQUENCY DEVICE AND
ANTENNA**

(71) Applicants: **Beijing BOE Sensor Technology Co.,
Ltd., Beijing (CN); BOE
TECHNOLOGY GROUP CO., LTD.,
Beijing (CN)**

(72) Inventors: **Haocheng Jia, Beijing (CN); Tienlun
Ting, Beijing (CN); Ying Wang,
Beijing (CN); Jie Wu, Beijing (CN);
Liang Li, Beijing (CN); Cuiwei Tang,
Beijing (CN); Qiangqiang Li, Beijing
(CN)**

(73) Assignees: **Beijing BOE Sensor Technology Co.,
Ltd., Beijing (CN); BOE
TECHNOLOGY GROUP CO., LTD.,
Beijing (CN)**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **18/443,214**

(22) Filed: **Feb. 15, 2024**

(65) **Prior Publication Data**
US 2024/0186668 A1 Jun. 6, 2024

Related U.S. Application Data
(63) Continuation of application No. 17/280,873, filed as
application No. PCT/CN2020/108821 on Aug. 13,
2020, now Pat. No. 11,949,142.

(30) **Foreign Application Priority Data**
Aug. 14, 2019 (CN) 201910750841.7

(51) **Int. Cl.**
H01P 1/18 (2006.01)
H01P 1/20 (2006.01)
H01P 5/12 (2006.01)

(52) **U.S. Cl.**
CPC **H01P 1/18** (2013.01); **H01P 1/20**
(2013.01); **H01P 5/12** (2013.01)

(58) **Field of Classification Search**
CPC H01P 1/18; H01P 1/20; H01P 1/184; H01P
5/12; H01P 5/10; H01Q 1/50; H01Q 3/36
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,356,462 A * 10/1982 Bowman H01P 5/12
333/136
6,278,340 B1 * 8/2001 Liu H01P 5/10
333/33

(Continued)

FOREIGN PATENT DOCUMENTS

CN 105896082 A 8/2016
CN 108808181 A 11/2018

(Continued)

OTHER PUBLICATIONS

Xue Yu: "Microwave Characteristics Modeling of Liquid Crystal
Material and Application of Design Method for Polarization Antenna",
Chinese Master's Theses Full-text Database, No. 1, section 4.4, Jan.
31, 2019.

(Continued)


Primary Examiner — Seokjin Kim

(74) Attorney, Agent, or Firm — HOUTTEMAN LAW
LLC

(57) **ABSTRACT**

A radio frequency device includes a feeding structure and a
phase shifting structure. The feeding structure includes
opposite first and second substrates, and a dielectric layer
between the first and second substrates. The first substrate

(Continued)





US012444830B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 12,444,830 B2**
(45) **Date of Patent:** **Oct. 14, 2025**

(54) **ELECTRONIC DEVICE INCLUDING ANTENNA**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(72) Inventors: **Woosup Lee**, Suwon-si (KR); **Jungsik Park**, Suwon-si (KR); **Jungoh Sung**, Suwon-si (KR); **Muyeol Lee**, Suwon-si (KR); **Sehwan Choi**, Suwon-si (KR); **Sukgi Hong**, Suwon-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**, Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 190 days.

(21) Appl. No.: **18/080,177**

(22) Filed: **Dec. 13, 2022**

(65) **Prior Publication Data**

US 2023/0110427 A1 Apr. 13, 2023

Related U.S. Application Data

(63) Continuation of application No. PCT/KR2021/004700, filed on Apr. 14, 2021.

(30) **Foreign Application Priority Data**

Jun. 18, 2020 (KR) 10-2020-0074519

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 1/02 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 1/02** (2013.01); **H01Q 1/526** (2013.01); **H01Q 7/06** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC .. H05K 1/02; H05K 1/14; H05K 7/20; H05K 2201/066

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

11,910,516 B2 * 2/2024 Moon H05K 1/14
2015/0241935 A1 * 8/2015 Jang G06F 1/1626
361/679.56

(Continued)

FOREIGN PATENT DOCUMENTS

KR 10-2016-0115511 A 10/2016

OTHER PUBLICATIONS

Korean Notice of Decision to Grant dated Sep. 11, 2024 for KR Application No. 10-2020-0074519.

Primary Examiner — Dimary S Lopez Cruz


Assistant Examiner — Austin M Back

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye P.C.

(57) **ABSTRACT**

An electronic device including an antenna according to various embodiments comprises: a printed circuit board disposed in a first area of the electronic device; a battery disposed in a second area of the electronic device; a heat dissipation member including a thermally conductive material disposed on the upper part of the printed circuit board and the battery; a first antenna disposed in the first area on the heat dissipation member; and a second antenna disposed in the second area on the heat dissipation member, wherein the frequency bands and the dielectric constants of the first antenna and the second antenna may be configured differently.

13 Claims, 15 Drawing Sheets





US012444835B2

(12) **United States Patent**
Wu et al.

(10) **Patent No.:** **US 12,444,835 B2**
(45) **Date of Patent:** **Oct. 14, 2025**

(54) **ANTENNA APPARATUS AND ELECTRONIC DEVICE**

(71) Applicant: **Huawei Technologies Co., Ltd.**,
Shenzhen (CN)

(72) Inventors: **Pengfei Wu**, Shanghai (CN); **Jiahui Chu**, Shanghai (CN); **Hanyang Wang**,
Reading (GB); **Meng Hou**, Shanghai (CN); **Chien-Ming Lee**, Shenzhen (CN)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 171 days.

(21) Appl. No.: **18/256,238**

(22) PCT Filed: **Dec. 2, 2021**

(86) PCT No.: **PCT/CN2021/135167**

§ 371 (c)(1),

(2) Date: **Jun. 7, 2023**

(87) PCT Pub. No.: **WO2022/121776**

PCT Pub. Date: **Jun. 16, 2022**

(65) **Prior Publication Data**

US 2024/0021982 A1 Jan. 18, 2024

(30) **Foreign Application Priority Data**

Dec. 8, 2020 (CN) 202011423001.9

(51) **Int. Cl.**
H01Q 1/22 (2006.01)
H01Q 1/24 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/52** (2013.01); **H01Q 1/22**
(2013.01); **H01Q 1/36** (2013.01); **H01Q 9/0421** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/22; H01Q 1/24; H01Q 1/243;
H01Q 1/36; H01Q 1/44; H01Q 1/52;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,345,638 B1 * 3/2008 Tan H01Q 9/0407
343/702
9,246,210 B2 * 1/2016 Korva H01Q 1/241
(Continued)

FOREIGN PATENT DOCUMENTS

CN 109390679 A 2/2019
CN 109962331 A 7/2019
(Continued)


Primary Examiner — Tho G Phan

(74) Attorney, Agent, or Firm — Conley Rose, P.C.

(57) **ABSTRACT**

An antenna apparatus for an electronic device having a middle frame, a cover, and a battery located between the middle frame and the cover. The antenna apparatus includes at least one group of coupling feeding elements and at least one group of radiation elements. A first radiator and a second radiator in each group of radiation elements are arranged on an inner surface of a cover. The first radiator and the second radiator are respectively located on two sides of a coupling feeding element, and the coupling feeding element is separately coupled to feed the first radiator and the second radiator.

20 Claims, 44 Drawing Sheets





US012444840B2

(12) **United States Patent**
Xue et al.

(10) **Patent No.:** **US 12,444,840 B2**
(45) **Date of Patent:** **Oct. 14, 2025**

(54) **ANTENNA AND MOBILE TERMINAL**

(71) Applicant: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(72) Inventors: **Liang Xue**, Shanghai (CN); **Hanyang Wang**, Reading (GB); **Chuanbo Shi**, Shanghai (CN); **Yiwen Gong**, Shanghai (CN); **Jikang Wang**, Shanghai (CN); **Xiaowei Zhang**, Shenzhen (CN); **Dong Yu**, Shanghai (CN)

(73) Assignee: **Huawei Technologies Co., Ltd.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 65 days.

(21) Appl. No.: **18/003,656**

(22) PCT Filed: **Jun. 30, 2021**

(86) PCT No.: **PCT/CN2021/103880**

§ 371 (c)(1),

(2) Date: **Dec. 28, 2022**

(87) PCT Pub. No.: **WO2022/002172**

PCT Pub. Date: **Jan. 6, 2022**

(65) **Prior Publication Data**

US 2023/0291102 A1 Sep. 14, 2023

(30) **Foreign Application Priority Data**

Jun. 30, 2020 (CN) 202010615049.3

(51) **Int. Cl.**

H01Q 5/385 (2015.01)

H01Q 1/24 (2006.01)

H01Q 1/48 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 5/385** (2015.01); **H01Q 1/243** (2013.01); **H01Q 1/48** (2013.01)

(58) **Field of Classification Search**

None

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0015487 A1 1/2009 Chen et al.
2018/0278287 A1 9/2018 Nishikawa et al.
2018/0375973 A1 12/2018 Song et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 105870593 A 8/2016
CN 107666036 A 2/2018

(Continued)

Primary Examiner — Dameon E Levi

Assistant Examiner — Anh N Ho


(74) *Attorney, Agent, or Firm* — Leydig, Voit & Mayer, Ltd.

(57)

ABSTRACT

An antenna is provided, which includes: a main stub, a first parasitic stub, and a second parasitic stub. The first parasitic stub and the second parasitic stub are respectively arranged on two sides of the main stub. The first parasitic stub and the second parasitic stub are configured to excite resonances to improve main resonance efficiency or expand bandwidth. A frequency of the resonance excited by the first parasitic stub is greater than a frequency of a resonance excited by the main stub. A frequency of the resonance excited by the second parasitic stub is less than the frequency of the resonance excited by the main stub.

14 Claims, 23 Drawing Sheets





US012444842B2

(12) **United States Patent**
Yun et al.

(10) **Patent No.:** **US 12,444,842 B2**
(45) **Date of Patent:** **Oct. 14, 2025**

(54) **ELECTRONIC DEVICE COMPRISING ANTENNA**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(72) Inventors: **Himchan Yun**, Suwon-si (KR);
Museok Bang, Suwon-si (KR);
Dongyeon Kim, Suwon-si (KR);
Haeyeon Kim, Suwon-si (KR);
Nakchung Choi, Suwon-si (KR);
Soonho Hwang, Suwon-si (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 201 days.

(21) Appl. No.: **18/099,740**

(22) Filed: **Jan. 20, 2023**

(65) **Prior Publication Data**

US 2023/0163469 A1 May 25, 2023

Related U.S. Application Data

(63) Continuation of application No. PCT/KR2021/009490, filed on Jul. 22, 2021.

(30) **Foreign Application Priority Data**

Jul. 22, 2020 (KR) 10-2020-0091136

(51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 1/24 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 9/0407** (2013.01); **H01Q 1/243** (2013.01); **H01Q 9/0442** (2013.01); **H01Q 9/045** (2013.01); **H01Q 15/24** (2013.01); **H01Q 21/24** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 9/0407; H01Q 1/243; H01Q 15/24;
H01Q 1/273; H01Q 5/321; H01Q 5/364;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,618,012 B1 9/2003 Louzir et al.
10,886,623 B2 1/2021 Son et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 110600869 A 12/2019
CN 111244625 A 6/2020
(Continued)

OTHER PUBLICATIONS

International Search Report (PCT/ISA/210) dated Nov. 18, 2021 issued by the International Searching Authority in International Application No. PCT/KR2021/009490.

(Continued)

Primary Examiner — Dameon E Levi


Assistant Examiner — Yonchan J Kim

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **ABSTRACT**

An electronic device includes at least one processor, a first antenna comprises a first conductive patch disposed on a first layer, a first transmission line disposed on the first layer and electrically connected to one point of the first conductive patch, a ground disposed on a second layer and a dielectric disposed on a third layer between the first layer and the second layer, the first conductive patch has a shape of a rectangle in which a first corner portion of the rectangle and a second corner portion of the rectangle are removed, and the at least one processor transmits and/or receives at least one of a first RF signal having a first polarization characteristic and a second RF signal having a second polarization characteristic.

15 Claims, 32 Drawing Sheets





US012444844B2

(12) **United States Patent**
Kakuya et al.

(10) **Patent No.:** **US 12,444,844 B2**
(45) **Date of Patent:** **Oct. 14, 2025**

- (54) **ANTENNA MOUNTING SYSTEM**
- (71) Applicant: **DENSO CORPORATION**, Kariya (JP)
- (72) Inventors: **Yuuji Kakuya**, Nisshin (JP);
Kenichirou Sanji, Kariya (JP);
Tomokazu Miyashita, Kariya (JP);
Masakazu Ikeda, Nisshin (JP)
- (73) Assignee: **DENSO CORPORATION**, Kariya (JP)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 393 days.
- (21) Appl. No.: **18/079,323**
- (22) Filed: **Dec. 12, 2022**
- (65) **Prior Publication Data**
US 2023/0114784 A1 Apr. 13, 2023

- Related U.S. Application Data**
- (63) Continuation of application No. PCT/JP2021/024123, filed on Jun. 25, 2021.
- (30) **Foreign Application Priority Data**
Jul. 6, 2020 (JP) 2020-116682
- (51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 1/12 (2006.01)
H01Q 1/48 (2006.01)
H01Q 3/36 (2006.01)
- (52) **U.S. Cl.**
CPC **H01Q 9/0421** (2013.01); **H01Q 1/12** (2013.01); **H01Q 1/48** (2013.01); **H01Q 3/36** (2013.01)


- (58) **Field of Classification Search**
None
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
2018/0301798 A1 10/2018 Ikeda et al.
2022/0006195 A1* 1/2022 Ikeda H01Q 9/045
- FOREIGN PATENT DOCUMENTS**
JP 3669895 B2 7/2005
JP 2016111655 A 6/2016
* cited by examiner

Primary Examiner — Whitney Moore
(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

- (57) **ABSTRACT**
An antenna mounting system includes an antenna device and a conductive base plate. The antenna device includes a ground plate, an opposing conductive plate, and a short-circuit pin. The short-circuit pin is positioned to cause a radio wave radiated from the antenna device in a direction perpendicular to the ground plate such that radio wave: has a polarization component that oscillates in a direction parallel to a main plane of polarization of a radio wave radiated from the conductive base plate in the direction perpendicular to the ground plate; and is shifted in phase from the radio wave radiated from the conductive base plate by a phase difference within a range from 90 degrees to 270 degrees.

3 Claims, 6 Drawing Sheets





US012444845B2

(12) **United States Patent**
Cheng et al.

(10) **Patent No.:** **US 12,444,845 B2**
(45) **Date of Patent:** **Oct. 14, 2025**

(54) **ANTENNA AND RADAR**

(56)

References Cited

(71) Applicant: **SHENZHEN YINWANG INTELLIGENT TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

U.S. PATENT DOCUMENTS

2002/0147534 A1 10/2002 Delcheccolo et al.

2009/0009399 A1 1/2009 Gaucher et al.

(Continued)

(72) Inventors: **Zhe Cheng**, Xi'an (CN); **Rui Yang**, Dongguan (CN)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Shenzhen Yinwang Intelligent Technologies Co., Ltd.**, Shenzhen (CN)

CN 201590486 U 9/2010
CN 203674388 U 6/2014

(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 156 days.

OTHER PUBLICATIONS

(21) Appl. No.: **17/894,399**

M. S. R. Mohd Shah, M. Z. A. Abdul Aziz, M. K., and M. K. A. Rahim, 'Dual Linearly Polarized Microstrip Array Antenna', Trends in Telecommunications Technologies. InTech, Mar. 1, 2010. doi: 10.5772/8468. (Year: 2010).*

(22) Filed: **Aug. 24, 2022**

(65) **Prior Publication Data**

US 2022/0416431 A1 Dec. 29, 2022

Related U.S. Application Data

(63) Continuation of application No. PCT/CN2021/077339, filed on Feb. 23, 2021.

(Continued)

Primary Examiner — Dameon E Levi

Assistant Examiner — Leah Rosenberg

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.

(30) **Foreign Application Priority Data**

Feb. 25, 2020 (CN) 202010115641.7

(51) **Int. Cl.**

H01Q 9/04 (2006.01)

H01Q 1/32 (2006.01)

H01Q 21/08 (2006.01)

(52) **U.S. Cl.**

CPC **H01Q 9/045** (2013.01); **H01Q 1/3233** (2013.01); **H01Q 21/08** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/3233; H01Q 9/045; H01Q 21/065; H01Q 21/08


See application file for complete search history.


(57)

ABSTRACT

Embodiments of this application disclose an antenna. The antenna may be applied to the field of automatic driving and the field of vehicle-to-everything, and the antenna includes a first radiating element and a first feed line. A first end of the first feed line is connected to the first radiating element. The first radiating element and the first feed line are arranged on a same surface of a dielectric substrate. The first feed line includes a first feed line segment, and an acute angle between the first feed line segment and a current direction of the first radiating element is greater than or equal to 20 degrees, and is less than or equal to 70 degrees. A feeding manner of the antenna is parallel feeding.

19 Claims, 7 Drawing Sheets





(10) **Patent No.:** US 12,444,849 B2
(45) **Date of Patent:** Oct. 14, 2025

(58) **Field of Classification Search**

CPC H01Q 1/22; H01Q 1/243; H01Q 1/38;
H01Q 1/48; H01Q 1/52; H01Q 5/30-40;
H01Q 9/42; H01Q 13/10; H01Q 13/16
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,535,422	B2 *	5/2009	Liu	H01Q 9/42 343/702
10,090,581	B2 *	10/2018	Wu	H01Q 21/28
11,527,811	B2 *	12/2022	Nishikawa	H01Q 9/42
2011/0050528	A1	3/2011	Montgomery	

FOREIGN PATENT DOCUMENTS

CN	108461921	8/2018
CN	111864350	10/2020
TW	I737354	8/2021
TW	I765621	5/2022

* cited by examiner

Primary Examiner — Hasan Islam

(74) *Attorney, Agent, or Firm* — J.C. PATENTS

(21) Appl. No.: 18/652,976

(22) Filed: **May 2, 2024**

(65) **Prior Publication Data**

US 2025/0096476 A1 Mar. 20, 2025

(30) **Foreign Application Priority Data**

Sep. 15, 2023 (TW) 112135280


(51) **Int. Cl.**
H01Q 5/30 (2015.01)
H01Q 1/48 (2006.01)
H01Q 5/10 (2015.01)
H01Q 13/16 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 13/16** (2013.01); **H01Q 1/48**
(2013.01); **H01Q 5/10** (2015.01)

(57) **ABSTRACT**

An antenna module includes a ground radiator, a first antenna, and a second antenna. The first antenna includes a first feeding end, a first segment, a second segment, a third segment, and a fourth segment. A first area of the first antenna and a second area including a part of the first antenna and a part of the ground radiator resonate at a first frequency band. A third area of the first antenna and the second area resonate at a second frequency band. An area including a part of the second antenna, the third segment, the first segment, and the second segment resonates at the first frequency band. An area of the second antenna and an area including the part of the second antenna, a part of the third segment, and another part of the ground radiator resonate at the second frequency band.

10 Claims, 10 Drawing Sheets





US012444857B2

(12) **United States Patent**
Komura et al.

(10) **Patent No.:** **US 12,444,857 B2**
(45) **Date of Patent:** **Oct. 14, 2025**

(54) **ANTENNA DEVICE AND ANTENNA UNIT**

(56) **References Cited**

(71) Applicant: **Murata Manufacturing Co., Ltd.**,
Kyoto (JP)

U.S. PATENT DOCUMENTS

(72) Inventors: **Ryo Komura**, Kyoto (JP); **Masahiro Izawa**, Kyoto (JP)

5,121,127 A * 6/1992 Toriyama H01Q 5/40
343/700 MS
6,181,281 B1 1/2001 Desclos et al.
(Continued)

(73) Assignee: **MURATA MANUFACTURING CO., LTD.**, Kyoto (JP)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 195 days.

JP H01-189208 A 7/1989
JP H03-270304 A 12/1991
(Continued)

(21) Appl. No.: **18/448,506**

OTHER PUBLICATIONS

(22) Filed: **Aug. 11, 2023**

International Search Report for PCT/JP2022/004870 dated Apr. 26, 2022.

(65) **Prior Publication Data**

US 2023/0387603 A1 Nov. 30, 2023

Primary Examiner — Dameon E Levi

Assistant Examiner — Anh N Ho

(74) *Attorney, Agent, or Firm* — McDonald Hopkins LLC

Related U.S. Application Data

(63) Continuation of application No. PCT/JP2022/004870, filed on Feb. 8, 2022.

(30) **Foreign Application Priority Data**

Mar. 5, 2021 (JP) 2021-035559

(51) **Int. Cl.**

H01Q 19/02 (2006.01)

H01Q 1/08 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 19/02** (2013.01); **H01Q 1/085** (2013.01); **H01Q 1/2291** (2013.01); **H01Q 1/48** (2013.01)

(58) **Field of Classification Search**


None

See application file for complete search history.

(57) **ABSTRACT**

An antenna device includes: a ground electrode plate; one or more first radiating electrode plates which face the ground electrode plate; a second radiating electrode plate which lies between the ground electrode plate and the one or more first radiating electrode plates; one or more first feeder lines which are connected to the one or more first radiating electrode plates; a second feeder line which is not connected to the one or more first feeder lines but is connected to the second radiating electrode plate; and a ground line which does not connect the one or more first radiating electrode plates to the ground electrode plate but connects the second radiating electrode plate to the ground electrode plate. The one or more first radiating electrode plates lie inside the second radiating electrode plate as viewed from a thickness direction of the ground electrode plate.

13 Claims, 13 Drawing Sheets





US012444858B2

(12) **United States Patent**
Franson

(10) **Patent No.:** **US 12,444,858 B2**
(45) **Date of Patent:** **Oct. 14, 2025**

(54) **ANTENNA APPARATUS EMPLOYING
COPLANAR WAVEGUIDE INTERCONNECT
BETWEEN RF COMPONENTS**

(71) Applicant: **VIASAT, INC.**, Carlsbad, CA (US)

(72) Inventor: **Steven J. Franson**, Scottsdale, AZ (US)

(73) Assignee: **VIASAT, INC.**, Carlsbad, CA (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 181 days.

(21) Appl. No.: **18/548,631**

(22) PCT Filed: **Mar. 4, 2021**

(86) PCT No.: **PCT/US2021/020975**

§ 371 (c)(1),

(2) Date: **Sep. 1, 2023**

(87) PCT Pub. No.: **WO2022/186835**

PCT Pub. Date: **Sep. 9, 2022**

(65) **Prior Publication Data**

US 2024/0154320 A1 May 9, 2024

(51) **Int. Cl.**
H01Q 21/00 (2006.01)
H01Q 1/22 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 21/0025** (2013.01); **H01Q 1/2283**
(2013.01); **H01Q 1/38** (2013.01); **H01Q**
21/0075 (2013.01); **H01Q 21/061** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 21/0025; H01Q 1/2283; H01Q 1/38;
H01Q 21/0075; H01Q 21/061; H01Q
23/00; H01P 5/028; H01P 1/047
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

11,038,281 B2 * 6/2021 Franson H01Q 3/38
2019/0089069 A1 3/2019 Niroo et al.

(Continued)

FOREIGN PATENT DOCUMENTS

JP 10-233621 A2 9/1998
WO 2008015371 2/2008
WO 2017121477 7/2017

OTHER PUBLICATIONS

International Search Report and Written Opinion dated Nov. 23,
2021 in corresponding PCT Application No. PCT/US2021/020975
(11 pages).


Primary Examiner — Seung H Lee

(74) Attorney, Agent, or Firm — F. CHAU &
ASSOCIATES, LLC

(57) **ABSTRACT**

An antenna apparatus includes an antenna substrate having a first surface and an opposite second surface, with an antenna ground plane at the second surface. An antenna element is at the first surface of the antenna substrate. A first RF component is attached to the second surface of the antenna substrate and includes RF circuitry to adjust a signal communicated with the antenna element. A second RF component is attached to the second surface of the antenna substrate. A coplanar waveguide (CPW) interconnect couples the first RF component to the second RF component and includes a central conductor and first and second ground conductors on opposite sides of the central conductor. The central conductor has a profile within an opening in the antenna ground plane.

31 Claims, 13 Drawing Sheets





US012445549B2

(12) **United States Patent**
Choi et al.

(10) **Patent No.:** **US 12,445,549 B2**
(45) **Date of Patent:** **Oct. 14, 2025**

(54) **ANTENNA STRUCTURE FOR IMPROVING RADIATION PERFORMANCE AND ELECTRONIC DEVICE INCLUDING SAME**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(72) Inventors: **Nakchung Choi**, Gyeonggi-do (KR);
Himchan Yun, Gyeonggi-do (KR);
Jaebong Chun, Gyeonggi-do (KR);
Soonho Hwang, Gyeonggi-do (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**, Seoul
(KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 300 days.

(21) Appl. No.: **18/197,480**

(22) Filed: **May 15, 2023**

(65) **Prior Publication Data**

US 2023/0283708 A1 Sep. 7, 2023

Related U.S. Application Data

(63) Continuation of application No.
PCT/KR2022/005800, filed on Apr. 22, 2022.

(30) **Foreign Application Priority Data**

Apr. 22, 2021 (KR) 10-2021-0052431

(51) **Int. Cl.**
H04M 1/72454 (2021.01)
H01Q 1/24 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H04M 1/72454** (2021.01); **H01Q 1/242**
(2013.01); **H01Q 1/48** (2013.01); **H04M**
1/0216 (2013.01)

(58) **Field of Classification Search**

CPC H04M 1/72454; H04M 1/0216; H04M
1/0268; H04M 1/026; H04M 1/0249;
H04M 2201/34; H04M 2250/12; H04M
1/0222; H04M 1/0247; H04M 2250/22;
H04M 1/0214; H01Q 1/242; H01Q 1/48;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,725,213 B2	5/2014	Nakamura
10,110,267 B2	10/2018	Kim et al.
10,381,721 B2	8/2019	Wang et al.
10,833,397 B2	11/2020	Lee et al.
10,854,956 B2	12/2020	Son et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN	209860131	12/2019
CN	112151960	12/2020

(Continued)

OTHER PUBLICATIONS

European Search Report dated Jun. 27, 2024 issued in counterpart
application No. 22792068.3-1201, 9 pages.

(Continued)

Primary Examiner — Davetta W Goins

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm,
P.C.

(57) **ABSTRACT**

Disclosed is a foldable electronic device including an
antenna structure having an adjustable electric length by
way of a switch circuit, thereby reducing antenna perfor-
mance degradation in the foldable electronic device.

20 Claims, 18 Drawing Sheets

